Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Saier


CARD ETER ROLL S. Department of Ag.

A MANUAL OF RARE FLOWERS, THEIR SELECTION AND CULTURE

Vol. 3, No. 1,

January-February,

25 Cents



Special Lists of Rare Flowers Herb Seeds - Rare Vegetable Seeds

40 YEARS

HERB SEEDS OF ALL KINDS

ANGELICA (an-JEL-i-kah) (Angelica archangelica) A stout herb to 6 ft. growing on low ground and makes a striking picture by side of stream, per-ennial. Pkt. 20¢; Oz. 60¢.

ANISE. (AN-is)
(Pimpinella anteum) Parsley Family, the leaves and seeds used for flavoring in cookery and also in medicine. Annual to 2 ft. and easily grown. Sow seed in April in rows where plants are to grow.

Pbt 204:Cource 506. Pkt. 20¢; Ounce 60¢.

BALM, LEMON.

(Melissa officinalis). An aromatic sweet herb of Mint Family, used in seasoning, in liquors and medicine; grows 2 ft. high leaves have a decided lemon odor and flavor. Easily grown from seed sown late in fall or early in spring.

Pkt. 20¢; Ounce \$1.00.



BASIL, Bush or Dwarf.

BASIL, Bush or Dwarf.

BAZ-il) (Ocimum basilicum minimum)
Sweet herb of Mint Family, esteemed for
flavoring, is an annual, tender and should
be planted after frost danger is past
Easily grown from seed, started indoors or
planted directly to garden, thin plants to
6-12" apart and in rich soil plants will
continue to develope leaves after being cut.
Cut the leaves as blossoms form, hang up
in bundles to dry; plants can be lifted in
fall for green leaves during the winter.
This type grows 2 ft high. Pkt. 15e: Oz. 30e This type grows 2 ft high. Pkt. 15¢; Oz. 30¢

BASIL Tall Green.

A taller strain of Basil and much used n a commercial way by market gardeners.

Pkt. 15¢; Oz. 30¢; 1/4 lb. \$1.30

BORAGE (BUR-ahj)

(Borael) (Borael) An attractive plant 18" high, with pretty sky-blue flowers in clusters, liked by bees. Upper leaves and flowers used in salads, the lower leaves are cooked like Spinach; the fresh foliage has a Cucumber flavor and adds a cooling ouch to salads. Space plants 2-3 ft. apar. hardy annual.

Pkt. 15¢; Oz. 50¢



CARAWAY (KAR-ah-way)

(Carum cavi) An annual or biennial whose seeds are used to season bread, cakes, confections and cheeses; easily grown from early spring grown seeds, where plants are to stand, for two seasons. The young shoots and leaves may be used to flavor salads. Sow a few radish seed to mark your row. Pkt. 15¢; Oz. 35¢

CARDOON (kahr-DOON) Smooth Spanish

(Cynara cardunculus). Grown for its blanched stalks and thick main root, sow seeds early where plants are to grow, in hills 18-24" apart. Water during dry periods to keep foliage tender, in fall treat like Celery and later they will be ready to eat like Endive or Celery.

Pkt. 15¢: Ounce 90¢

CELERY, Soup
Plain leaf type best suited for use in flavering soups, either in green state or Pkt. 15¢; Oz. 35¢

CHERVIL. (CHUR-vil)

(Anthriscus cerefolium) Plain 1e a f Chervil of Parsley Family, whose Par-sley like leaves are used for flavoring salids. Grows 18-24 inches . Sow seeds in early spring or late fall, in any good garden soil, some shade best; produces leaves for use in 6-10 weeks. Pkt. 15¢; Oz. 40¢.

CHERVIL, Curled Leaf.

Similiar to the plain leaf type except that the curled leaves are used more for garnishing, as with Parsley.

Pkt. 15¢; Oz. 40¢.

CHICKORY. Brussels Witlof. Special Strainn (Chicorium intybus) A perennian herb, the roots of which can be dried and used as a substitute for coffee; the leaves are used when young and tender as greens or those of the older plants

are blanched much like Celery. The leaves are forced during the fall and winter to produce loose white or pink leaves or Witlof or French Endive. Sow early in the spring, thinly, in rows 18" apart, thin plants to 6" apart in the row. Dig thhe roots in the fall, cutting the tops to one inch and store in a pit or root cellar; for Witlof, shorten the roots to 8-9 inches, cutting the lower end, bury upright in damp sand or soil, covering tops with 6-8 inches of the soil and keep at about 50 degree F; in 2-3 weeks the blanched heads 5-6" long can be cut for use.

Pkt. 15¢; Oz. 35¢; ½ lb. \$1.95

CHICORY, van Spronsent's Variety. A special select variety of Brusel Witlof. Pkt. 15¢; Oz. 35¢; ½ lb. \$1.95

CHIVES (CHY-vz)

(Allium schoenoprasum) Perennial developing a thick grass like tuft and valued for their mild onion-like and valued for their mild onion-like flavor, the green stems being used in salads, soups, etc. The oftener the leaves are cut the stronger the plant will grow. Sow seeds early in the spring, in rows 2-3 feet apart and thin plants to 6 inchs apart, Keep seeds in sealed jar in refrigerator if not planted when received.

Pkt. 15¢; Oz. 90¢


CORN SALAD

(Valerianella locusta, var. oiltoria)
Dutch Broad Leaf, Large Seeded.
Also known as Fetticus, Vetticost
and Lamb's-Lettuce. Grown in the
early spring or late fall as a potherb; seed sown in the early fall,
some plants will get large enough
for fall use and the balance with
mulching can be carried over for early
spring plants. Sow in early spring in
rows 12 inches apart, they do not do well
during the hot summer. The leaves are
mixed with mustard, pepper grass or
water cress, as a salad. Pkt 15¢; Oz. 60¢

CRESS

(Lepidium sativum) Pepper Grass,—Plain Leaved. Annual growing quickly and making the best greens for garnishing and for salads; the richer the soil the better, plant in rows 12" apart in earliest spring and at weekly intervals till middle of May. Pkt. 15¢; Oz.25¢; ½ 1b. 40¢—Curled or Double Leaved. Makes nicer leaves for garnishing as well as for salads. Pkt. 15¢; Oz. 25¢; ½ 1b. 45¢—Large Leafed French. A large leaf strain. Pkt. 15¢; Oz. 25¢; ½ 1b. 45¢

CRESS, American Upland or Winter Cress (Barbara vernaprocox) A hardy biennial (Herbs Continued on Inside Back Cover)



PIONEER SEED COMPANY - DIMONDALE, MICH.



George Russell and his Famed Lupins

The Russell Lupines represent 20 year's work of a little known gardener, whose name is likely to become a by-word amongst flower lovers the world over.

Having tried, with no little success, growing the various subjects which fall to the lot of every gardener, this young man of 60 who had little theoretical knowledge, but had learnt a great deal from a keen study of nature, decided to devote the rest of his life to a definite object, and some old-fashioned blue and white Lupines exhibited at York Gala in 1911 fired his imagination.

His Start in Improvement

He made a start by buying plants of every known variety and writing to all corners of the world for seed. When they flowered, he must have felt that long life was promised or he would never have had the courage to carry on with such unpromising material.

A start had to be made somewhere and he decided to eliminate all but one or two of the better types and so he continued year after year, feeling he was making progress, but more often than not, realising he would be an old man before his dreams came true.

The patience of the fisherman is quoted as something rather wonderful, but it pales to insignificance besides that of George Russell who, when past three score years and ten carried on, although it meant waiting from June to June for nature to disclose the secrets of his work.

At last in 1925, at an age when most people are satisfied with an armchair in the corner, results began to come; a better type of flower, colors not seen before, and Mr. Russell knew that success was around the corner, the years had not been wasted!

The Russell Lupin Recognized

People began to talk and from 1932 onwards, the road alongside the allotment where they were grown became the Mecca of gardeners in June, when the plants were in flower.

Trade growers made tempting offers but they were allowed to admire, but Mr. Russell was not yet satisfied.

He was making his living as a jobbing gardener. Money was of little importance and for a long time he could not make up his mind to distribute them and from 1930 onwards, he had been receiving offers, which would have tempted many who were much better placed in regards to the comforts of the world; \$250.00 for one plant, \$250.00 each for many others and \$50.00 for a thimbleful of seed from an enthusiastic American. He refused them all, including a Royal Gardener and many bigwigs

of the Seed and Nursery trade! He was not yet ready.

At last, realizing his attitude sevoured of "the dog in the manger," he decided his joys would be increased by sharing with others.

When making arrangements for the distributation, financial reward was not the first consideration. He wanted the strain associated with his name, and to turn it to account in building a career for a boy who, for some years, had helped him in his work. When eventually it was agreed that the Bakers should have the privilege of taking over the future development and distribution, it was conditional on the boy being given an opportunity of continuing the work he, too, had grown to love.

Public Recognition

The least sensitive observer of this new strain of Lupines will surely be conscious of the great boon which Mr. Russell's devotion and perseverance has bestowed upon the world. In almost any walk of life, art, industry, an equally notable achievement would have brought public recognition and honors but Mr. Russell, then well over 80 years of age, justifiably proud of a task well done, still remained the old gardener of York, who does a job here and there where needed.

Hybrid Corn Remarks

Continued from Page 195. ive element is left out of food, as in the case of germs of grain, such grain is lacking in essential food values, we then conclude that the de-tasseling of corn which alters the reproductive power of the seed also alters the quality of that corn for seed.

8. We further conclude that when only about 1/5 of the hybrid seed field is used to pollinate the other 4/5 of the field or all of that field which goes for seed, we are running further into production of an infer-

ior corn crop.

9. Throughout all nature, reproduction is the proof of life and is the end result that is provided for in a plant or animal. Without reproduction, that plant or that animal becomes extinct. Reproductive power in animals is closely related to the reproductive power of the plants which these animals eat. So when we use a vtriety which will not reproduce itself, such as hybrid corn, we are undermining the health of the animal which consumes that plant to support itself in life or strenght. If this law holds good in regard to the domestic animals it will surely hold good also for the human race.

10. The profit motive has brought hybrid corn into existence. Hybrid is known to be more demanding on trace elements of soils and is therefore more of a fertility-consuming crop than the natural open-pollinated. The Middel West is in an uproar over the corn borer. The exhaustive demands of hybrid corn have led to more infestation by this pest and by various diseases.

11. Hybrid corn is a very poor answer to the cry for greater yields. It has brought on more poison spray, which has not proved a cure in any case. So the vicious cycle

is accelerated.

12. We have been thoroughly convinced, beyind a reasonable doubt, that corn can be improved only by field selection and by the organic methods applied to the soil on

which it is grown.

13. We are fully convinced that de-tasseling is not Nature's plan for improvement, and the fact that hybrids do not reproduce themselves proves to us that we are putting off the day of reckoning and are providing only an inferior product. And we further believe that if there is a surplus of quantity at this time, there is not now, and never will be, a surplus of quality of corn. And the answer to the yield problem is new soil from the cycle of life and not new varieties.

RHUBARB FROM SEED

Raising Rhubarb plants from seed is an old practice but in the 19th century, however, it was almost entirely by division of the oud roots, under the impression that much stronger plants could be raised.

This does not adhere to the principal that seedlings are always stronger and more free in growth than when plants have been increased by cuttings or off-sets for a considerable time.

There are many types that come true from seed in Rhubarb. Sow in late spring and up to early June. Sow in drills and as soon as possible, thin to 6 inches apart. During summer the seedling plants require plenty of water and it is well to mulch them during dry periods.

Usually 50% of the plants will be ready for the next season, if sown early and well cared for. We list some of the best varieties.

GAULTHERIA - GENTIAN - GEUM

GAULTHERIA - GENTIAN - GEUM
This seed list continues from page to page and from issue to isue and runs alphabetically. GAILLARDIA: Continued from Page 197. G. PULCHELLA: Also listed as G. picta and G. Drummondii. Hardy annuals growing to 1½ feet. They come in several varieties and are grown mainly for cutflowers. —Indian Chief. Pretty deep coppery scarlet with dark brown center
GALEGA (gah-LEE-gah) Leguminosae. Bushy perennianls with white, blue or purple pea-like flowers in thick clusters or racemes; excellent cutflowers. Seed can be sown where plants are to grow. -officinalis. Goat's Rue. White, lilac and rose fis; 3 ft; HP
GALIUM. (GAY-lee-um) BED-STRAW. Rubraceae. Used mainly in rock gardens and as cut flowers for a light effect in biuquets. Easily grown from seeds. —boreale. Northern B. White flowers; 3 ft; HP
GAMOLEPSIS (gam-MOL-ep-is) Compositae. Small shrubs or plants from S. Africa having yellow solitary flower heads of ray and disk flowers. Grown for the flowers or edging; tender. —tagetes. Bright yellow; 1 inch across; early fl'ing; dwarf; 12"; TA
GARDENIA jasminoides. (Florida Cape Jasmine)Oz. 75¢; lb. \$6.00 GARD-3 (S). 35¢
GAULTHERIA. (gawi-THEE-re-ah) Ericaceae. Evergreen woody plants of the Heath Family having rather small white, blue, red or black flowers followed by fruits. Many are very dwarf and suited for the rock garden. Sandy soil, plenty of moisture, best in light shade and acid soil;not real hardy in the North without winter protection. —Hookeri. Rare species from the Himalayas
Trichophylla. Solitary pink flowers; prostrate; RG
GAZANIA. (gah-ZAY-ne-ah) (Meridiana) Compositae. Grown in the flower garden and for edging. Flowers in white, yellow, orange and opening in the sunshine, disks dark. —longiscarpa. Heads 2" ac; rays orange with dark spot at base; TA*
GENISTA. (jen-NIST-ah) BROOM. Leguminoseae. Ornamental shrubs with yellow or white flowers in racemes followed by flattened pods. Thrive in dry locations and mild climates, not hardy in the North. G. canariensis is grown in the greenhouse for pretty pot plants. —aemensis. Golden yellow; frag; July-Aug; Sicily; 15 ft; HHSh
GENTIANA. (jen-shee-AY-nuh) Gentian. Gentianaceae.
the soil must be moist. They should be in as cool a place in the garden as possible. Best results will be had in planting faceb seed a these results will be had in planting faceb seed these.
should be made so that the seed pan can be held a year or two. -acaulis. Dark blue, spotted inside; 4"; HP. -Forms. Choice selections of this species. -Andrewsii. Purplish blue fls; 2 ft; HP. -Andrewsii. Purplish blue fls; 2 ft; HP. -CENT-17 (W). 50¢ -Andrewsii. Purplish blue fls; 2 ft; HP. -CENT-35¢ -asclepiadea. Dark blue fls; 18"; Caucasus; HP. -CENT-9 (C). 50¢ -Cruciata. Dark blue fls; 10"; HP. -Cruciata. Dark blue fls; 10"; HP. -Cruciata. Dark blue fls; 10"; HP. -Farreri. Blue, white throat, yellowish white band; 3"; HP ; China GENT-25. 50¢ -Purdomii. Easy to grow; likes lime; bright blue; 5"; HP. -alba. A floriferous white form; 4"; HP. -Bent-86A(B). 50¢ -Saponaria. Blue fls; 30"; HP. -GENT-86A(B). 50¢ -Saponaria. Blue fls; 30"; HP. -GENT-91. 35¢ -gracilipes. Rosette-forming; fls purplish blue; China; 6"; HP. -GENT-91. 50¢ -hascombensis. Hybrid; 2 ft; fls 1½" ac; bright blue speckled white GENT-44(E). 50¢ -hascombensis. Hybrid; 2 ft; fls 1½" ac; bright blue speckled white GENT-44(E). 50¢ -pneumonanthe. Fls deep blue, 1½" long; 1 ft; HP. -GENT-90 (W). 50¢ -septemida. Fine blue fls; stems 10"; July-Aug; HP. -GENT-111 (W). 40¢ -Gentiana Blend. All species mixed. -GENT-12. 55¢ ON PURCHASES OF LESS THAN 50¢ WE WILL ACCEPT 3c STAMPS
ON PURCHASES OF LESS THAN 50¢ WE WILL ACCEPT 3¢ STAMPS
DIONEED CEED COMPANY DIMONDEN

DIMONDALE MICHIGAN

GERANIUM - GILIA - GINKGO

CEDADIVINE (DAY) CRANESTINA
GERANIUM. (gee-RAY-nee-um) CRANESBILL. Geraniacaea. Annuals and perennials grown in the border or rock garden. Set the plants of the perennials species, out in the spring. They are easily grown. The greenhouse Geraniums are listed as Pelargonium.
iums are listed as Pelargonium —collinum. Purplish violet fls; 1½ ft; HP. GERN-11. 25¢ —Endressii v. A. T. Johnson. Fine selection; rose; 18"; HP. GERN-13 J (W). 40¢ —Fremontii. Rose-purple, 1" ac; 1 ft; HP. GERN-210. 30¢ —ibericum. Blue fls; 1½ ft; HP. GERN-20. 30¢ —nepalense. Rose-purple fls; decumbent to 18"; HP. GERN-30. 20¢ —pratense. Blue, ½" across; Eurasia; 3 ft; HP. GERN-30. 20¢ —prostratum v. lancastriense. Dwarf; dark pink fls;6"; HP. GERN-38(C). 30¢ —prostratum v. lancastriense. Dwarf; dark pink fls;6"; HP. GERN-38(W). 40¢ —biloot. Purple-white form. GERN-388 (W). 40¢ —bilostemon. Garmenum) Dark red, spotted black at base; 24"; HP. GERN-38. 25¢ —sanguineum. Reddish purple fls; 18"; HP. GERN-47 (W). 40¢ —sylvaticum album. White, ½" ac; 4"; HP. GERN-47 (W). 40¢ —sylvaticum album. White fls, 1" ac; 2½ ft; HP. GERN-50A (W). 40¢ —Geranium Blend. All the available species mixed. GERN-X. 25¢
GERARDIA (ger-AR-de-ah) (Agalinis) Scrophulariacaea. Annual and perennial plants with rather showy red or yellow trumpets. Sow seed by a rotted log in light shade. Not easy to establish. —virginica. (Aureolaria) Nice yellow; June-Aug; 4 ft; HP
GEUM (GEE-um) Avens. Rosaceae. Erect perennial plants, easily grown and excellent for cutting or for beds, border or rock garden. Sow the seeds in open ground early in the spring. Borisii. Hybrid with bright yellow flowers; 6"; HP. GEUM-3. 25¢—campanulatum. Reddish purple fls; 1½ ft; Wash; HP. GEUM-7 (W). 35¢—chiloense v. Firegall. Bright scarlet flowers; 24"; HP. GEUM-10G. 15¢—Gold Ball. Rich golden yellow flowers; 24"; HP. GEUM-10G. 15¢—Mrs. Bradshaw. Rich double scarlet flowers; 24"; HP. GEUM-103. 15¢—Mrs. Bradshaw. Rich double scarlet flowers; 24"; HP. GEUM-108. 15¢—Large double flowers. GEUM-108. 15¢—Lady Stratheden. Double golden yellow flowers; 24"; HP. GEUM-108. 15¢—Lady Stratheden. Double golden yellow flowers; 24"; HP. GEUM-11. 25¢—Coccineum. Bright red flowers 1" across; HP. GEUM-11. 15¢—Fireball. Brilliant red variety. GEUM-11. 15¢—Fireball. Brilliant red variety. GEUM-11. 15¢—elatum. Golden yellow; 12"; best in light shade; HP. GEUM-13. 20¢—hybrid. Waight's Brilliant. GEUM-14. 15¢—pyrenaicum. Yellow nodding fls; 18"; HP. GEUM-26 (W). 35¢—sylvaticum. Yellow fls 1" ac; 2 ft, HHP. GEUM-36 (W). 35¢—sylvaticum. Yellow flowers, ½" across; 2 ft; HP. GEUM-30 (W). 35¢—Yu (10,834). Newely collected from China GEUM-1. 8¢—Yu (10,834). Newely collected from China GEUM-1. 15¢—Geum Mixture. All available kinds mixed.
GILIA. (JIL-e-ah) Polemoniaceae. Annual, biennial and perennial plants with blue, yellow, pink or white funnelform flowers. They are mostly annuals and the seed can be planted early in open ground. -achilleaefolia. Blue fis in dense terminal clusters; 2 ft; HA. GIL-12, 15¢ -aggregata. Scarlet fis; 2½ ft; HB or HP. GIL-4, 30¢ -capitata. Light blue fis in heads 1" across; 2ft; HA. GIL-12, 15¢ -—White. A white variety of the above. GIL-12W, 15¢ -caruiolia. HA. GIL-18. 20¢ -dianthoides. Ground Pink. Exquisite pink fis 1"; 6 in. tall; HHA. GIL-18. 20¢ -laciniata. Rose, blue, pale lilac to white fis; 8"; HA. GIL-22, 20¢ -lutea. (G. micrantha) Erect; yellow, white or rose fis; 6"; HHA GIL-21. 20¢ -rubra. Standing Cypress. Scarlet fis with markings; 6 ft; TB or TP. GIL-33, 15¢ -tricolor. Fis with lilac lobes, yellowich tube and purple th; 18 in; HA. GIL-42, 15¢ -Gilla Mixture. All available kinds mixed.
GINKGO biloba. Maidenhair-tree. N. Eng. seedOz 30¢; lb. \$2.75 GINK-1 (S). 15¢
GLADIOLUS (glad-ee-OH-lus) Iridaceae. Cormous plants native of S. Africa. Most of them must be dug up in the fall and stored in a frost proof place over winter. There are some species that are hardy in Michigan. The common garden Gladiolus are grown from corms as a rule. -blandus. White and red tinged fis; 2 ft
GLEDITSIA. (gled-DIT-see-uh) HONEY LOCUST. Leguminosae. Spring sown seed best; best treatment before planting is the concentrated commercial sulfuric acid treatment; wash seed well after treating and plant immediately. Spring sown seed best; best treatment before planting is the concentrated commercial sulphuric acid treatment; wash seed well after treatment and plant immediately. -japonica. 70 ft; Japan
GLAUCIUM (GLAW-se-um) HORNED or SEA POPPY. Papaverceae. Glaucius plants with orange colored juice and with large solitary orange or yellow

You can order your seeds any way you wish, either by writing the full name down of the flower wanted or just using the symbol at the end of the line; it is easier and plainer with just the symbol but be sure to make it very plain and the correct one.

Glaucous plants with orange colored juice and with large solitary orange or yellow flowers. They are grown as annuals, thriving in any soil in a sunny location.

—flavum. Golden yellow or orange, 2" ac; 3 ft; HP or HB. GLAU-4 (W). 40¢—Mixed. Scarlet and yellow; 2 ft; HP grow as an annual. GLAU-X. 15¢

PIONEER SEED COMPANY

DIMONDALE MICHIGAN

PHOTOSYNTHESIS

The factor is likely to be possessed only by turgid seed like those of Criniums, Ismenes, Clivias, Heymenocallis, Nerines, Brunsvigias, Haemanthus and many others.

Taking Crinums, as an example, the seed may be from ½ to 2 inches in diameter. Nerines may be only 1/8 inch in diameter, but all such seed are rather soft, not hard like a radish seed. They are rounded in form.

Such seed drop on the ground and thus should not be covered when "planted". They then send out a radicle which penetrates the soil. At the end of the radicle a small bulb is formed which later sends up foliage. The entire seed is absorbed by the new bulb.

These turgid seed have a large amount of food stored up in the form of starch. Enzymes are also present and they change the insoluble starch into soluable sugar to nourish the new bulb. In order that it may gain additional food for the very rapid development which the new bulb makes, the seed coat possesses photosynthesis. By this factor, carbon is taken from the air and made into starch. Soon foliage is made and they take over the process of supplying the food that must be taken from the air by photosynthesis.

Probably the class of seed we are discussing is the only one that needs light in order to grow well. That does not mean direct full sun exposure. Such seeds are usually shaded by the mother plant.

Probably no other seed needs light to promote growth before the foliage is formed. Amaryllis to Zantedeschias all need to have seed covered and shading is best. But these members of the Amaryllis family which have the turgid seed should be planted on top of the soil for best results. But they too should be shaded. The soil should be sandy and contain much leaf mould.

By Cecil Houdyshel, Calif.

RAMPION

In Europe, Campanula rapunculus, is grown and eaten raw as a salad. In this country this plant is considered as a bad weed!

The seed is sown early in May, broadcast or in drills, 8-10 inches apart, and then from October on, the roots are gathered.

FIBROUS ROOTED BEGONIAS

Species such as coccinea, fuchsiodes, manicata, Gloire de Lorraine, Haageana, Rex or Imperialis, can be grown from seed sown in January or February, in a temperature of 65-75 degrees F.

For a potting soil, peat, loam, some charcoal and sand is best. After the plants are potted, they require a temperature of 55 with 5 more in spring and summer. Repot in March if necessary.

SOIL REQUIREMENTS FOR BORONIA MEGASTIGMA.

Boronia megastigma NESS, needs a mixture of peat humas, sand and top soil, about 1/3 of each. Do not over water in the winter and do not wet the foliage, neither the stem. Optimum winter temperature is around 40-45 degrees F.

By S. L.Solymosy, Ga.

PEAT AND ACID LOVING PLANTS

Mix 30-50 per cent peat by volumn into the soil for such plants as Azaleas Clematis, Hemlocks, Hydrangeas (bule), Kalmia, Laurel, Pieris, Rhododendrons, Taxus, Blueberry, Strawberry, etc.

GET EVERY ISSUE — \$2.00 PER YEAR

Saier's GARDEN MAGAZINE DIMONDALE, MICHIGAN.

VOL. 3. NO. 1.

JANUARY 1952.

Owner and publisher of Saier's Garden Magazine, Harry E. Saier, Dimondale, Mich-Issued each month. Subscription price \$2.00 per year; 2 years \$3.00; single copies

We are again a little late in getting out this months issue; it is all due to short 24 hour days. It is hard to get help that is posted on the type of flowers and seeds we discuss, to say nothing about the actual printing problems, but it IS getting better so we trust our readers will understand.

We have received about 20 letters form subscribers, saying they did not get their December issue. These were all carefully mailed out and we have no other explaination. Duplicate copies were sent promptly upon receipt of their letters.

We receive many letters daily and not all have been answered; we hope to do so tho: our intentions are good.

HAVE YOU A FAVORITE GARDEN?


We will be pleased to give a good writeup of your favorite garden with a picture on the cover. If your garden club will discuss the subject and then take a vote as to the local garden to be recommended, it will stimulate much interest in gardening.

The garden selected should contain a good selection of flowers and be noted for the effort spent on it by its owner. This will be a good subject for discussion during the winter months; lets hear from your club.

PERFECT LABE

MARK with ORDINARY LEAD PENCIL

Mark with your ordinary lead pencil; it is permanent and will not fade or become unreadible. If you wish to make any changes an ordinary erasor will remove the writing.



PRICES

5 inch; width of marking space 2 inches: 12 labels; \$1.25;25 for \$2.40; 100 \$9.25 7 inch; width of marking space 2..1/8 inches. 12 labels: \$1.50; 25, \$2.90; 100,\$11.25.

PIONEER SEED COMPANY DIMONDALE, MICHIGAN

ESCHSCHOTLZIA - EXACUM

This seed list continues from page to page and from issue to isue and runs alphabetically. **Bb** means bulb; **Tr**, tree; **Sh**, shrub; **T**, frost tender,; **W** white; **lvs**, leaves **Cl**, climber.

EUCALYPTUS.	(en-kah-LIP-tus)	GUM TRE	E. Myrtaceae.
Daniel encuring	errendneen trees	of more co.	stions of the ser

ESCHSCHOTLZIA. (esh-SHOLT-see-uh) Papaveraceae.

Western North American natives with showy yellow flowers. Grown as annuals for western North American naives with showy yearon nowers. Grown as annuals for their showy display. Plant early in the spring.

E. californica: California Poppy. Sow seeds where plants are to grow, early in the spring or in the South, they should be sown in the fall. They are especially showy in mass plantings and grow well in most any soil, giving a long period of bloom.

Single Flowered Varieties: Very showy in mass plantings.

1	Single flowered Varieties: Very snowy in mass plantings.		
ı	-aurantaca. Deep orange	ESCH-1A.	15¢
ı	-Carmine King. Best carmine variety		
ì	-Crocea. Beautiful bright orange variety		
	-Dainty King. Pretty, dainty soft pink	. ESCH-1D.	15¢
ı	—Dazzler. Erect, compact, fiery scarlet	. ESCH-1L.	15¢
ı	-Golden West. Bright yellow with orange center	ESCH-IG.	15¢
ı	-Mandarin. Inside petals orange, outside scarlet	ESCH-1M.	15¢
ı	-Mikado. Attractive orange-crimson	ESCH-1K.	15¢
ı	-Orange Flame. Vivid orange-scarlet, showy in masses	. ESCH-1F.	15¢
ı	-Orange King. Showy orange	. ESCH-1R.	15¢
ı	-Rose Cardinal.Pretty carmine-pink.	ESCH-IN.	15¢
ı	-Scarlet Beauty. One of the best scarlets	. ESCH-1S.	15¢
į	-Tango. Bronzy red and terre cotta		
ļ	-The Geisha. Brilliant gold and crimson, showy	ESCH-1H.	15¢
į	-Vesuvius. Showy Wallflower-red		
i	-White Emperor. The best white	ESCH-1W.	15¢
ı	-Ramona Hybrids. Compact, fringed strain in many colors		
ı	-Single Eschscholtzia Blend. Blend of above		
ĺ	-Monarch Art Shades. Finest blend of double flowers	ESCH-2X.	10¢
ı			

EUGENIA. (yeu-jJEEN-ee-uh) Myrtaceae.

Semi-tropical evergreen shrubs and trees. Grown in Fla and Calif; they are ornamental, in leaf, flowers and berries; easily grown—uniflora. Surinam Cherry, Petanga; Sh 25 ft; fls white; fr crimson.... EUGE-26. 25¢

EUPHORBIA. (eu-FAUR-be-ah) SPURGE. Euphorbiaceae.

A large genus consisting of many different types of plants and having a milky juice.
They thrive in a porous and not too rich a soil.

—Wulfenii. Sub-sh; fis greenish yellow; lge dense cymes; 5 ft; TP.... EUPH-158 (W). 40¢

—sikkimensis.

—EUPH-134 (W). 50¢

—characias.

—EUPH-26 (W). 35¢

-sikkimensis. EUPH-134 (W). 50¢
-characias. EUPH-26 (W). 35¢
-Fraseri: see E. rugosum. EUPH-26 (W). 35¢
-Fraseri: see E. rugosum. White Snakeroot. White heads; 4 ft; HP. EUPH-34. 25¢
-heterophylla. Like Poinsettia; start indoors; 3 ft; TA. EUPH-67. 15¢
-Livingstonia. From North Rhodesia. EUPH-80. 35¢
-Myrsinites. Decumbent RG; stems end in golden flower head; HP. EUPH-90. 20¢
-polychroma: see E. epithymoides. (Recently reclassified, sorry to say)
-epithymoides. Showy in border; 20" HP. EUPH-40. 25¢
-pulcherrima. Poinsettia. Bright red; sh 10 ft; TP. EUPH-122. 25¢
-Euphorbia Mixture. All kinds in stock. EUPH-X.15¢

EXOCHORDA. (ek-soh-KAUR-dah) PEARL-BUSH. Rosaceae.

Hardy deciduous Asian shrubs. They thrive -racemosa. Race. of pearly buds; fls pure white; 10 ft Oz.65¢ Lb. \$4.50 EXOC-6 (S). 25¢

EVODIA. (ee-VOH-dee-uh) Rutaceae.

Rhus-like trees and shrubs, some hardy and others greenhouse subjects (GH) -franimfolia. From India.... EVOD-3. 25¢

EXACUM. (EKS-a-kum) Gentianaceae.

FARSETIA. (far-SET-ah) Cruciferae.

Erect woolly annuals and perennials or sub-shrubs with white, pink or yellow flowers in spikes or racemes. Sometimes listed under Fibigia.

—clypeolata. (Boiss) FARS-2(F). 50¢
—eriocarpa. (Boiss) FARS-5(F). 50¢
—lunarioides. (S. S.) Bright yellow fls ¼" ac; 1 ft; Greece; HP. FARS-9(F). 50¢
—Farsetia Blend. Above species mixed FARS-X. 35¢

ORDERS FOR SEED MAY BE AS LOW AS ONE PACKET; ORDER AS NEEDED. ON PURCHASES OF LESS THAN 50ϕ WE WILL ACCEPT 3ϕ STAMPS

PIONEER SEED COMPANY - DIMONDALE MICHIGAN

FELICIA - FESTUCIA - FREESIA

FELICIA - FESTUCIA - FREESIA
FATSIA. (FAT-sec-ah) Araliaceae. A single evergreen shrub from Japan and grown in the greenhouse in the North or out doors in the South. It is especially desirable for its foliage. —japonica v. Moseri. A compact growing form
FELICIA. (fe-LISH-e-ah) Compositae. African plants and subshrubs. The latter are greenhouse plants and the annuals make nice plants in the garden. They have attractive daisy-like flowers with blue or white rays and yellow disks.
—Bergeriana. Kingfisher Daisy. Bright blue star-shaped fls; RG; 12"; TA. FELC-4. 40¢ —hyssopifolia. Rays lavender-mauve, golden disk; 12"; TP FELC-8. 30¢
FERNS. Ferns are classified in several genera; we list here under this heading, collected ferns spores, mostly from Columbia, of which we do not have sufficient descriptions to properly classify them. —Tree Ferns. Collected in Columbia. —Tongue Fern. Non-creeping form from Columbia. —Tongue Fern. Non-creeping fern from Columbia. —Tongue Fern. Small creeping fern from Columbia. —FERN-2. 25¢ —TibiGIA: see under FARSETIA.
FESTUCA. (fes-TUC-ah) Fescus. Gramineae. Perennial grasses, mostly tufted, with spiklets in narrow panicles. Some are suitable for pastures, others for lawns or ornamental grasses; listed here are the ornamental—ovina v. glauca. Blue glaucous foliage; 2 ft; HP
FORGET-ME-NOT: see Myosotis. FRNCOA sonchifolia. Pink, marked dark color; 2 ft; HHPFRAN-5 (W). 40¢ FRANKLINIA: See Gordonia alatamaha.
FRASERA. (fray-ZER-ah) COLUMBO. Gentianaceae. North American plants with white, yellowish or bluish flowers in panicled clusters. —Parryi. Greenish white fis; S. Calf.; 3 ft
FREESIA. (FREE-zee-ah) Iridaceae. A very popular flower for the greenhouse. Flowers in 10 weeks after planting bulbs and they make choice flowers in the late winter or early spring. They are grown outdoors in S. California where they should be planted in the fall. Seed will produce flowers in second or third year. Order the bulbs early in the year. —Luzi. New type in beautiful new shades and Ige fls
FREMONTIA mexicana. Flannel-bushOz. \$3.50 FREM-2 (S). 50¢
FRITILLARIA. (frit-il-LAY-ree-ah) Liliaceae. Bulbous plants with drooping bell-shaped flowers often checkered in greenish, purple or brown. They can be grown from the bulbs which are offered in the summer bulb lists or they can be grown from seed. They are easily grown in ordinary soil and flower early in the spring. —acmopetala. Fls large, olive-green and purple; rare; 18"; HP. FRIT-2. 30¢. —cirrhosa. Yellowish fls checkered purple; 2 ft; HP. FRIT-8. 25¢. —imperialis. Purplish brick-red or yellow-red fls; to 4 ft; HP. FRIT-12. 25¢. —mulbra. Extra red form; 3 ft; HP. FRIT-12. 25¢. —meleagris. Fls checkered and veined with purplish or maroon; HP. FRIT-18. 25¢. —pallidiflora. Pale yellow fls spotted inside; 9"; HP. FRIT-2. 25¢. —pudica. Yellow Bell. Earliest spring fl; 6"; HP. FRIT-22. 25¢. —pyrenaica. Dark purple spotted with green; 18"; HP. FRIT-25. 25¢. —recurva. Scarlet checkered with yellow; 2 ft; HP. FRIT-28. 25¢. —Roylei. Greenish yellow fls netted dull purple; 2 ft; HP. FRIT-32. 25¢. —Fritillaria Blend. Mixture of above. FRIT-X. 25¢.
FUCHSIA. (FEW-shuh) Onagraceae. They are tender plants grown in the cool greenhouse in the North. They can be bedded out during the summer and in mild climates grown outdoors. They are excellent house plants, very pretty and popular. —California Strain. Crosses from A. F. Society, A and B rated varieties FUCH-1. 50¢
GAILLARDIA (gay-LAHR-de-ah) BLANKET FLOWER. Compositae. Annuals, biennials and perennials with showy solitary heads and yellow or red rays. They make very good cutflowers as well as display in the border. Easily grown, doing best in a light open well drained soil. The annuals can be either started indoors or sown in the open ground in April. Most of the common garden varieties belong to the species aristata. G. ARISTRATA: Hardy perennial, easily grown anywhere; comes in many var. —Bremen. Coppery scarlet with yellow tips; pretty
plainer with just the symbol but be sure to make it very plain and the correct one.

DIMONDALE MICHIGAN

PIONEER SEED COMPANY

RARE FLOWER SEEDS

We list below a very select group of hardy alpine plants, trees and shrub seeds. These will all eventually be included in our regular 2-column listings but are made now due to lack of time. Those that are ligneous or woody plants are marked as "Shrubs', altho some may become dwarf trees.

"Shrups, altho some marked othertrees.
All Packets are 30¢, unless marked otherwise. Order early as some items are not in large quantity.

Abutilon vitifolium. Acaena novae-zelandae.

Acaninolimon creficum. —glumaceum.	50¢
venustum.	50¢
Acanthus longifolius.	
Acer crataegifolium. Shrub. —Hersii. Shrub.	40¢ 30¢
Achillea aurea grandiflora.	004
Clavennae.	
Aconitum anglicum.	
Actaea alba. —spicata.	
spicara. Adenophora Bulleyana.	
Farrari	
Aethionema coridifolium. —pulchellum.	
—pulchellum. Agapanthus umbellatus Mooreanus. —species. (Basutoland).	45¢
—species. (Basutoland). Allium aflatuense.	35¢
albo-pilosum.	
—alleghericum.	
—anisopodum. —Farreri.	
giganteum.	
_karalavioneo	
-Molynarcissiflorum.	35¢
-Ostrowskyanum	33¢
—pulchellum. —Rosenbachianum.	
siculum.	
sphaerocephalum.	
-iriqueirum.	
—unifolium. Altroemeria Ligtu Hybrids.	35¢ 35¢
Alyssum montanum.	33¢
—spinosum, Amsoni—a salicifolia.	
—tabernaemontana.	
Anacyclus atlanticus.	
—depressus. Androsace carnea brigantiaca.	
Laggeri.	50¢
Laggeri. cylindrica x hirtella.	50¢
—hedraeantha. —hirtella.	50¢
—imbricata.	50¢ 60¢
—lactea.	
—Mathildae. —obtusifolia.	20.4
pyrenaica.	30¢ 50¢
Andryala Aghardii. Anemone alpina.	
	30¢ 50¢
baldensis.	30¢
—decapetala rosea. —demissa.	
-Lesseri,	50¢
magellanica.	
—Pulsatiila.	
— —alba. — —australis.	
— — caucasica.	50¢
— —caucasica. — —Halleri. — —Mallenderi.	
- Native Fralich Form	30¢
— — patens. — — rubra.	
-rupcola.	35€
salavica.	
sylvestrisvernalis.	50¢
A minus manin maning	30¢
— dioica minima.	
Anthemis Bighersteiniana	
-Cupaniana.	
mausknechiii.	
Antirrhinum Asarina. —glutinosum.	
Aquilegia Buergeriana.	
caerulea. clematidiflora.	
—discolor.	35∉
-ecalcarata.	
-flabellaia nana.	
fragrans.	

Continued on Page 204

GENTIANA

It is hard to find a group of rockery plants that can surpass the Gentians for their brilliant blue coloring.

Gentiana acaulis is one of the loveliest of the genus and grows like a weed in many gardens. A heavy loamy soil seems to be best for it and if some small stones or chips are mixed in the soil, so much the better.

Another very satisfactory species is Gentiana septemfida; it, too likes a moist loamy soil.

The seed does not germinate readily. It is best sown as soon as ripe but as it is not always available, it is then best to stratify the seed in sand during the winter months, at around 35 degrees F. and plant early in the spring.

Seed sown as soon as ripe, germinate the following spring or summer. During the first year little growth is made but after this they grow rapidly.

Note. We have often wondered how many plants a buyer got from this type of seed. As it requires some knowledge in handling, the failures must be great and the present type of magazine makes it possible to give information that could not possibly be given in an ordinary seed catalog or on a seed packet. It might also be better to allow the stratified seed to get a good freeze late in the winter and before planting it out in the seed bed or pot. Possibly some of our readers have tried this out and will find time to write of their experience. Ed.

LTITLE PICKELS.

I note on page 103 that some reader wants seed of Crassifolia (Little Pickels). This is a common succulent, Othonna crassifolia or more properly, O. capensis and as all Othonnas are self-sterile and as undoubtly all plants of this species in this country are descended from one original import, it's very unlikely that any seed is available anywhere. However, the plant is so common I do not see why seed is necessary:

The Cotyledon oppositifolia, which I am ordering, has for the past 20 years been known as Chiastophyllum oppositifolium, a monotypic genus from the Caucasus.

By Myron Kimnach, Calif.

LILLIES

Mr. W. L. Fulmer, who is chairman of the membership committee of the North American Lily Society, writes, "May I make a suggestion?. Lilies can be divided into two types according to seed germination. The quick germinating type if planted in late fall they will appear above ground the next spring or if planted in the spring will appear above ground in a short time. The slow germinating type, if planted in the fall or in the spring will show no top growth until the second spring or early summer."

He also mentions the common practice of planting the seed too deep resulting in poor "germination".

Any one wishing to join the Society can write Mr. Fulmer at 505 Boylaton North, Seattle, 2, Wash. The 1954 National Lily Show is to be held in Seattle.

Labiatus: (lay-bee-AY-tus) lipped.

Laciniatus: (las-in-ee-AY-tus) Cut into narrow pieces or holds.

Lactiflorus: (lak-tif-FLOH-rus) Milk-white flowered.

Lanatus: (lan-NAY-tus) Woolly or wool-like. Laevis: (LEE-viss) Smooth.

GODETIA - GYPSOPHILA

GLOBULARIA (glob-u-LAY-re-ah) Globulariaceae. Little shrubby plants from the mountains of S. Europe and Asia with blue or white
flowers in rounded heads. They are easily grown from seed, in a moist and partly
-incanescens. Bitte, neads 22 ac; 4; Italy, Ir 1" ac; HP. GLOB-4 (C). 50¢ -cordifolia. Sub-sh; 4"; prostrate; blue fi heads, 1" ac; HP. GLOB-5 (W).50¢ -dumulosa. GLOB-5 (W).50¢ -parveries. Species from Austria GLOB-6. 25¢
shaded place and also suitable for the rock garden. —bbellidifolia. Like cordifolia —incanescens. Blue, heads ½" ac; 4"; Italy; HP
GLOXINIA: see Sinningia speciosa.
GODETIA, (go-DEE-she-ah) Onagraceae.
Erect annuals with bright showy flowers in red, lilac, purple or white. They are easily grown, best in a light soil and sunny exposure. Seeds can be started indoors or planted where the plants are to grow.
G. GRANDIFLORA: This species is the commonly grown Godetia. It comes in many choice varieties both double and single flowers. They all are hardy annuals.
choice varieties both double and single flowers. They all are hardy annuals. —Carmine. Double carmine red. ——GODT-4M. 15¢—Charming, Dwarf; very bright deep satiny pink; 12 inch tall. —GOD-4C. 15¢—Cherry Red. Showy variety. ——GOD-4C. 15¢—Crimson Glow. Dwarf; extra dark crimson strain; 12" ——GOD-4C. 15¢—Crimson Glow. Dwarf; extra dark crimson strain; 12" ——GOD-4A. 15¢—Crimson Glory. Dwarf; deep glowing salmon-orange; 12" ——GOD-4M. 15¢—Kelvedon Glory. Dwarf; deep glowing salmon-orange; 12" ——GOD-4M. 15¢—Mauve Queen. Beautiful new mauve color: dwarf; 12" ——GOD-4M. 15¢—Fantasy. Full double flowers. ——GOD-4M. 15¢—Orange Glory. NEW, pure orange, double ——GOD-4M. 15¢—Pink. Double flowers ——GOD-4M. 15¢—Pink. Double flowers ——GOD-4M. 15¢—Purity. Glistening solid snow-white; 12" ——GOD-4M. 15¢—Rosemunde. Beautiful rose-pink; 12" ——GOD-4M. 15¢—Sybil Sherwood. Pretty salmon-pink; 12" ——GOD-4M. 15¢—Sybil Sherwood. Pretty salmon-pink; 12" ——GOD-4M. 15¢—White Swan. Large flowering satiny white; 12" ——GOD-4M. 15¢—Dwarf Single Mixed. Above varieties mixed ——Oz. 50¢—GOD-4X. 10¢—Double DWARF VARIETIES:
-Crimon Glow Dwarf; extra dark crimson strain; 12"
-Kelvedon Glory. Dwarf; deep glowing salmon-orange; 12" GOD-4K. 15¢
Fall double flowers. GODT-4F. 15¢ GODT-4V. 15¢
-Orange Glory, NEW, pure orange, double GODT-4N, 15¢
-Purity. Glistening solid snow-white; 12"
—Sybil Sherwood. Pretty salmon-pink, 12"
-White Swan. Large flowering sating white; 12" GOD-4W. 15¢
DOUBLE DWARF VARIETIES:
DOUBLE DWARF VARIETIES: —Mauve Queen. NEW, beautiful rich mauve; double; 12"; HA
—Sweetheart. Azaleiflora; bright shell pink; 12"
TALL UPRIGHT SINGLE VARIETIES: These are nice for border, bedding; 2-3 ft tall.
Fairy Queen. White and crimson
—Pelargonium. Bluish pink, blotched carmine
TALL UPRIGHT SINGLE VARIETIES: These are nice for border, bedding; 2-3 ft tall. —Duke of York, A rich scarlet
WHITNEYI: Very compact strain, dwarf and double, also known as Azaleaeffora.
-Maiden Blush. Double rose pink
-Lady Albemarle. Compact, crimson
GOMPHRENA. (gom-FREE-nah) Amaranthaceae. Useful for bedding and cutflowers as well as for dried or everlasting flowers. All HA
G. GI OROGA, Start goods indoors for botton domainstion; flowers are gloven like
-Striped. GOMP-28. 15¢
-White. GOMP-2W. 15¢
GLOBOSA: Start seeds induots for better gerinmation, howers are clover-like. GOMP-2Z. 15¢
GORDONIA. (gor-DOH-nee-ah) Theaceae.
Trees and shrubs from warm regions. The American species (G. alatamaha) known
as the Franklinia tree, is rare and not many are known. It requires an acid soil and is hardy up to Mass. We wish reports on them along the northern planting area as we
would like to map this line in a future issue. —alatamaha. FRANKLINIA TREE. To 20 ft; fls 3" ac
GOURDS. Under this heading are listed the cucubits that have hard shells and grown for orna-
ment. They may be divided into large small fruited varieties. They are very ornamental, are easily grown from seed planted outdoors as soon as the soil is warm. If
no frost. See articles during the fall months as to harvesting, etc.
SMALL FRUITED VARIETIES. Mainly Cucubita neno
Egg, White. About the size of a lemon
-Miniature. Fruits round, dark green and striped yellow
Pear-bicolor. Half green, half yellow; pear-shaped
—Pear Striped. Dark green striped with longitudinal white bands
Spoon. GORD-IL. 15¢ -verrucosa. Small green, very warty fruits. GORD-IV. 15¢ -Small Fruited Varieties Mixed. GORD-IX. 10¢
I ADCE EDITED WADISTIES, Mostly Chaushite laws at
Apple Shaped. Green
DIALITED COLD COLD LINE

DIMONDALE MICHIGAN

GRINDELIA - HALESIA - HEBE

GRINDELIA - HALESIA - HE	BE
GOURDS: Continued from Page 200. Continued f	TODO OD TEL
GREVILLEA robusta. Silk Oak. GH pot plantOz. \$1.80; lb. \$12.00 GR	EV-20 (S). 50¢
GRINDELIA. (grin-DEE-le-ah) GUM PLANT. Compositae. Western U. S. perennials bearing large yellow ray or disk flowers and opoor soils. —squarrosa. Yellow fls ¾" across; 2 ft; HB or HP	0
GYMNOCLADUS. (jim-NOK-lad-us) KENTUCKY COFFEE TREE. L The seed coat is impermeable; soak seed 2-4 hours in concentrated small lots file seed coat or 2-6 minutes in hot water at 195 degrees F; s—dioicus	eguminosae.
GYPSOPHILA. (gip-SOFF-il-ah) BABY'S BREATH. Caryophyllaceae. Hardy annuals and perennials of great value both as cutflowers and rock garden or border. The flowers are small and numerous, in-yellow, v. G. paniculata is also grown for its dried flowers which are used in bouqu. G. ELEGANS: Hardy annuals grown mainly for cutflowers; they are very this purpose. Succession planting can be made every week during the sI in the South they should be planted in the fall; blooms in 6-8 weeks from —Carmine. —Crimson. —Rose. —Blend of the Above Colors. —Blend of the Above Colors. —Oz. 40¢ Lb.\$2.00	white or rose. ets, etc. valuable for pring months. planting; 2 ft. GYP-5C. 10¢. GYP-5Z. 10¢.
GYPSOPHILA SPECIES: -acutifolia. White, larger than paniculata; Caucasus; HP	dried flowers
HALESIA. (hay-LEE-zee-uh) SILVER-BELL, SNOWDROP TREE. Styra Attractive shrubs or trees, transplants easily. Seed germinates secon planting or they may be stratified 2-4 months at 55-85 degrees F. and the 2-3 months. Fairly good germination with cold treatment alone. —carolina. (tetraptera) W. Va to Fla; hardy North; Oz. 35¢; lb. \$2.00 Himonicola. Hardy North; 100 ft; Oz. 40¢; lb. \$3.20	caceae. nd year after n at 33-40 for ALE-1 (S). 25¢ ALE-4 (S). 25¢
HAMAMELIS. (ham-am-MEEL-iss) WITCH HAZEL. Hamamelidaceae. Germinates best in damp rich soil, partial shaded beds. Usually germ year; stratify at 65-85 degrees F. for 2 months then 3 months at 40 degree only treatment known to partially break its dormancy. —japonica. 30 ft; Japan	MA-2 (S). 50¢ MA-5 (S). 50¢ A-2Z (W). 50¢ MA-5T (S). 50¢ MA-7 (W). 40¢
HEBE. (HEE-bee) Scrophulariaceae. Shrubs and small trees, mainly from New Zealand, formally classified vonicas. They can be grown out doors in mild climates and some under North; some make nice evergreen hedges. —Bollonsii. Pale lilac; in 4" racemes; 5 ft; N. Zealand; HHSh	glass in the
HEDYCHIUM. (hee-DIK-e-um) GINGER LILY. Zingiberaceae. Robust tropical perennial plants mostly from India. Grown in the GH South. Flowers are showy and fragrant; rich soil and plenty of moistur—coccineum v. augustifolium. Shorter lvs; salmon-pink fis 6';TP	or in the far
HELENIUM. (he-LEE-ne-um) Compositae. Mostly perennial plants; some annual, flowering in the summer and fa fairly rich soil and a sunny position; makes a fine plant in the border or Easily grown from seed started early or to late July. —autumnale. Heads 2" ac; lemon-yellow. disks yellow; 6 ft; HP	ll. Thrive in wild garden.
PIONEER SEED COMPANY - DIMONDALE MICH	

Iberis or Candytuft

One of the most easily grown and showy of hardy rock garden plants. In growth, it forms a mass of semi-shrubby stems clothed with small evergreen leaves which are smothered in the spring with small white flowers, making a most charming display.

If planted with the perennial Alyssum, (saxatile) and mauve Aubrietia, an attractive combination is formed.

All Iberis sempervirens thrive in a well drained loamy soil. Where hanging plants are wanted, as on the top of a wall, they are ideal. They thrive, too, in the debris of an old wall or ruin or on a dry sunny bank where not many other plants would exist.

Seed can be started early in the cold frame or planted in the open ground as soon as workable.

I. gibraltarica is one of the most ornamental of the genus. It is not so commonly grown and should be given a warm sheltered sunny location. I. sempervirens is a compact, carpet-like, pale mass, covered with small white flowers.

ERINUS ALPINUS

Plant Erinus alpinus with white flowering plants for best effect. It is a pretty creeping plant and especially attractive on high places in the rockery, between rocks where it will form "rivers" of bloom. Its flowers are a purplish color.

It grows best in a light, well drained soil and will live longer if sand has been dug into the soil. Sow seeds either late in the autumn or early in the spring. It reseeds readily. It is native of the mountains of Switzerland and southern France.

PERIANNIAL BROWALLIA.

Browallia speciosa HOOK, (not to be confounded with B. speciosa HORT.) Native of the Tolina Mountains in India; this is a semi-shrub, about 18 inches tall with very dark green lanceolate leaves and auxillary, deeply five-lobed dark blue flowers with white throat. They are not hard to grow and like a loamy, rather heavy soil and a shady location. Optimum winter temperature about 40 degrees F. or can be kept outdoors when a heavy snow cover can be expected before the ground is frozen.

By S. L. Solymosy, Ga.

SALVIA SEED

Now is the time for the greenhouse grower to lay in his supply of fresh SALVIA SEED. We have a good stock of fresh 1951 crop.

1/4 Oz. at Ounce Rate; 1/4 Lb. at Lb. Rate.

Salvia should be held at around 60 degrees F while germinating; many failures are due to too cold a temperature.

IRIS

By Walter Welch, Indiana

For two years the Dwarf Iris Club has conducted a Dwarf Iris Symposium, practically 150 members voting, which has been of great value in selecting the superior varieties out of a maze of old and new, unnamed, duplications, misnomers and unauthenticated names.

Having achieved this major job with reasonable satisfaction, it was suggested that a further Classification by color would be a dtsinct benefit for the uninformed growers.

We have tackled this job with much hesitation, knowing full well its possibilities for error and criticism, however the listing below has received the approval of the membership, and there is no better authority on this subject.

It has been our attempt to place the varieties in order of quality but individual taste will enter into this appraisal, so that no arbitrary decision is intended, some varieties are border-line problems, and their placement under color headings is quite difficult. In fact the selection of the color sections are a problem of no mean proportions; For example the "Mulberry Purple" section is not entirely satisfactory. But at our present stage of development, considering that just a short time ago the colors in Dwarf Iris consisted of just purples, yellows and a few near whites, it is with deep satisfaction that we are able to submit such a comprehensive array of color forms.

This is the official Color Classification of the "50 BEST DWARFS" as authorized by the Dwarf Iris Club..

YELLOW
Keepsake
Path of Gold
Tiny Treasure
Sound Money
Ylo
Burchfield
Harbor Lights
Prairie Gem
Yellow Frills
Orange Queen

Moon Gleam Cream Tart BLACK PURPLE Marocain Niobe

Black Midget

CREAM

BLUE PURPLE
Blue Mascot
Balkana

WHITE BICOLOR Little Elsa Silver Elf

Blue Masco Balkana Buzzer Fragrance Reflection VIOLET Violet Gem Sulina

VARIEGATA Primus PINKISH Mist O'Pink Pink Mauve Rose Mist

WHITE Fiancee Schnekuppe Fairy Bouquet

BLUE Blue Band Azurea Coerulea

FALL BLOOMER Lt. de Chavagnac

RED BLEND

Heatherbloom

RED PURPLE Atroviolacea Tiny Tony Alinda Endymion Sass Dark Ruby Tony Graminea

Tampa Little Jewel Neola MULBERRP PURPLE Beauty Spot

Wee Admiral

Bronya

I must draw your attention to the distinction between blue and blue-purple. Under the blue class are three pumila hybrids, as distinct from the blue-purple which comes from I. chamaeiris. I. pumila is the only Iris species which has pure blue as a basic color segregate, all other Iris have an approximate blue as a result of dilution of purple or violet with white.

INULA - IPOMOEA - IRIS

INOUN INOUNT IN	
INCARVILLEA Continued from Page 205. drained, rich light soil, and sunny place. Plant seeds up to August flowering; give winter protection in the North.	for next season
—Delavyi. Rose-purple fis, yellow tubes; very nice; 2 ft; HP	ICAR-2. 20¢ P ICAR-4B. 35¢ ICAR-7. 25¢ ICAR-8. 25¢ ICAR-X 25¢
INDIGOFERA. (in-di-GO-fe-rah) INDIGO. Leguminosae. Ornamental plants for borders and in shrubbery, many of which are far North. Some can be grown in the greenhouse or for window trea—Dosua. Red fis in racemes; low shrub; India; TP—Potaninii. Lilac-pink fis in racemes; hardy in North; sh to 5 ft	tment.
INULA. (IN-yu-la) Compositae. Showy herbaceous perennials, most of which are hardy in the N daisy-like heads of yellow or orange flowers. They make a brilliant well in average soil but requires a sunny position.	orth; with large display. Grows
wein average son but requires a sumy position. glandulosa. Solitary yellow heads 4 ft; HP hirta. Yellow heads, 2" ac; July-August; to 15"; HP. Oculus-Christi. Pretty yellow heads; 2-3 ft; HP. Royleana. Orange-yellow heads, one of the best; 2 ft; HP. salicina. Golden yellow, 1½" ac; 2 ft; HP. va. aspera salicifolia. ihapsioides Juula Mixture. All species mixed.	INUL-8. 15¢ INUL-10 (C). 40¢ INUL-17. 25¢ INUL-19. 25¢ INUL-20. 20¢ INUL-20. 25¢ INUL-27. 25¢
India Wixidre. All species mixed	INUL-A. 20¢
IPOMOEA. (y-poh-MEE-ah) MORNING GLORY. Convolvulaceae. Ipomoeas are mainly twining annual and perennial vines. The genulus that and comes in many kinds and habits. They are all easily grow better germination file or cut a small notch in the outer covering. The and should be planted after all danger of frost is past. See Convolvulus for other forms closely related.	
I. PURPUREA: The common garden Morning Glory; grows 6-8 feet ideal vines for fences, etc. Best in rather dry sandy soil; not too muc—Blue Siar. NEW a well recommended blue with white center	h watering IPOM-1B. 20¢ blIPOM-1C. 15¢ bat IPOM-1H. 15¢ brIPOM-1H. 15¢IPOM-1RM. 20¢IPOM-1S. 15¢IPOM-1S. 15¢IPOM-1RWB. 20¢
Large Flowered Types Mixed. Above varieties. Oz. 75¢. NIL: (imperalis) The well known Japanese Morning Glory. They colors and make a beautiful dirplay. -Roce Pink spotted Snow White. -Bright Scarlet edged White. - New Hybrids. These have just been received from Japan. - Mixed. This contains many choice colors. - Light Blue edged Delicate White. - Pink. - Brown. - Carmine edged Snow White. - Red. - Lilac with Pink Stripes. - Purple	IPOM-19RS. 25¢ IPOM-119SW. 25¢ ————————————————————————————————————
—bona-nox. (Calonyction aculeatum) Moonflower; white fls	IPOM-4. 15¢ IPOM-8. 15¢ IPOM-10S. 20¢
—lindheimi —nociiilora: see Calonyction aculeatum. —seiosa. Brazilian M. G. Lge pink fis; no thorns; HHV	IPOM-16. 25¢
IRIS. Iridaceae. The growing of Iris from sseed is a very interesting undertaking, available seeds of various species, many of which we are growing are so many species that should be made available, that we hope thowill contact us, that others also may enjoy them in their gardens, see the special lists in the early summer issues; we grow ourselves all varieties. Sow seed after ripe or in the early spring.	ourelves. There se griwing them For Iris roots the worthwhile
—Alaskian Collected Seed. —alata. (Juno) Stemless; Spain. —eurea: see corcea.	IRIS-1.20¢
varieties. Sow seed after ripe or in the early spring. —Alaskian Collected Seed. —alata. (Juno) Stemless; Spain. —eurea: see concea. —bracteata. Yellow, veined brown-purple, S yellow; Ore —Hybrids. —caucasica. —Chamaeiris Mixed. —chamaeiris Mixed. —chamaeiris (Pogon) About 10"; several colors —chryographes. (Apogon) Deep violet, half with golden veins —hybrid. Crossed with I. tenax (?) —-rubellia. Dwarf plum red. —Clarkei. Much like siberica; Himalayas; HP —crocea. (Apogon) Beardless; golden yellow fis —dichotoma. Siberia to N. China —Douglasiana. Calif-Ore; 12-15"; fis variable —ensata. China; grows in close clumps; lilac to white. —Suwarowii. —Peking form	IRIS-42 (E). 50¢ IRIS-42H. 25¢ IRIS-42H. 25¢ IRIS-50. 25¢ IRIS-57 (F). 50¢ IRIS-63. 50¢ IRIS-68. 50¢ IRIS-68. 50¢ IRIS-68. 50¢
—foetidissima. (Apogon) —Forrestii. Hybrids; native of S. W. China; 18"; HP	IRIS-82H. 25¢

DIMONDALE MICHIGAN

ISATIS - JASONI - KNIPHOFIA

ISATIS - JASONI - KNIPHO	JFIA
IRIS: Continued from Page 206. Kaempreri. Japanese Iris Mixed Japanese Iris Mixed. Tokyo strain Pseudacorus. (Apogon) Bright yellow. sibirica. (Apogon) Comes in many varieties. Sintenisii. Asia Minor; purple flowers. spuria aurea. Native of Algeria to Persia; yellow form. versicolor. Native of Minn. up into Canada; HP.	IRIS-129. 25¢ IRIS-XJ. 20¢ IRIS-191 (F). 40¢ IRIS-115 (F). 50¢ IRIS-217. 50¢ IRIS-225A. 35¢ IRIS-225. 25¢
ISATIS. (Y-sah-tis) WOAD. Cruciferae. Annual, biennial and perennial plants. They are erect or branchir low flowers from May to July; native of Med. regions; easily grown.—glauca. For border; fis in large yellow clusters; 4 ft; HP	ng with small yel-
JASIONI. (jaz-e-OH-nee)Campanulaceae. Annual and perennials with blue or white flowers borne in heads border or rockery; all are easily grown. —perennis. Blue flowers in heads 1" ac; 1 ft; HP	and useful in the
KALANCHOE. (kal-an-KOH-ee) Crassulaceae. Succulent perennials, shrubby in form with fleshy oval leaves and colored flowers that last for several weeks. Grown outdoors in the greenhouse in the North. For winter flowers start seed in the spris soil, sunshine, and plenty of water when growing. —Biossfeldiana v. Ernest Thiede. Bright red fis; 1 ft; fine; TP —lanceolata, Orange fis on 2 ft stems; succulent; TP —thyrsiflora. Yellow fis ½" long; 2 ft; TP —Kalanchoe Mixture. All above mixed	South and in the
KNIPHOFIA. (nip-HOH-fe-ah) TRITOMA, Torach Lily, Poker Plant Most striking garden plants, flowering in the fall, with their displikes of red or yellow tubular flowers. Seed sown indoors very early season, otherwise seed can be sown in August for next season flow climates the plants can be dug up and stored in a frost free cellar.—Pfitzer's Hybrids. Large brillant reds; HP.——Early Hybrids. American grown strain; HP.——Uvaria Hybrids. American grown strain; HP.——Royal Castle Hybrids. A new color range and perfect form; HI.——Lubbe's Selections. Extra choice German strain; HP.——verricrea Hybrids. Creamy white and coral-red fls; early; HP.——Kniphofia Mixture. All the above mixed.	Liliaceae. ense cigar-shaped y will flower same vering. In severe KNIP-1P. 15¢ KNIP-18. 15¢ KNIP-18R. 20¢ KNIP-18L. 20¢
LACTUCA. (lak-TEW-kuh) Compositae. Tall annuals and perennials of which only a few have ornamental velocities belongs to this genus. —Bourgei. Bracts and rays lilac or blue fls; 6 ft; HP	alue. The garden
LARKSPUR. ANNUAL DELPHINIUM. Ranunculaceae. Listed here are the so-called annual garden Larkspurs. There are strains and while usually grown as annuals, they are really blennis seed should be sown in the fall and in the North sow either late it early in the spring, where plants are to grow. Usually the seed is dr 3½ feet apart. They are especially used for cutflowers and do best of the season; for good germination the seed requires a cold period a seed always germinates better; this is one reason for poor germination (COCKADE STRAIN: A new type especially liked by commercial grametrical plants bearing long branches of full double florets; 4 ft. tall. —Pastel Shades. Soft pastel colors correctly mixed for cutting. —Blue. Rich lilac-blue color. —White Cockade. Pure white. —Cockade Mixed. Correct blend for cutflowers. —All Cockade Type: 02, 50¢: ¼ lb.\$2.00; lb. \$7.75., prepaid.	als. In the South n the fall or real rilled in rows 2 to t in the cool part and thus fall sown
CIANT IMPERIAL STRAIN: Tall, upright, compact basal branch very popular for cutting. Large flower spikes of double florets; 4-5 ft —Blue Bell. Beautiful mid-blue	LARK-3B. 15¢
LATHYRUS. (LATH-e-rus) PRENNIAL PEA. Leguminosae. A large genus of vines and erect plants, both annual and perennial require no particular care but the annuals should have a deep moist: Keep seed pods picked for a longer blooming period. —cyaneus. Herb; deep blue; sun, well drained soil; 12 in; HP	I. The perennials soil and sunshine. . LATH-7(W). 30¢ .P LATH-16. 15¢
LEONOTIS. (lee-on-NOH-tiss) LION'S EAR. Labiatae. Annual and perennial plants or shrubs grown in the far South or is in the North, where they can be started indoors and grown outside du flowering in November and December. —Leonurus. Showy red-yellow or orange-red fls; 6 ft; TP	ring the summer,
LEONTOPODIUM. (le-on-toh-POH-de-um) Compositae. Low herbaceous tufted and woolly perenials; leaves basal; flowers—alpinum. Edelweiss; fine rockery or indoors in pots; sandy soil; HP. Seedlings best raised in September and wintered over in pots In planting out place pieces of stone around base of the plants.	in small heads LEOT-1(C). 30¢ in a cold frame.
PRONUED CEED COMPANY - DIMONDALE M	IC HIC ANI

PIONEER SEED COMPANY - DIMONDALE MICHIGAN

Growing Iris from Seed

Since reading up on hybridizing Iris, I have come to wonder if anyone is breeding to stabilize the seed strains for people to raise for their own gardens. Quoting Sidney Mitchell in his book "Iris for Every Garden": "In the present situation, it is relatively easy to raise batches of seedlings of such high quality that many may be selected for one's own garden. A cross of Snow Flurry by Chivalry gave so many lovely blues of different shades that it was hard to select from them. A crossing of a couple of the new tangerine-bearded pinks will certainly give the amateur a lot of attractive pink flowers for his own gorden."

Then again, quoting Leslie Caves in "The Iris:" "I have reluctantly omitted the beautiful Helen McGregor (from his list of desirable parents for blues) as, although its seedlings are almost always of high quality, many of them bear a very strong family resemblance."

Of course, this is a complicated subject, but statements like the above seem to give a glimmer of something that could give great pleasure to a great many gardeners who cannot afford the grand new varieties and who delight in raising their own in any case.

Your magazine is a continuing delight to me. I am still waiting for your Iris listings, though.

By Mrs. F. W. Warburton, Mass.

Note: We are glad to get most of the Iris seed listed in this issue but there is still some 10-15 more species to be added and these will be included in the next time around for the seed list. We might also mention again about the seed listings which run from one issue to the next; we have letters asking that the complete list be in one book. That would be nice, if possible, but there so many seeds and almost every day brings in new additions that it would be impossible to get them listed in one book and at one time. Then, too, it simply is impossible to publish such a listing at present prices, unlea there was a charge for the book; to solve this problem, we decided to make it as near a monthly affair as possibe, which in the end is of much more value and help to our readers and the \$2.00 charge for 12 issues bearly covers the handling charges; the postage alone runs about 60 cents, in fact, if the magazine is not worth the \$2.00 then it would not be worth sending it out gratis.

Possibly Walter Welch will have some remarks on this interesting Iris question, as probably some other reader who has given time to Iris breeding.

GROWING PALMS FROM SEED

Seed may be sown any time during the year, early spring, preferably. Cover the seeds about their own depth of soil, with a good loamy soil, 2 parts and one part of sharp sand for the strong grwering species and for the small and slender species add a small portion of peat to the mixture.

The seed pans or trays should be kept moist and over a good bottom heat. Moss is best in the bottom of the pans and use no broken crocks. Pot up in the smallest size pots as soon as one leaf has formed and place in a good warm house. Seed germinates in 2-3 months and usually are ready to pot up in 6-8 months.

After the January issue there will be very few free copies mailed out; unlike the goverment, we can see the bottom of the money chest; subscribe if you wish every issue.

RARE FLOWERS

Continued from Page 197 --longissima. -pyrenaica. -Reuteri. scopulorum 35¢ -transylvanica. -truncata.
-Species Mixed. Arabis blepharophylla.

—Lyalii. Arenaria balearica. —gracilis. —Kotschvi. 354 - Kolschyl.
- Ledebouriana.
- montana grandiflora.
- pinifolia. purpurascens. Armeria alpina.

—Ardenholm Hybrid.

—Bee's Ruby. -caesalpina. —caespitosa. — — Bevan's Variety.
—corsica.
—latifolia Jones' Variety. 35¢ —leucocephala.
—maritima Laucheana.
—Forms, Mixed.
—mauritanica. -rigida. -Welwitschii stenophylla. Arnica alpina. -montana.
Artemisia lanata pedemontana.
Arum creticum. 35€ -italicum. --pictum. Asphodeline l Asier alpinus. —albus. lutea. -Beechwood -Andersonii —diplostephioides. —Farreri. —himalaicus.
—lichiangensis. -lichiangensis.
-Purdomii.
-Species, Ludlow-Sherriff No. 17,275.
- No. 17,328.
- No. 21,465.
-Wargrave Variety.
-yunnanense Napsbury.
Astrantia major.
-Species Mixed.
Atropa Belladonna. Baptisia australis.
Bellium minutum.
Berkheya macrocephala.
Billardiera longiflora. Shrub.
Borago laxiflora.
Boykinia Jamesii.
Bruckenthalia spiculifolia. Shrub.
Bupleurum ranunculoides.
Bupthalmum salicifolium. 35€ Calceolaria biflora. —tenella.

Camassia Cusickii. Campanula alliarifolia. -Aucheri. 40¢ -harbata. -carpatica Convexity.
- Loddon Fairy. — — turbinata. ——pallida.
——pallida.
——Forms, Mixed. Best named var'ys.
—cochlearifolia. -alba. —Formaneckiana.
—glomerata acaulis. -giomerata acaulis.
-incurva.
-Patience Bell.
-pilosa superba.
-rhomboidalis.
-rotundifolia. Very fine form. -rotundifolia. Very fine form.
-thyrsoides.
-velutina.
-Species Mixed.
Cannabis gigantea.
Carex atrata.
Carlina acaulis.
Celastrus articulatus hermaphroditus.
Shrub.
Celmisia Webbii 35€ Shrub. 50¢
Celmisia Webbii.
Centaurium scilloides (Erythraea Massonii)
Cephalaria Tchihatchewii.
Cerastium alpinum lanatum.
Cercis siliquastrum. Shrub. Cerinihe minor. Cheiranthus species. Ludlow-Sherriff No. 21.182. Chelidonium majus Chrysanthemum alpinum.
Cistus Atchleyi. Shrub.
—canescens albus. Shrub.
Continued on Page 205. 35₫

HIERACIUM - HOLLYHOCKS

IIIERACIUM - HULLI HUCKS
HIBISCUS: Continued from Page 203. —Trionum. Flower-of-the-Hour. Yellow or white, dark centers; 2 ft; HA HIBS-45. 25¢ —Moscheutos. Pink, rose or white fls; 8 ft; HP
HIERACIUM. (hy-er-AY-shi-um) Compositae. Perennial plants with red, orange or yellow flowers some of wich are called Hawkweed. Easily grown. The leaves are in rosettes with the flowers in heads on erect spikes. The flowers should be cut off directly after flowering and the plants kept from spreading in the garden too much. —auraniacum. Devil's Paint Brush; orange; 15 in; HP
-faeroeuse. HIER-6. 25¢ -villosum. Bright golden yellow; 2 ft; HP. HIER-19. 25¢
HOLLYHOCKS. (Althaea rosea) Malvaceae: These are all perennials, excepting one or two forms which are treated as annuals. They do best in a rich soil, and in a warm position sheltered from strong winds. Seed can be sown any time up to August, so as to get a good start by fall when they flower the next year.
ANNUAL VARIETIES: Plant early in the spring when they will flower in July. —Indian Chief. Half double, deep amaranth-purple fls; 4 ft
—Single and Double Mixed. HOLY-5X. 15¢
PERENNIAL VARIETIES: —Allegheny, Mixed. Semi-double fls, 5" ac. petals fringed HOLY-2A. 15¢ —Colorado Sunset. NEW buff-apricot; pretty double type HOLY-2C. 20¢ —Empress Strain. Enormous laced and curled fls in many colors. HOLY-2E. 15¢ —Imperator. Fringed fls in pink to cerise-salmon, 5 ft HOLY-2M. 15¢ —Triumph. Double, waved and fringed fls; 3-4 ft HOLY-2T. 15¢
CHATER'S DOUBLE HOLLYHOCKS: These grow 6 feet tall and is the best strain of double Hollyhocks. The colors and blends are exceptionally nice. —Carmine. —Carmine Rose. —Carmine Rose. —Cream. —Crimson. HOLY-4R. 15¢ —Crimson. HOLY-4CM. 15¢
Lavender. HOLY-4V. 15¢ Lilic. HOLY-1. 15¢ Pink. HOLY-4K. 15¢ Purple. HOLY-4P. 15¢ Deep Scarlet. HOLY-4S. 15¢ Sulphur Yellow. HOLY-4Y. 15¢ Violet. HOLY-4T. 15¢ Pure White. HOLY-4V. 15¢
-Chaires Mixed. Made up in good olor blend
HOLMSKIOLDIA sanguinea. Chinese Hat Plant; 30 ft ev; Planted in S HOLM-1. 25¢ HOMERIA collina. Red; 2 ft; S. Af cormous; grow as Ixia; HHBb HOME-1. 25¢
HOMOGYNE. (ho-MO-gee-ne) Compositae. Small perennials with white or purple heads, found in the mountains of Central Europe. Thrive in moist soils. —alpina. Yellow fis; 6"; HP
HORDEUM jubatum. Squirrel-tail Grass; drooping spikes; 2½'; HB or P HORD-1. 20¢
HORMINUM. (hor-MIN-um) Labiatae. One perennial native of the Pyrennes and Alps and grown in the rockery. —pyrenaicum. Blue fis ¾" long in summer; 1 ft; HP
HUMULUS. (HEW-mee-lus) HOP. Moraceae. Tall hardy twining vines that are ornamental; excellent for porch vines. —japonica. Fast growing annual; 10-20 ft from May planted seed HUMU-3. 15¢ —variegatus. Foliage streaked and splashed with white
HUNNEMANNIA fumariaefolia. Santa Barbara Poppy, Golden Cup. Yellow fis 3" ac; 2 ft; warm sunny place; grow as annual; TP
HYACINTHUS. (hy-a-CIN-thus) HYACINTH Liliaceae. Bulbous plants of which the common garden Hyacinth is the best known. Some species formerly listed here belong to Galtonia and Muscari. For bulbs see the fall bulb listings. They are easily grown from seed. The large Hyacinth bestfrom the bulb. —amethystinus alba. Nodding white fis; 6" tall; Spain; HP
HYDROPHYLLUM capitatum. Water Leaf. Woods flower 8"; HP HYDP-4, 25¢
HYMENANTHERA crassifolia. Hardy N. Z. sh; black and white berries HYMN-4. 40¢
HYOSCYAMUS. (hy-oh-SY-ah-mus) HENBANE. Solanaceae. Funnel-shaped flowers in spikes, best in poor soils. They should be used in large borders; some are grown for medicinal plants. —niger. Greenish yellow fis veined purplish; 2½ ft; HB or HA
HYPERICOPHYLLUM —compositarum. Pretty S. Rhodesian; 3-4 ft; bright orange fis
PIONEER SEED COMPANY - DIMONDALE MICHIGAN

HYPFRICIIM _ II FY _ IRFRIG

III I EKICUM - ILEA - IBEKIS
HYPERICUM. (hy-PER-i-kum) ST JOHNSWORT. Hypericaceae.
Very decorative perennial plants and shrubs usually with bright yellow flowers and many showy stamens. Grow best in a sand loam soil in partial shade. They are not real hardy in the North but if planted in a sheltered place and given winter protection they can be grown even in Michigan.
—calycinum. Fls 1" across; evergreen shrub; 1 ft; HSh
HYPOXIS species Golden flowers from S: Rhodesia
HYSSOPUS. (HIS-up-us) HYSSOP.
Ornamental herbs useful as a culinary or medicinal herb. Light and limy soil is best. See the Herb List. —officinalis. HYSS-1. 25¢
ILEX. (Y-lexs) HOLLY. Aquifoliaceae.
Evergreen and deciduous trees and shrubs having glossy leaves and brilliantly colored berries. They are very ornamental but some species are not hardy in the far North. They require an acid soil and the germination of the seed will be more successful if the soil used is mostly peat or decayed saw dust. Seed should be stratified as they germinate the second year.
germinate the second year. —aquifolium, English H. Best in NW; hardy to Ohio, very pretty;40' ILEX-2. 25 —cornuta. Shrubby to 10 ft; hardy in E. States
-glabra. Inkberry. Hardy in N; black fr; for shade; evergreen
—laevigata. Winterberry. Good; scarlet berries in clusters; swamps; 6' ILEX-21. 25¢—opaca. American H. Dull red berries, hardy; the Xmas Holly; to 50' ILEX28. 25¢—verticillata, Black Alder. Sh to 10 ft; bright red berries; hardy ILEX-37. 25¢—Mixed Ilex. All species mixed ILEX-X. 25¢—See our Tree and Shrub Seed List in the fall for Ilex Seed by the pound.
—Mixed Ilex. All species mixed
BERIS. (y-BEE-ris) CANDYTUFT. Cruciferae.
These come in half hardy annuals and evergreen perennials and esaily grown from seed. The annuals can be sown the later part of May, they germinate quickly and flower early. In the South the seed can be sown in the fall. Keep the plants growing and well watered. Clip seed pods off as the plant easily goes to seed. All are rather low
plants and make excellen flowers. —affinis. Erect to 16"; fis white mith lilac tinge; HA
—gibraltarica. Edging; large purple its in flat clusters; to 10"; TP
AMARA: (coronaria) Rocket Candytuft. Erect annual; 1 ft; usually with large umbellike flower heads. The Hyacinth-flowered type is the most popular. —Giant White. Large, reselected florist strain; Oz.50¢; 4 oz.51.60 IBER-2H. 25¢
——Miniature Gem. New, 4", with 4-6 spikes per plant
UMBELLIATA: Globe Candytuft. This comes in several colors, is not fragrant and is the common species grown in the ordinary flower garden; they are HHA. —White
—Best Mixed. IBER-17X. 20¢ -carmine. IBER-17M. 20¢
IMPATIENS. (im-PAY-shee-enz) Touch-me-not. GARDEN BALSAM. Balsaminaceae. Annual and perennial, grown in the garden or greenhouse for their odd and showy flowers. They are all tender to frost.
IMPS-2SX 20d
—Double Bush Flowering, Mixed IMPS-2DBX, 20¢ —Dwarf Mixed IMPS-2DX, 20¢ —Rose Flowered, Finest Mixed IMPS-2DX, 20¢ —Scarlet. Double bush floowering IMPS-2DS, 20¢
—Scarlet, Double bush floowering
BALSAMINA: The popular garden Balsam with its rose-shaped flowers in white, lavender, lemon-yellow and many shades of red. Sow seeds in April indoors or in June, direct to the soil. Best in rich sandy loam, ample moisture; 2 ft. tall. I HOLSTI: Red-striped stems and flower varying from white to scarlet and grown
I. HOLSTI: Red-striped stems and flower varying from white to scarlet and grown as greenhouse plants for summer border subjects; tender perennial. —Holstii. 3 ft; TP
-Morganrote. Dandy red German variety IMPS-7M. 25¢ -Schottenglut. Dark red; fine IMPA-7S. 30¢
— Holstii. 3 ft; TP IMPA-7. 20¢
I. SULTANII: Best known greenhouse subject; a favorite house plant and easily
—Karminzwerg. New German dwarf; glistening carmine. IMPA-16K. 50¢ —Hybrids. Many colors from choice stock. IMPA-16H. 25¢ —nana carmine. Dwarf pink. IMPS-16NH. 20¢ —nana hybrids. Dwarf strain of hybrids. IMPS-16NH. 20¢ —Karminzwerg. Dwarf German variety IMPS-16NK. 25¢
Marinzwerg. Dwarf German variety
—Salmon. A dwarf strain IMPS-2S. 20¢
NCARVILLEA. (in-kahr-VIL-ee-ah) Bignoniaceae. Showy and fairly hardy perennials from China, producing terminal clusters of red and yellow tubular flowers above basal group of vivid green leaves. Thrives in a well INCARVILLEA: Continued on Page 206.
PIONEER SEED COMPANY DIMONDALE MICHIGAN

RARE FLOWFRS

Continued from Page 204 Continued

hirsutus. Shrub.

incanus. Shrub.

laurifolius. Shrub

pulverulentus. Si -laurifolius. Shrub.
-pulverulentus. Shrub.
-salvifolius. Shrub.
-villosus. Shrub.
Clematis alpina. Shrub.
-macropetala. Shrub.
-campaniflora. Shrub.
-graveolens Gravetye Variety. Shrub.
Codonopsis ovata.
-vinciflora.
Coriaria terminalis vanthocorna Shrub. --vinciflora. 50¢
Coriaria terminalis xanthocarpa. Shrub.
Cornus Nuttalii. Shrub. 40¢
Coronilla glauca. Shrub.
Cortusa Matthiolii.
--pubens.
Corydalis cheilanthifolia. 50¢ -glauca. -Wilsonii. Cotyledon oppositifolia. Craspedia uniflora. Cotyleau...
Craspedia uniflora.
Crepis aurea.
—incana.
Crocus species, Mixed.
Cyananthus lobatus.
Cyclamen neapolitanum.
—Species Mixed.
Cynoglossum Wallichianum (Eritrichiumstrictum).

Cypripedium Reginae.

Cytisus albus Minstead Variety. Shrub.

—hirsutus. Shrub.

—demissus. Shrub. — demissus. Shrub.
Daphne acutilobia. Shrub.
—alpina. Shrub.
—Giraldii. Shrub.
—Mezereum album. Shrub.
—langutica. Shrub.
—tangutica. Shrub.
Delphinium species. Ludlow-Sherriff 35¢ 35¢ 35₺ 50¢ 13 291. -nudicaule. -tatsienense. Dianthus arvernensis.

—caesius Bourboulle. —deltoides Brilliani. —F. C. Stern. —Knappii. 35¢ -noeanus. squarrosus. Dierama pulcherrima.
Digitalis ambigua.
—ferruginea.
—Lutz Hybrids. lutea. —Mariana.
—species, Davis No. 14,646.
Diotis maritima. Doronicum cordatum. Draba fladnizensis. -Johannis. —mollissima. -polytricha. -species Mixed.
Drosophyllum lusitanicum. 50¢ Dryas Drumondii.
—octopetala. — minor.
Eccremocarpus scaber. Shrub.
Edraianthus pumilio.
Erica lusitanica. Shrub.
— umbellata. Shrub.
Erigeron aurantiacus. 35€ -aureus. -caespitosus. 50¢ -Flettii. -leiomerus. -melanocephalus. -mucronatus. -trifidus v. compositus. -uniflorus. —uniflorus.
—ursinus.
Erinus alpinus.
— carmineus.
— Mrs. Ch. Boyle.
— Dr. Hanelle.
— forms, Mixed.
Eriogonum Jamescnii. Eryngium alpinum. Erysimum linifolium. -album. 35€ Eupatorium purpureum.
Euphorbia characias.
—sikkimensis.
—Wulfenii. 50 ₺ Festuca glauca. Francoa sonchifolia. Fritillaria acmopetala. Fritillaria acmopetala.
—imperialis.
Galtonia candicans.
Genista dalmatica. Shrub.
—hispanica compacta. Shrub.
—pilosa. Shrub.
—radiata. Shrub.
—continued on Page 208

Care of the Herb Garden

By Eleanor Chalfin, Virginia

Now is the time to plan a schedule for vinter care of the perennial herbs The foliage of some varieties will wither as Autumn advances and the weather becomes increasingly cold. These herbs will need cutting down to the ground level since they will remain dormant until new growth starts in the spring. Save the dry stalks of the herbs when shearing them and place around the roots after a bit of soil has been spaded over the crowns. This prevents winter heaving. The following herbs are thusly treated: Balm, Bergamot, Costmary, Mint, Pot and Wild Marjoram, Catnip, Sweet and Bronze Fennels, Tarragon, Elecampane, Valerian, Lovage, Wormwood, and Angelica.

The evergreen herbs require judicious pruning at this time of the year. In this group only the stems are trimmed at the top and any old wood removed. Herbs requiring this routine task are: Lavender, Rue, Santolina, Thyme, Germander, Southernwood, Salad Burnet, Hyssop, Winter Savory, Betony, Bedstraw and sometimes the Chives. Garden Sage must be treated with utmost discretion since this herb winters over in better shape if leaves are not cut after early August.

Tender perennial herbs need special protection in all areas where the temperature drops during the winter to the zero point. If cold frames are available, transplant the following herbs into the frame during October: Lemon Verbena, Pineapple Sage, Sweet Marjoram and Rosemary. By mid-December it is wise to add some light mulching material around the base of these herbs, even though they are in the frame. In colder sections of the country, it is safer to give the Santolina, Oregano and Germander similiar care. Lacking cold-frames, protect these three herbs with a mulch as early in the season as feasible: Small plants may be covered with Hot-kaps. In these same areas, Lemon Verbena, Pineapple Sage and Rosemary may be potted and brought into the basement or house. If they are stored in the cellar, the plants will need only an occasional watering and that given from below. The Rosemary, especially, dislikes wet foliage and should be kept on the dry side.

In milder regions, where the temperature never goes below ten above zero, it is possible to leave the Lemon Verbena, Pineapple Sage, Oregano and Rosemary in the garden. The first two herbs must be cut to the ground level, mounded with earth, and heavily mulched. Rosemary and Oregano should be protected around the roots which are very near the surface. Use straw or salt hay rather than leaves. An inverted basket often proves a valuable measure of protection over the Rosemary since it resents snow and freezing rains upon it's evergreen foliage.

Many of the biennial and perennial herbs make good house plants. If your Pelargoniums and scented Geraniums have become too large for repotting, it is to be hoped that cuttings were rooted during August transplanted into pots and brought indoors before frost. Sweet Marjoram makes a fragrant and useful potted plant. Garden Thyme is equally nice. If Parsley, Chives and Tarragon are desired for winter seasonings, leave them outdoors until after a good freeze, having potted them first, of course. This treatment will start new green growth

Continued on Page 203.

HELIANTHUS - HELICHRYSUM

THEY I A DEPARTMENT IN Charles ANIETT AND CLINI DOCK Cotagons
HELIANTHEMUM. (hee-lee-ANTH-em-um) SUN-ROSE. Cistaceae. Perennials thriving in dry limestone soils, in full sunshine. There are many species below two feet and planted in the border or the rockery as well as for ground cover. Colors are yellow, rose, white or purple, in July to September.
-atriplicifolium. HELM-4 (W). 40¢ -Tuberaria. Yellow fis 1½" ac; S. Eur; HHP HELM-17 (W). 40¢ -numularium. All forms of this species. HELM-13F (W). 50¢ -Helianthemum Blend. Mixture of different kinds. HELM-X. 25¢
HELIANTHUS. (hee-le-AN-thus) SUNFLOWER. Compositae.
Showy annuals and perennials; the flowers ranging from an inch across to a foot and varying in height. They make a showy effect in the border, especially in the background. They are also ideal for bird food during the winter months.
H. ANNUUS: The annual garden forms, coming in many varieties and colors. They are tender annuals and should be planted so as not to be frosted. Plant seed same as you would corn.
—Abendsonne. Beautiful new intermediate German variety. HELA-2AS. 20¢ —Aureole Reinland. Beautiful German variety, wine-red zone on pure yellow ground excellent for cutting yellow ground. HELA-2A. 20¢ —Bigelowii. Heads 2½" ac; rays yellow, disk brown; 4 ft. HP. HELA-3. 15¢ —Chrysanthemum Flowered. Dwarf small winte seed. Oz. 40¢. HELA-2CF. 20¢ —Double Gold. Golden yellow flowers; excellent to cut. HELA-2DG. 20¢ —Dwarf Yellow. Dwarf double; white seeded. HELA-2DY. 20¢ —Dwarf Double. 5 ft; double golden yellow; variegated leaves. HELA-2W. 20¢ —Golden Tuffs. Orange yellow heads. HELA-2GT. 15¢ —Gerbera-toned. 3" fis in pastel shades or rose, apricot, coral, red HELA-2GT. 15¢ —Gerbera-toned. 3" fis in pastel shades or rose, apricot, coral, red HELA-2GT. 15¢ —Gistulosus. Large golden ball, twisted petals. HELA-2H. 20¢ —Gistulosus. Large golden ball, twisted petals. HELA-2H. 20¢ —Gaillardeaflora. Large Gaillardia-like flowers. HELA-2H. 20¢ —Jupiter. Black seed —Mars. Black seeded. HELA-2MS. 20¢ —Miniature Stella. Golden yellow flowers. HELA-2MS. 20¢ —Primrose. Black seeds. HELA-2MS. 20¢ —Primrose. Black seeds. HELA-2MS. 20¢ —Miniature. Small golden yellow fis on 5 ft. stems. Oz. 35¢. HELA-2M. 20¢ —Miniature. Small golden yellow fis on 5 ft. stems. Oz. 35¢. HELA-2M. 20¢ —Miniature. Small golden yellow. Oz. 30¢. HELA-2R. 15¢ —Red. In chestnut-red shades; 6 ft. HELA-2D. 20¢ —Starlight. Cactus-like fis, sulphur-yellow; 4 ft. HELA-2TV. 15¢ —Southern Cross. HELA-2Sc. 20¢ —Sulphur-Yellow. Large single flowers. HELA-2TY. 15¢ —Southern Cross. HELA-2TY. 15¢ —Southern Cross. HELA-2TY. 15¢ —Stella. Golden yellow miniature; dark centers; 5 ft. HELA-2TT. 20¢ —Tall Red. HELA-2TT. 20¢
—Dwarf Yellow. Dwarf double; white seeded
-Golden Tuffs, Orange yellow heads
-Excelsion Hybrids. Miniature type; bronze, brown, reds, zoned HELA-2H. 20¢
-Gaillardeaflora. Large Gaillardia-like flowers
—Jupiter. Black seed HELA-20. 20¢ —Mars. Black seeded HELA-2MS. 20¢
-Miniature Stella. Golden yellow flowers
-Miniature. Small golden yellow fis on 5 ft. stemsOz. 35¢
-Russian. Tall single fls; for seed and background Oz. 25¢
-Starlight. Cactus-like fis, sulphur-yellow; 4 ft
—Sulphur-Yellow. Large single flowers
—Single Tall. Large seed; also good for birds 4 oz. 35¢
Tall Red. HELA-2TY, 20¢ HELA-2TR, 15¢
Orion Vollage de with twisted metales A.C. St.
—Sun Gold. Densely double golden yellow fis; excellent cut Oz 30¢ HELA-2XG. 20¢ —Annual Blend. A mixture of all annualsOz. 25¢; 4 oz. 75¢ HELA-2X. 15¢
-Perennial Sorts Mixed. Perennial Sunflowers
Total Delivery Comments of the Comment of the Comme
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae.
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown spec-
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown spec-
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown spec-
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown spec-
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown spec-
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown spec-
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. —bracteatum, Mixed. Heads 2½" across; 3 ft; HAOz. 50¢; Lb. \$7.50. HELI-4X. 15¢ —Firehall. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4S. 15¢ —Snowball. Large double white flowers. Oz. 65¢; 4 oz. \$2.60. HELI-4W. 15¢ —purpureum. Oz. 65¢; oz. \$2.50. HELI-4W. 15¢ —Golden Globe. Large golden flower heads. Oz. 65¢; 4 oz. \$2.50. HELI-4C. 15¢ —Yellow Oz. 65¢; 4 oz. \$2.65. HELI-4C. 15¢ —Tom Thumb. Dwarf double mixed; small plants. HELI-4TX. 15¢ —Rose. Oz. 65¢; 4 oz. \$2.50. HELI-4TX. 15¢ —Violet. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. —bracteatum, Mixed. Heads 2½" across; 3 ft; HAOz. 50¢; Lb. \$7.50. HELI-4X. 15¢ —Firehall. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4S. 15¢ —Snowball. Large double white flowers. Oz. 65¢; 4 oz. \$2.60. HELI-4W. 15¢ —purpureum. Oz. 65¢; oz. \$2.50. HELI-4W. 15¢ —Golden Globe. Large golden flower heads. Oz. 65¢; 4 oz. \$2.50. HELI-4C. 15¢ —Yellow Oz. 65¢; 4 oz. \$2.65. HELI-4C. 15¢ —Tom Thumb. Dwarf double mixed; small plants. HELI-4TX. 15¢ —Rose. Oz. 65¢; 4 oz. \$2.50. HELI-4TX. 15¢ —Violet. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. —bracteatum, Mixed. Heads 2½" across; 3 ft; HAOz. 50¢; Lb. \$7.50. HELI-4X. 15¢ —Firehall. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4S. 15¢ —Snowball. Large double white flowers. Oz. 65¢; 4 oz. \$2.60. HELI-4W. 15¢ —purpureum. Oz. 65¢; oz. \$2.50. HELI-4W. 15¢ —Golden Globe. Large golden flower heads. Oz. 65¢; 4 oz. \$2.50. HELI-4C. 15¢ —Yellow Oz. 65¢; 4 oz. \$2.65. HELI-4C. 15¢ —Tom Thumb. Dwarf double mixed; small plants. HELI-4TX. 15¢ —Rose. Oz. 65¢; 4 oz. \$2.50. HELI-4TX. 15¢ —Violet. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. —bracteatum, Mixed. Heads 2½" across; 3 ft; HAOz. 50¢; Lb. \$7.50. HELI-4X. 15¢ —Firehall. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4S. 15¢ —Snowball. Large double white flowers. Oz. 65¢; 4 oz. \$2.60. HELI-4W. 15¢ —purpureum. Oz. 65¢; oz. \$2.50. HELI-4W. 15¢ —Golden Globe. Large golden flower heads. Oz. 65¢; 4 oz. \$2.50. HELI-4C. 15¢ —Yellow Oz. 65¢; 4 oz. \$2.65. HELI-4C. 15¢ —Tom Thumb. Dwarf double mixed; small plants. HELI-4TX. 15¢ —Rose. Oz. 65¢; 4 oz. \$2.50. HELI-4TX. 15¢ —Violet. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. —bracteatum, Mixed. Heads 2½" across; 3 ft; HAOz. 50¢; Lb. \$7.50. HELI-4X. 15¢ —Firehall. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4S. 15¢ —Snowball. Large double white flowers. Oz. 65¢; 4 oz. \$2.60. HELI-4W. 15¢ —purpureum. Oz. 65¢; oz. \$2.50. HELI-4W. 15¢ —Golden Globe. Large golden flower heads. Oz. 65¢; 4 oz. \$2.50. HELI-4C. 15¢ —Yellow Oz. 65¢; 4 oz. \$2.65. HELI-4C. 15¢ —Tom Thumb. Dwarf double mixed; small plants. HELI-4TX. 15¢ —Rose. Oz. 65¢; 4 oz. \$2.50. HELI-4TX. 15¢ —Violet. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. —bracteatum, Mixed. Heads 2½" across; 3 ft; HAOz. 50¢; Lb. \$7.50. HELI-4X. 15¢—Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4X. 15¢—Snowball. Large double white flowers. Oz. 65¢; 4 oz. \$2.60. HELI-4W. 15¢—purpureum. Oz. 65¢; 4 oz. \$2.50. HELI-4W. 15¢—Purpureum. Oz. 65¢; 4 oz. \$2.50. HELI-4W. 15¢—Yellow Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—Yellow Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—Crimson. Large fls. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—Tom Thumb. Dwarf double mixed; small plants. HELI-4Y. 15¢—Rose. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—Violet. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—bellidioides. Trailing woody; N. Z; silvery white heads; HHP. HELI-3 (W). 35¢—ballidioides. Trailing woody; N. Z; silvery white heads; HHP. HELI-4NX. 15¢—purpureum. Dark brown. Oz. 50¢; 4 oz. \$2.50. HELI-4NX. 15¢—Doerfleri. HELI-4N Rhodesian Strawflower. HELI-10, 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-110 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-110 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-110 (W). 40¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. —bracteatum, Mixed. Heads 2½" across; 3 ft; HAOz. 50¢; Lb. \$7.50. HELI-4X. 15¢—Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4X. 15¢—Snowball. Large double white flowers. Oz. 65¢; 4 oz. \$2.60. HELI-4W. 15¢—purpureum. Oz. 65¢; 4 oz. \$2.50. HELI-4W. 15¢—Purpureum. Oz. 65¢; 4 oz. \$2.50. HELI-4W. 15¢—Yellow Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—Yellow Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—Crimson. Large fls. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—Tom Thumb. Dwarf double mixed; small plants. HELI-4Y. 15¢—Rose. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—Violet. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—bellidioides. Trailing woody; N. Z; silvery white heads; HHP. HELI-3 (W). 35¢—ballidioides. Trailing woody; N. Z; silvery white heads; HHP. HELI-4NX. 15¢—purpureum. Dark brown. Oz. 50¢; 4 oz. \$2.50. HELI-4NX. 15¢—Doerfleri. HELI-4N Rhodesian Strawflower. HELI-10, 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-110 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-110 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-110 (W). 40¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. —bracteatum, Mixed. Heads 2½" across; 3 ft; HAOz. 50¢; Lb. \$7.50. HELI-4X. 15¢—Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4X. 15¢—Snowball. Large double white flowers. Oz. 65¢; 4 oz. \$2.60. HELI-4W. 15¢—purpureum. Oz. 65¢; 4 oz. \$2.50. HELI-4W. 15¢—Purpureum. Oz. 65¢; 4 oz. \$2.50. HELI-4W. 15¢—Yellow Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—Yellow Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—Crimson. Large fls. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—Tom Thumb. Dwarf double mixed; small plants. HELI-4Y. 15¢—Rose. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—Violet. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢—bellidioides. Trailing woody; N. Z; silvery white heads; HHP. HELI-3 (W). 35¢—ballidioides. Trailing woody; N. Z; silvery white heads; HHP. HELI-4NX. 15¢—purpureum. Dark brown. Oz. 50¢; 4 oz. \$2.50. HELI-4NX. 15¢—Doerfleri. HELI-4N Rhodesian Strawflower. HELI-10, 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-110 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-110 (W). 40¢—frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-110 (W). 40¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. —bracteatum, Mixed. Heads 2½" across; 3 ft; HAOz. 50¢; Lb. \$7.50. HELI-4X. 15¢. —Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4X. 15¢. —Snowball. Large double white flowers. Oz. 65¢; 4 oz. \$2.60. HELI-4W. 15¢. —Purpureum. Oz. 65¢; 4 oz. \$2.50. HELI-4W. 15¢. —Purpureum. Oz. 65¢; 4 oz. \$2.50. HELI-4W. 15¢. —Colden Globe. Large golden flower heads. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢. —Yellow Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢. —Crimson. Large fis. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢. —Tom Thumb. Dwarf double mixed; small plants. HELI-4X. 15¢. —Rose. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢. —angustifolium. Narrow leaved; fol. white; fis yellow; HHP. HELI-3 (W). 35¢. —bellidioides. Trailing woody; N. Z; silvery white heads; HHP. HELI-3 (W). 35¢. —nanum, Mixed. Dwarf growing strain; Oz. 50¢. 4 oz. \$2.65. HELI-4NX. 15¢. —Doerfleri. HELI-4W. 15¢. —Doerfleri. Oz. 65¢. 4 oz. \$2.65. HELI-4Y. 15¢. —argyrosphierum. South Rhodesian Strawflower. HELI-10 (W). 40¢. —frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢. —frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢. —frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢. —manginaium. Pretty Everlasting from S. Rhodesia. HELI-11 (W). 40¢. —marginaium. Dwarf slender woolly; heads deep pink; S. Rhodesia. HELI-115, 40¢. —plcatum. Heads golden yellow; prostrate; HHP. HELI-11 (W). 40¢. —species. Has. HELI-11 (R. W). 40¢. —species. Has. HELI-11 (R. W). 40¢.
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. —bracteatum, Mixed. Heads 2½" across; 3 ft; HAOz. 50¢; Lb. \$7.50. HELI-4X. 15¢. —Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4X. 15¢. —Snowball. Large double white flowers. Oz. 65¢; 4 oz. \$2.60. HELI-4W. 15¢. —Purpureum. Oz. 65¢; 4 oz. \$2.50. HELI-4W. 15¢. —Purpureum. Oz. 65¢; 4 oz. \$2.50. HELI-4W. 15¢. —Colden Globe. Large golden flower heads. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢. —Yellow Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢. —Crimson. Large fis. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢. —Tom Thumb. Dwarf double mixed; small plants. HELI-4X. 15¢. —Rose. Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢. —angustifolium. Narrow leaved; fol. white; fis yellow; HHP. HELI-3 (W). 35¢. —bellidioides. Trailing woody; N. Z; silvery white heads; HHP. HELI-3 (W). 35¢. —nanum, Mixed. Dwarf growing strain; Oz. 50¢. 4 oz. \$2.65. HELI-4NX. 15¢. —Doerfleri. HELI-4W. 15¢. —Doerfleri. Oz. 65¢. 4 oz. \$2.65. HELI-4Y. 15¢. —argyrosphierum. South Rhodesian Strawflower. HELI-10 (W). 40¢. —frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢. —frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢. —frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢. —manginaium. Pretty Everlasting from S. Rhodesia. HELI-11 (W). 40¢. —marginaium. Dwarf slender woolly; heads deep pink; S. Rhodesia. HELI-115, 40¢. —plcatum. Heads golden yellow; prostrate; HHP. HELI-11 (W). 40¢. —species. Has. HELI-11 (R. W). 40¢. —species. Has. HELI-11 (R. W). 40¢.
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. -bracteatum, Mixed. Heads 2½" across; 3 ft; HA. Oz. 50¢; Lb. \$7.50. HELI-4X. 15¢ -Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4W. 15¢ -Snowball. Large double white flowers. Oz. 55¢; 4 oz. \$2.60. HELI-4W. 15¢ -Snowball. Large golden flower heads. Oz. 55¢; 4 oz. \$2.50. HELI-4P. 15¢ -Golden Globe. Large golden flower heads. Oz. 65¢; 4 oz. \$2.50. HELI-4V. 15¢ -Yellow. Oz. 65¢; 4 oz. \$2.50. HELI-4V. 15¢ -Yellow. Oz. 65¢; 4 oz. \$2.50. HELI-4C. 15¢ -Tom Thumb. Dwarf double mixed; small plants. HELI-4TX. 15¢ -Rose. Oz. 65¢; 4 oz. \$2.50. HELI-4TX. 15¢ -Violet. Oz. 65¢; 4 oz. \$2.50. HELI-4TX. 15¢ -Violet. Oz. 65¢; 4 oz. \$2.50. HELI-4TX. 15¢ -unagustifolium. Narrow leaved; fol. white; fis yellow; HHP. HELI-1. 20¢ -bellidioides. Trailing woody; N. Z; silvery white heads; HHP. HELI-1. 20¢ -purpureum. Dark brown. Oz. 65¢; 4 oz. \$2.55. HELI-4NX. 15¢ -purpureum. Dark brown. Oz. 65¢; 4 oz. \$2.55. HELI-4NX. 15¢ -purpureum. South Rhodesian Strawflower. HELI-10 (W). 40¢ -frigidum. Silvery white heads; 10"; Corsica; HHB. HELI-10 (W). 40¢ -frigidum. Pretty Everlasting from S. Rhodesia. HELI-11. 40¢ -marginaium. Pretty Everlasting from S. Rhodesia. HELI-11. 40¢ -pachyrisum. Dwarf slender woolly; heads deep pink; S. Rhodesia. HELI-11. 40¢ -pachyrisum. Dwarf slender woolly; heads deep pink; S. Rhodesia. HELI-11. 40¢ -species. Has little pink fis; pretty; S. Rhodesia. HELI-12. 40¢ -syunertonii. White fis; from S. Rhodesia. HELI-14. 40¢ -syunertonii. White fis; from S. Rhodesia. HEL
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. -bracteatum, Mixed. Heads 2½" across; 3 ft; HA Oz. 50¢; Lb. \$7.50. HELI-4X. 15¢Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4X. 15¢Snowball. Large double white flowers
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. -bracteatum, Mixed. Heads 2½" across; 3 ft; HA Oz. 50¢; Lb. \$7.50. HELI-4X. 15¢Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4X. 15¢Snowball. Large double white flowers
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. -bracteatum, Mixed. Heads 2½" across; 3 ft; HA Oz. 50¢; Lb. \$7.50. HELI-4X. 15¢Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4S. 15¢Snowball. Large double white flowers Oz. 55¢; 4 oz. \$2.50. HELI-4W. 15¢Snowball. Large golden flower heads Oz. 55¢; 4 oz. \$2.50. HELI-4P. 15¢Golden Globe. Large golden flower heads Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. -bracteatum, Mixed. Heads 2½" across; 3 ft; HA Oz. 50¢; Lb. \$7.50. HELI-4X. 15¢Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4S. 15¢Snowball. Large double white flowers Oz. 55¢; 4 oz. \$2.50. HELI-4W. 15¢Snowball. Large golden flower heads Oz. 55¢; 4 oz. \$2.50. HELI-4P. 15¢Golden Globe. Large golden flower heads Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. -bracteatum, Mixed. Heads 2½" across; 3 ft; HA Oz. 50¢; Lb. \$7.50. HELI-4X. 15¢Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4S. 15¢Snowball. Large double white flowers Oz. 55¢; 4 oz. \$2.50. HELI-4W. 15¢Snowball. Large golden flower heads Oz. 55¢; 4 oz. \$2.50. HELI-4P. 15¢Golden Globe. Large golden flower heads Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. -bracteatum, Mixed. Heads 2½" across; 3 ft; HA Oz. 50¢; Lb. \$7.50. HELI-4X. 15¢Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4S. 15¢Snowball. Large double white flowers Oz. 55¢; 4 oz. \$2.50. HELI-4W. 15¢Snowball. Large golden flower heads Oz. 55¢; 4 oz. \$2.50. HELI-4P. 15¢Golden Globe. Large golden flower heads Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. -bracteatum, Mixed. Heads 2½" across; 3 ft; HA Oz. 50¢; Lb. \$7.50. HELI-4X. 15¢Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4S. 15¢Snowball. Large double white flowers Oz. 55¢; 4 oz. \$2.50. HELI-4W. 15¢Snowball. Large golden flower heads Oz. 55¢; 4 oz. \$2.50. HELI-4P. 15¢Golden Globe. Large golden flower heads Oz. 65¢; 4 oz. \$2.50. HELI-4Y. 15¢
HELICHRYSUM. (hel-ik-KRYE-sum) EVERLASTING. Compositae. Plants and shrubs. The Strawflowers, H. bracteatum, is the commonly grown species. Sow seeds in rows in April or May or they can be started indoors for early bloom. -bracteatum, Mixed. Heads 2½" across; 3 ft; HA Oz. 50¢; Lb. \$7.50. HELI-4X. 15¢Fireball. Best scarlet; Oz. 65¢; 4 oz. \$2.00. HELI-4X. 15¢Snowball. Large double white flowers

ORDERS FOR SEED MAY BE AS LOW AS ONE PACKET; ORDER AS NEEDED.

PIONEER SEED COMPANY

DIMONDALE MICHIGAN

HELIOTROPE - HELLEBORUS

HELIOPSIS. (hee-le-OP-sis) Compositae. Hardy perennials with sunflower-like flowers 2 inches across and growing to 5 ft tall. They are nice in the border and make good cutflowers. Grow them the same as Sunflowers and seed started as late as July will bloom the following year. —helianthoides.
Numerous yellow heads 2½" ac; 5 ft; HP.
HELO-1. 20¢
—Pitcheriana.
Deep rich yellow variety.
HELO-4. 15¢
—Pitcheriana.
Deep rich yellow fls; 5 ft; HP.
HELO-4. 15¢
—Pitcheriana.
Deep rich yellow variety.
HELO-1P. 15¢ HELIOTHROPIUM. (hee-lee-oh-THOP-pee-um) Heliotrope. Boraginaceae. Plants and shrubs with small fragrant flowers; some are greenhouse plants, others for the border. The well known greenhouse Heliotrope (arborescens) is native of Peru and grown here as a tender annual. ARBORESCENS: -Giant Valencia. Giant flowered French variety.....--Souvenir. Large flowered French variety....--Marina. Giant flowered German variety...--Mammoth Flowered. A Holland strain of large flowered hybrids... H HELR-2V. 25¢ .. HELR-2M. 25¢ HELR-2MF. 25¢ -Manmoin Flowered. A Holland Strain of large nowered hybri
-Regale Dwarf.
-Olympia. Dwarf growth
-King of the Blacks.
-Mixed Varieties.
-Giant Lemoini. HELB-2BD, 25c HELB-2K. 25¢ HELR-2X. 25¢ HELB-2L, 25d HELLEBORUS. (hel-le-BO-rus. CHRISTMAS ROSE, HELLEBORE. Ranunculaceae. Perennial plants blooming early in the spring and in mild climates, during late winter. Thrive in rich moist soil, partial shade. They are sometimes forced under glass Seed secured during the winter months should be stratified till early spring.

—corsicus: see H...lividus.
—lividus. Pale green fis in clusters; Corsica; 18"; HP HELB-9 (W). 50¢
—niger. Christmas Rose; white; 1½ ft; hardy; HP HELB-10(C). 30¢
—maximus. Larger flowers.
—dorus v. cupreus. Copper colored fis; 15"; HP HELB-12(C). 40¢
—v. atrosanguineum. Red fis; HP HELB-12(C). 50¢
—olympicus. White fis; HP HELB-13 (C). 50¢
—viridis. Yellowish green fis; 2 ft; HP HELB-18 (W). 50¢
—Species and Hybrids Mixed. HELLEBORUS. (hel-le-BO-rus, CHRISTMAS ROSE, HELLEBORE, Ranunculaceae, HEMEROCALLIS. (hem-er-oh-KAL-is) DAY LILY. Liliaceae. HEMEROCALUS. (hem-er-oh-KAL-is) DAY LILY. Liliaceae.

A genus of mostly tuborous-rooted perennials with lily-like flowers and narrow grass-like leaves. They are all of simple culture, either grown from seeds which produce seedlings or from roots for particular varieties. The commonly grown garden forms are hybrids of various species. See special list for roots of named varieties.

—Peerless Blend. Seed saved from the best varieties. HEME-H. 20¢
—Hybrids. From hand pollinated flowers including pink and "reds" HEME-14B. 20¢
—Part hand and part bee pollinated including pink and "reds" HEME-14M. 15¢ HERACLEUM. (her-ah-KLEE-um) COW-PARSNIP. Umbelliferae. Course herbaceous perennials used for a bold effect in the border or wild garden The flowers are pink or white, very small and in enormous umbels.

—Mantegazzianum. Deeply cut white fls in umbels; 4 ft ac; 9 ft; HP....... HERA-2. 20¢ HERBERTIA pulchella HERB-2 (W). 35¢ HESPERIS. (HES-per-is) ROCKET Cruciferae. Hardy biennials and perennials of erect branching habit and bearing white, rose or mauve-purple flowers in pyramidal spikes; excellent cutflowers; June-July; 1-3 ft. tall. They are fragrant. Sow seeds any time up to August for flowers the next season. H.MATRONALIS: Sweet Rocket. The common garden forms are of this species. They are perennial but sometimes only biennial; hardy in the North; sow seed a year HESPEROYUCCA. (hes-per-oh-YUK-ah) Liliaceae. Only one species from S. Calif. much like the Yucca. Hardy only in mild climates. -Whipplei. Creamy white fls, 2" ac, fragrant, in nodding pan; TP....... HSPR-1. 25¢ HETEROMORPHA trifoliata HETP-1B. 25¢ HESP-6R. 15¢ -Red. ... HEUCHERA. (HEU-her-ah) ALUM-ROOT. Saxifragaceae. HEU-7G. 25¢ -maxima hybrids. H. SANGUINEA: Commonly grown species in gardens, founds on cliffs and hills.

— Spitfire. Very pretty; large rich scarlet fis. HEU-20S.

— splendens. Dark crimson variety. HEU-20S.

— Hybrids. Different colors and forms. HEU-20H. HEU-20S. 25¢ HEU-20S. 20¢ HEU-20H. 20¢ HIBISCUS. (hye-BISK-us) Rose-Mallow. Malvaceae. Plants, shrubs and trees with showy flowers in several colors. Annuals should be sown in pots or bands or direct to the soil. They require a rich soil with moisture. -Manihot. Yellow or white, dark brown centers, 9" ac; 9 ft; HA orP HIBS-26. 25¢ HIBISCUS: Continued on Page 204.

PIONEER SEED COMPANY - DIMONDALE MICHIGAN

CARE OF THE HERB GARDEN

Continued from Page 202. when they are transferred to the warmth of a sunny window sill.

When clipping and shearing the fragrant or culnary herbs, save every leaf. Wash them well, dry and use for their many purposes. Make sachets of the lavender and verbena or lay them among linens. The fragrant Geranium are equally useful and put into pretty jars, make thoughtful and inexpensive gifts. Mix the pulverized culinary herbs for salads, soups, poultry dressing and meats to flavor the winter foods. Small amounts may be dried in paper bags, with air holes cut in them. Waxed paper is even better as it doesn't absorb the essential oils.

SALVIA SPLENDENS

The best time to start Salvia is the end of February or the first part of March.

Most failures in germinating Salvia seed are due to the lack of bottom heat when germinating. A temperature of 60 degrees F. is necessary, even at night. Two weeks are required for germination. The seedlings should be transplanted in a mixture of two parts good loam and one part of leaf mould with plenty of sand added.

Keep the young plants growing. Pinch out the tall shoots so as to form a bushy plant at the very start. If set out in pots a 3 inch one can be used and if extra good plants are wanted, shift them every few weeks to larger pots.

ALASKA COTTON.

In hte October issue of your magazine I note with interest the letter from Mrs. MacPherson of Winnipeg, Canada and I thought I might be of help in determining the soil requirements she asks about, but I cannot be certain that the plants which she brought back from Churchill are Alaska Cotton.

Certainly from Mrs. MacPherson's description it is a plant far divers from what is known in southeastern Alaska and in Kodiak as "Alaska Cotton". I suppose our plant has some sort of leaves but one never notices them, since the plant's main features are the numerous green, leafless stems which spring up usually in large patches and are topped with balls of fluffy white, or in rare instances golden brown, cotton, about the size of dandelion puffs.

Our cotton flourishes most readily in the swamps (black, waterlogged soil which I should imagine to be quite acid and never thoroughly dry) away from the salt water or in moist meadows where cattle graze or in typical marsh lands where does also

grow the Alaskian Iris.

The Cotton appears about the first of June and is with us until September ends and if picked when freshly matured, it will carry through the winter in dried bouquets and is especially prized by those creators of floral pictures and glass-topped trays.

I should be interessted in knowing the true name of the plant which Mrs. Mac-Pherson describes.

Alaskan Cotton, as listed in the Alaskan Wildflower book is the plant known in Kodiak and not a vine nor found on boulders exposed to salt water. Later in the spring, I shall be glad to make a soil test for Alaskan Cotton if anyone has need of this information.

Note: We will be pleased to print your findings on the soil test, Mrs. Given.

By Mrs. Alace M. Given, Alaska

SUBSCRIPTION price now \$2.00 per year.

A SELECTED LIST OF RARE FLOWER SEEDS

Continued from Page 205. Gentiana acaulis.		Lathyrus albo-roseus.		Poterium spinosum.	30¢
——Forms, Mixed.		-cyaneuslatifolius, White Pearl.		Primula alpicola Mixed. —Asthore Hybrids.	
—asclepiadea. — —alba.		-vernus.		aurantiaca.	
elegans. (termalis).		Lavandula spica nana alba. Shrub. ——rosea. Shrub.		Auricula. 	
—gracillipes. —lutea.	40¢	Lavatera cashmiriana. Shrub. —maritima. Shrub.		—Beesiana.	
—Pneumonanthe.	35¢	-thuringiaca, Shrub.		Bulleyana. chungensi	
septemfida. Geranium Endressii A. T. Johnson.		Leontopodium alpinum Stracheyi. Leptospermum Martinii. Shrub.	40¢	—denticulata. —elatior.	
pratense bicolor.		Leucogynes grandiceps.	35¢	-Florindae.	
		Leucojum autumnale. —hiemale.	35¢ 45¢	— —Red Forms. —Forrestii.	40 /
—sessiliflorum.		Lewisia hybrids.	40¢	—frondosa.	40¢
-sylvaticum album. -species, Mixed.		Liatris pycnostachya.		—Halleri. —hyacinthina.	E0.4
Geum Borisii.		spicata. Lilium columbianum.		-intergrifolia.	50¢ 35¢
—campanulatum. —montanum.		cordifolium.		—involucrata. —japonica.	
— — maximum.		—Kelloggii. —pardalinum Johnsonii.		——Millers Crimson. ——Postford White.	
pseuda-coccineum. pyrenaicum.		—rubellum. —Szovitzianum.	50¢	— —Postford White. —lichiangensis.	
—pyrenaicum. —friflorum.		Linaria alpina.		—luteola.	
-trifiorum. Glaucium flavum.		—anticaria cuarjanensis. —dalmatica.		—nutans. —pulverulenta.	40 ¢
Globularia bellidifolia. — Hort's Variety.		faucicola.		Bartleys Strain.	45¢
—dumulosa.	50¢	—supina. —triornithiflora.		-rosea. -saxatilis.	
—incanescens. —trichosantha.		Linum alpinum.		—secundiflora.	
-Wilkomii.		—narbonense gentianoides. Loasa species.	35¢	—yargongensis. —Bog Species Mixed.	
Grindelia squarrosa. Gypsophila acutifolia.		Luzula maxima.		Frunella Loveliness.	
Halimium alyssoides.		Lychnis viscaria. Lysimachia ephemerum.	35¢	Pulmonaria angustifolia rubra.	
Hamamelis virginiana. Shrub. —Zuccariniana. Shrub. (japonica)		Meconopsis betonicifolius.	,	Ramonda Myconi. —Nathaliae.	35¢
Haplopappus coronopifolius.		—cambrica. — —aurantiaca.		Ranunculus anemonoides.	45¢
Helianthemum atriplicifolium. —Tuberaria.			40¢	—gramineus. —Lyallii.	45¢
—umbellatum verticillatum.		-superba. -Species.	40¢	Raoulia glabra.	434
—vulgaris forms, mixed Helichrysum bellidioides.		Mimulus Lewisii. —leuteus cupreus.		Rheum giganteum. Rhododendron ferrugineum. Shrub.	40¢
Doerfleri.	05 4	Minuartia juniperoides.		-Dwark Species, Mixed.	50¢
	35¢ 35¢	—saxifraga. Moraea spatacea.		—Dwark Species, Mixed. Rhodohypoxis, Mixed. Romneya Coulteri.	35¢
—plicatum. —scutellarioides.		Moraea spatacea. Morina longifolia.	05.	Roscoea numeana.	004
virgineum.		Myosotis australis. Narcissus Bulbocodium.	35¢	Rupicapnos africana.	
Heliosperma macrantha.	35¢	—corbularia.		Salvia argentea alpina. —haematodes.	
IICHCDO: GD GGIDIGHI	50¢	—triandrus albus. —Watieri.	45¢	—pratensis.	
	50¢ 40¢	—Dwarf Species Mixed. Nicotiana. rustica.	45¢	—turkestanica. —villosa.	
-Species and Hybrids Mixed.	4 0¢	Nomocharis Species Mixed.	40ϕ	Sambueus racemosus.	
Herbertia pulchella. Hieraceum bombycinum.	35¢	Oenothera acaulis. —pumila.		Sanguinaria canadensis fl. pl. Santolina alpina.	75¢
—villosum villosissimum.		-riparia.		Saponaria caespitosa.	
Horminum pyrenaicum. Hutchinsia Auerswaldii.		—Species. Brook No. 5,396. Olearia Gunnii Coomber's Red.		—lutea. —ocymoides rubra compacta.	
Hyacinthus amethystinus.		-mollis.		Saxifraga aizoides atrorubens. —aizoon forms, Mixed.	
—azureus. Hypericum androsaceum. Shrub.		Ononis hircina. Shrub. —rotundifolia. Shrub.		—calabrica.	
-confertumhircinum pumilum.		—spinosa. Shrub. Onosma albo-roseum.		-cebenensis.	
olympicum.		-Species. White Flowers.		major.	
—orientale. —rhodopaeum.		—tauricum. Orobus luteus aureus.		-cotyledon caterhamensis. 	
-Species, Ludlow-Sherriff, No. 15,737	7.	Ourisia macrophylla.	4 0¢	-crustata vochinensis.	
Iberis contracta. —jucunda.		Paeonia mascula. —obovata alba.		-Encrusted Forms, MixedFrancis Cade.	
Hex crenata convexa. Shrub.	50¢	paradoxa.		-Hostii altissima.	
Impatiens Roylei.		-Species Mixed. -Papaver Burseri		irrigua latepetiolata.	
	35¢ 50¢	-Kerneri. Paronychia nivea.		—lingulata Freshways Variety. ——lantoscana.	
Iris aurea.	ουφ	-Penstemon aristatus.		-longifolia Tumbling Waters.	45¢
—chrysographes forms. —Douglasii.		—cristatus. —Davidsonii.		—luteo-viridis. — x Macnabiana.	35¢
—foetidissima.		glaucus stenocephalus.		-x Moonlight	
Forrestiigraminea.		Menziesii microphyllus.Newberryi.		-Mossy Forms, Mixedsibirica.	
innominata aurea.	40¢	—pinifolia.	35¢	-umbrosa Colvillei.	
—japonica. —laevigata.		—Scouleri. —strictus.		— primuloides Ingwersen's Variety. Zolikoferi.	50¢
— —alba. — —atropurpurea.		—Weald Beacon. Perezia multiflora.		—Species Mixed. Scabiosa alpina.	
		Phlomis cashmiriana.	40¢	—graminifolia.	
Mottled Beauty.		—samia. —villosa.		—limonifolia. —ochroleuca.	
- Niagara Purple Beauty.		Phormium Cookianum, (Colensoi)		-pierocephala.	
		Phormium Cookianum (Colensoi) tena Phyteuma Scheuchtzeri.	ıx.	silenifolia. Scolymus hispanicus.	
Zambesi.		spicata.		Scutellaria scordiifolia.	
Named Varieties Mixed ochroleuca.		Phytolacca decandra. Pinus parviflorus pumilus.		Sedum brevifolium. —hirsutum.	
—siberica.		Piptanthus nepalensis.		—Lampusae.	3 5¢
-tectorum. -tenax.		Platycodon grandiflorum. — Mariesii.		pilosum. Sempervivum, Mixed.	
-tergloviensis.		Podophyllum Emodii. Polemonium caeruleum humile.		Senecio incanus.	
-versicolor. Isatis tinctoria.		Polygonum viviparum.		Seratula Shawii. Sideritis montana.	
	40¢ 50¢	Potentilla argyrophylla atrosanguinea. —leuconota.		-syriaca. Silene acaulis alba.	354
Kniphofia pumila.	40¢	-nepalensis Miss Willmott.		—alpestris.	35¢
-Tubergenii. Laburnum alpinum. Shrub.	40¢	-recta marcrantharupestris pygmaea.		——fi pl Continued on Page 210	

Surface Moisture in Germinating Seeds

By Percy H. Wright, Sask.

The difficulties in germinating small seeds are two: one springing from the tendency of the soil, unless VERY sandy, to bake and crust over and thus form cracks, and the other, the expected result of having a dry surface soil. To solve the former problem, and the second, too, to some extent, I have long practiced mulching the seed beds with sawdust and watering it down immediately to keep it from blowing away while still loose. The watering seems to pack it enough to make it"stay put" even after it dries out again. Sawdust cannot be used for VERY small seeds, but only for those about as fine as honeysuckle seed. Tiny seeds cannot germinate in a material that dries out as quickly as sawdust does, and will prevent the emergence of plantlets that are unable to penetrate an inch or so of it and come to the surface. As everyone knows, one of the chief difficulties in starting small seeds, and medium small seeds, in beds out of doors, is the much quicker germination of weed seeds, particularly the seeds of dandelions and the various forms of pigweed. It is one of the chief merits of the sawdust covering that these and very fine-seeded weeds are prevented from emerging, making the chore of keeping the seed bed clean very much easier.

In 1947 and 1948 the spring seasons were very dry, so dry that even sawdust did not give enough covering of the soil to prevent it from drying out to below the depth the seeds were, before some of the slower types had had time to germinate. I was able to water a few of the seeds with the old watering can, but maintain too many seed beds to give that amount of labor to them all, and as I have no sprinkling system as yet, the result has been two rather poor years for seed propagation.


However, I observed that under the bushes of some hybrid roses the seed that fell from the hips just above has germinated readily and produced numerous plants from seed that must scarcely have been covered at all. As a consequence, I believe some shade is a very inexpensive way of providing surface moisture for the considerable periods that are needed by the slower seeds, and intend to nail up some lath shades to lay over the frames surrounding the seed beds. The seed beds of conifers at the Forestry Nurseries are commonly shaded by rolls of lath wired together so that about as much space is left between laths as the width of the lath. These shades have to be taken off to let in the light and air when mildew threatens to take a toll of the plantlets hidden below.

I intend to put the lath on some of my frames still closer together, allowing a quarter or less of the sunlight to reach the ground for some of them. Some seeds need direct sunlight to germinate, but others are able to germinate in darkness or partial darkness. Those which can germinate without light might as well have as little as possible, especially if they are naturally slow in germination and need surface moisture for considerable periods. Under the shades I will use sawdust still, for its value in preventing crusting.

Very fine garden seeds, such as those of celery and Petunias, are best sown in flats or boxes indoors, and covered with a layer of burlap cut out of old potato sacks. Even though the seeds have been sown with no

(Continued on Page 219)

A Good California Compost Box



By W. E. White, Monrovia, Calif.

So many of the flower gardeners I know save all their weeds, grass leaves, etc., to make humus. My method is a little different to most gardeners, and believe it would be of interest to your readers.

My container is 3 ft. by 3 ft., the lower part is a cement box or tank of 1 inch cement walls and bottom, with a piece of 1 inch pipe, capped, inserted near the bottom at right hand corner. On top of this tank the crate is made in three sections, fitted one on top of the other for convenience in unloading. The slat floor is placed on the bottom of the tank, allowing the liquid fertilizer to drain out more readily. The round tank at side of crate is a large shortening can from the bakery that I covered with cement; it is set in the ground under the pipe or outlet to catch the liquid. This black liquid is a fine fertilizer or booster.

Into this crate put all your garden refuse,

Eryngiums

Sea Holly excel as stately stiff-growing plants quite unlike any other garden subject.

The plants make generous clumps of basal foliage from which spring stiff stems with leaves usually broad, spiny edged and often with prominent whitish veins. The height varing from 1-4 feet or more, depending upon the kind.

They make fine displays with their brilliant shades of blue in stems, bracts and flower heads in summer as well as in winter bouquets.

E. alpinus, known as the alpine blue thistle is one of the best, grows to 4 ft, and best in limestone soils.

E. Bourgatii grows to 18 inches, a heavenly blue color with a touch of pink. Its shade of blue is exceptional and is retained from June to August.

E. Spinalba with its bluish silver color makes nice 2-3 foot plants.

E. amethystinum, 2 feet high comes in a pleasing violet-blue color from June to September

E. maritimum is really a good garden sort, best in a sandy soil but not hardy in the North

GET EVERY ISSUE - \$2.00 PER YEAR

weeds, grass, leaves, house scraps, etc. When it becomes an additional foot high, stamp it down and wet it; then sprinkle with 1 lb: of Adco and keep it moist. (When the war was on I had to make my own mixture of nitrate, phosphate, potash and ground oyster shell; it worked fine.) By having a sectional crate it is easier to remove the thick rich humus fertilizer.

I found it advantageous to have an extra container, so the upper part, which is only partly decomposed, can be tossed into this crate for a new start. My neighbour was so well pleased with my results that he built a tank and crate 10 ft. by 14 ft.

My hobby is collecting flowering bulbs and for these bulbs I allow the compost to partially dry, then sift out all sticks and stones before using. It is also used in my mixture for seed boxes.

In dry sections of the country like California, should be well sprinkled once a week.

Franklinia Tree

Your article in the July '51 issue of Saier's Garden Magazine by D. Todd Gresham, "The Beautiful Franklinia", was of considerable interest to me. A number of years ago a lovely Franklinia flourished at Baker Mansion in Altoona, Pa., along with many moss roses, shrub peonies and other fine plants. In a general clean-up these things were rudely destroyed. I had obtained several of the seeds, but they did not germinate. The tree was about 10 feet high, very thrifty and bloomed profusely.

I hope to order seed from you later for I have always wanted a Franklinia of my own.

My present seed order is sent in hopes of beautifing a large area of limestone rock outcropping on a portion of land where we recently built our home. It is a lovely natural site, never cultivated. It is a challenge and a thrill to plan for and plant such a plot. Our little greenhouse will also be of help in giving things an early start.

Your magazine has been very helpful, especially in pronunciation. Am looking forward to further enjoyment as each new issue arrives.

Mrs. Kensinger, Roaring Springs, Pa. Editor's Remarks: Together with Mr. (Continued on Page 217)

A SELECTED LIST OF HARD-TO-FIND FLOWER SEEDS

A SELECTED LIST	OF HAKD-I	O-LIM	D LLOWEK	OLLUO
This list is continued from page 208 and if the letter (W) is used on the items fol-	-Farreri.	Mi.	-vulgaris v. splendens.	Boiss.
lowing half column it will help in filling	—stricia. —Tashiroi.	Nik.	ARNEBIA echioides.	
your order more quickly. —cretica.	-Thunbergiana. ADONIS pyrenaica.	Kduoa. D. C.	ARNICA alpina. —amplexicaulis.	L. Nutt.
—Ingramii. 35¢ —Keiskyiminor.	—dahurica. —vernalis.	Max.	—Chamissonis. —cordifolia.	Less.
pygmacea.	AETHIONEMA armenum.	L. BOIS.	—cordifolia. —foliosa. —longifolia.	Nutt. Eaton.
Silybum Marianum. Sisyrinchium cuspidatum.	cordifolium. ovalifolium.	D. C. Bois.	—mollis.	Hoock.
Skimmia japonica. Shrub. Smiliacina stellata.	Kotschyi.	HORT.	ARTEMISIA glacialis. —laxa.	L. Fritsch.
Solidago brachysiachys. Spartium junceum. Shrub.	—pulchellum. —persicum.	Bois.	—nevadensis. —petrosa.	Lindb. Bmg.
Statis bellidifolia.	schistosum. stylosum.	Bois. D. C.	scorparia.	W. K.
incana. Stokesia cyanea praecox.	ALLIUM cyaneum. —flavum.	Ral.	ASPERULA ciliata. —humifusa.	R. Bess.
Stylophorum diphyllum. Symphyandra Hoffmannii.	—Farreri.	L. St.	orientalis. scutellaris.	Vis.
-Wanneri.	—darvasicum. —Libani.	Rgl. Bois.	-tinctoria.	L.
Tanacetum Herderi.	Montanum.	Schm. Gouan.	ASPHODELINE liburnica. —lutea.	Rchb. Rchb.
Tellima grandiflora. Thalictrum aquilegifolium.	—pyrenaicum. —tataricum. —strictum.	L.	ASPHODELUS Villarsii.	Verlot.
—Delavayi. —Rochebrunianum.	Tibeticum.	Schrad. Rendle,	ASTER alpinus. ——albus.	L. L.
—Species, Mixed. (Ludlow-Sherriff Coll'ed). Thymus azorious.	-Yunnanense. ALYSSUM alyssoides.	Diels. L.	dolomiticus.	Beck.
-mastachinus.	-argenteum.	Boiss.	— —leucaster. — —Wolfii.	Beck. F.
—nitidus true. Tigrida pavonia.	—corymbosum. —desertorum.	Boiss, Stapf,	altaicus. amellus.	Wild. L.
Trollius pumilus yunnanensis. Tulbhagia violacea.	—idaeum. —murale.	Boiss, M B.	 — dumosus Snow Sprite. — diplostephioides. 	DamAh
Tulipa australis. Select form. —Batalinii.	—petraeum. —saxatile.	Ard. L.	Farreri. Forrestii.	Franch. Stapf.
Eichleri.	—scardicum.	44.	Fremontii.	
Kaufmanniana, MixedSpecies Mixed.	ANACYCLUS depressus. —Pyrethrum.	D. C.	himalaicus.	Gray. C. B.
Verbascum Chaixii.	ANDROSACE carnea.	Sive.	—ibericus. —ibiricus.	
— —album. —phoeniceum.	brightiaca. Halleri.	R. Kn. L.	-subcoeuruleus.	C. Bl.
Veronica Bidwellii true. 35¢	— —Laggeri. —armeniaca.	Huet. Duby.	—Thompsonii. —tibeticus.	ноок.
——Miss Willmott. —cataractae Blue Form.	—lactea. —lactiflora.	L. Pall.	-tradescantispecies Bothan Ghose.	L.
—macrantha. Shrub. 35¢ Viola arenaria rosea.	-mucronifolia.	Watt.	ASTRAGULUS autriacus.	ľ.
-cornuta alba. -cucullata.	—pedemontana. —Primuloides.	Rchb. Duby.	-depressusexscapus.	L. L.
-elatior.	sempervivoides. subulifera.	Chiov.	falcatussempervirens.	Lam. Lam.
—gracilis Grandeur. —heterophylla. 50¢	villosa.	L.	-sulcatus.	L.
—labradorica purpurea. —luiea. True.	ANEMONE globosa. —Hudsonica.	Nuii. R.	ASTRANTIA minor. —mayor.	L. L.
—odorata. Coeur D'Alsace. —olympica.	—Leveilli. —narcissiflora.	L.	—trifida. —bavarica.	Schultz.
-septentrionale.	—parviflora. —polyanthes.	Michx. Don.	BALLOTA nigra.	L.
Weldenia candida.	—reflexa.		BARTSIA alpina.	L.
Westringia rosmarinifolia. Wulfenia carinthiaca.	—riparia. —rivularis.	Fern. Ham.	BELLIUM minatum.	L.
	virginiana. ANTENNARIA alpina.	L. Gaeris.	BRODIACA lactea. Briza maedia.	Wats.
Our F List of Rare Seeds	—gaspensis. —imbricta.	Fer.	BUPHTALMUM speciosum.	L. Schreb.
We list below one lot of flower seeds	—neodioica.	Nelson. Greene.	BUPLEURUM Candollei.	Wall.
which there has not been time to class- ify them in the regular two-column list-	nevadensis. speciosa.	Nelson.	—longifolium. CALCEOLARIA polyrrhiza.	L. Cav.
ings. The name has been listed as they are made in Europe and therefore some will	ANTHYLLIS montana.	L.	CALENDRINA compressa.	Schrad.
not be the same as reconized in this	—vulneraria v. alpestris. ANTHERICUM Liliago.	L. L. L.	CAMPANULA abietina. —aucheri.	Crieseb. D. C.
your order if you will state that your	-ramosum.		—allionii. —ardonensis.	D . 0.
made in Europe and therefore some will not be the same as reconized in this country. It will make it easier to fill your order if you will state that your selections are from this list, which we have the letter (F) attached to them.	AQUILEGIA alpina. —akitensis.	L. Huth.	-harbata.	L.
The abbreviations at the end of each line indicate the botanical authority for	—chrysantha. —caerulea.	Gray.	-bononiensiscarpatica.	L. Jacq.
the classification and need not be used	—Colembiana. —ecaicarata.	Rydb. Max.	— —alba. — —turbinata.	Jacq.
when ordering. ALL PACKETS ARE 40¢ EACH.	—farinosa. —formosa.		—cenisia. —cochlearifolia v miranda.	L. hort.
ACEANA glaucophylla.	—flabellata.	Fisch. S. Z.	—collina.	M. B.
-glauca.	fulgens. glandulosa.	Gay. Fisch.	—elatinoides. —excisa.	
ACANTHOLIMON armenum. —lepturoides v. grandiflorum.	—oxysepala. —pyrenaica.	Trapt. D. C.	—glomerata. —imertina.	L. Rupre.
-venestum.	— — alba. —Reuteri.		—latifolia. —moesiaca.	L.
ACHILLEA Clavanae. —Frasii.	Skinneri.	Boiss. Hoock.	-persicifolia.	9
macedonica. Moschaia.	-vridifloraarenosa.			hori. Broi.
nana. rupesiris.	ARABIS bellidifolia. —cebensis.	aJcq.	—pulla. —siberica.	L. L
tomentosa.	-cenisia.	Reut.		Boiss. Pour
	—nivalis. —stellaris.	D. C.	—sprunneriana.	Hampe.
ACONITUM Anthora.	ARENARIA gracilis. —graminifolia.	W. K.	—thessala. —van Houttei.	Maire. Carr.
—excelsum.	juniperifolia.	L	-velutina. CARDAMINE resedifolia.	Vel.
Forrestii. lepianium.	ARMERIA alpina.		CARDAMINE reseditoria.	L. L.
Lycocionum. 	-caespitosa.	Boiss.	Seeds between here and	
pyrenaicum. L.	——hybrid Six Hills. —japonica.		already listed in the 2-colum	n listings.
ACTEA arguia. —rubra.	—pinifolia. —rumelica.	Boiss.	GENTIANA alpina. —alfaica.	VILL. Pall.
ADENOPHORA Bulleyana. Diels	-siberica.		—angustifolia.	Vill.

—acaulis.		INCARVILLEA Dolomoni	D	nana.	
-asclepiadea.	L.	INCARVILLEA Delavayi. —Farreri.	Bur. Bur.	tauricum.	Willd.
— —alba. —bavarica.	L.	grandiflora. Olgae.	Bur.	ORCHIS militaris.	L.
-cernua.	н. в.	INULA ensifolia.	Rgl. L.	—morio. —pallens.	L.
—carpatica. —clusii.	Weitst. Per.	glandulosa. grandiflora.	Willd.	-sambucina.	Υ.,
—cruciata. —dahurica.	L. Senur.	-macrocephala.	Willd. Boiss.		Gaud. Pers.
-dinarica.	Beck.	magnifica. Roleyana.	Lipsky. D. C.	-campestris.	D. C.
Farreri. fetisowii.	Rgl.	IRIS Bloudowii.	G,	canescens. PAEONIA corallina v. triternata.	Boiss.
-Kochiana.	Perr.	—Douglasiana. —siberica.	Herb.	-Veitschii.	Lynch.
——alba. —linearis.	Engelm.	alba.	L. hort.	PAPAVER alpinum.	L.
—lutea.	Franch.	— —acuta. —sambucina.	Lynch.	-rubriauranriacum. PARADISIA liliastrum.	D. C. Bert.
—Parryi. —Purdomi.	Marq.	-versicolor.	L.	PENSTEMON alpinus.	Torr.
purpurea.	L. Greml.	JASIONE humilis. —pyrenaica.	Lois.	arizonicus.	Heller.
—flavida. —septemfida.	Pall.	-montana.	Senne. L.	-barbatus.	
— —hascombensis. —lagodeschiana.	hort. Kusn.	KENTRANTHUS ruber.	D. C.	confertus. diffusus.	Douglas. Douglas.
— —cordifolia.	22 00000	— —alba. KERNERA saxatilis.	Rchb.	-Edithae.	Douglas.
—sino-ornata. —sikkimensis.	D. C.	KNIPHOFIA Northiae.	Back.	Gairdneri. gracilis.	Douglas. Nutt.
-tibetica.	King. Marq.	—uvaria.	Hoock.	—glandulosa. —humils i.	Douglas.
-Wutaiensis. GERANIUM eriostemom.	Fisch.	LACTUCA perennis. LATHYRUS niger.	L.	—Olgae.	Nuii.
-ibericum.	Gav.	pratansis.	Bern. L.	—sepalulus. —venustus.	Nelson.
—Fremontii. —Farreri.	Toor. Stapf.	LAVENDULA spica.	L. L.	-PETROPHYTUM caespitosum.	Rydb.
-macrorrhizum.	L. L.	— —rosea. — —fragans.		PHACA frigida.	L.
—sanguineum. — —album.	L.	LEONTOPODIUM alpinum.	Cass.	alpina.	L.
	Burn. Boiss.	—altaicum. —himalayanum.	Beauv. D. C.	PHLOMIS sania. PHYGELIUS capensis.	L. Mey.
-Wallichianum.	Don.	sikkimense. macrocephalum.		Carmelii.	Vill.
—Vilfortii.	Max. Jacq.	-monocephalum.	dgEw.	Micheli. orbiculare.	All. L.
GEUM aleppicum. —Boissieri.	Boiss.	—japonicum. —Palibinianum.	Micq. Beauv.	-Wagner.	Kern.
—coccineum. —Heldreichii.	S. S. hort.	—Souliei.	Beauv.	—humile. —Zahlbruckneri.	Scn. Vest.
-repans.	L. L.	—tataricum. LEPIDIUM hirtum.	Kom. D. C.	PLANTAGO Candollei.	Rafin
rivale.	L. Monch.	LEUZEA conifera.	D. C.	—carinata. —cynops.	Schrad. L.
GILLENIA trifoliata. GLAUCIUMflavum.	Criz.	LIATRIS callilopsis.		nivalis.	Boiss. Rhoms.
GLOBULARIA cordifolia.	L. L.	—ligulistylis. —pycnostachya.	Nelson. Michx.	tibetica. PODOPHYLLUM Emodi.	Wall.
— —alba. —incanescens.	Viv.	-spictat.	Willd.	POLEMONIUM Carneum.	Gray.
-nana.	Lam. L.	LILIUM concolor v pulchellum. bulbiferum.		Confertum. filicinum.	Greene.
—nudicaulis. —Wilkommii v.alba.	Nym.	—Hansônii.	Backer. Lei.	lanetum humile.	Fisch.
GREGORIA laevigata.	House.	pyrenaicum.	Gouan.	occidentale. sibiricum.	Greene, Don.
—montana. —vitaliana.	House. Duby.	LINUM africanum. —altaicum.	L. Fisch.	POLYGONUM affine.	Don.
f. alpina.	.Duby.	—alpinum. —campanulatum.	L.	—amplexicaule.	Don. Schm.
f. cinerea. f. preatutiana.	Bus.	bulgaricum.	L. Popd.	Veyrichii. POTENTILLA argentea.	L.
——f tridentata.	70-	—flavum. —flavum compactum.	L. hort	—arguia.	Pursch.
GYMNADENIA conopea. ——alba.	Br.	—julicum. —Muelleri.	Hay.	—atrisanguinea. —chrysantha.	Lodl. Trev.
—odoratissima. —cerastioides.	Ricm. Don.	-Muelleri. -narbonense.	Winkler. L.	-eriocarpa.	Wall.
—libanotica.	Boiss.	salsoloides.	Lam.	—glandulosa. —gracilis.	Ldl. Dougl.
—fratensis. —petraea.	Rchb.	—Thommsainii. LITHOSPERMUM diffusum.	Rchb. Lag.	—megalantha. —Meyeri.	Takeda. Boiss.
-repens.	440	-Froebelii.	_	-nervegica.	L.
— —rosea. —tenuifolia.	M. B.	—intermedium. —Doerfleri.	Froeb.	—Pyrenaica. —transcapia.	Ram. Wolf.
—trichoctoma.	w.	—Gastonii. —oleifolium.	Sund.	-tridenata.	Sol.
HELENIUM Gigelowii. —Moerheim Beauty.	Gray. hort.	LUZULA nivea.	Lap. Lam.	—valderia. —viscosa.	L. Don.
HELIANTHEMUM nummularium.	Mill.	—lutea.	D. C.	PRIMULA carpatica.	Sol.
-oelandicum.	Willa	LYCHNIS chalchedonica.	L.	chionantha. corthusoides.	Blf. L.
HELICHRYSUM graveoiens. —italicum.	Boiss. Don.	LYSIMACHIA lobelioides. —decurrens.	Wal. Forst.	denticulata.	Smith.
—plictaum. —Thianchanicum.	D. C. Rgl.	MALVA moschata.	L.	— —alba. — —cashmiriana.	
HESPERIS matronalis.	1194	MATTHIOLA vallesiaca.	Boiss.	—Juliae. —leucophylla.	Kusn. Pax.
-violacea.	Boiss.	—tristis. MACLEYA cordata.	Br.	marginata.	Curtis.
Heuchera sanguinea v. Flambeau. — — Kleberger.	hori. hori.	MECONOPSIS Baileyi.		Mooreana. rosea.	Balf, Royle,
— — Pluie de Feu.	hort.	—horridula. —rudis.	Hook. Prain.	—siberica. —Sieboldii.	Jacq. Morren
HIERACIUM aurantiacum. —bombycinum.	L. Boiss.	MERTENSIA echioides.	Benth,	Vestschii.	Duthie.
-Heldreichii.	Boiss.	MINUARTIA flaccida.	Schinz.	—uralensis.	
—glaucum. —humile.	All. Jacq.	—recurva. —stricta.	Sch. Hiern.	PRUNELLA grandifloora v. rubra PTILOTRICHIUM spinosum.	Boiss
-murorum.	L.	-verna.	Hiern.	-roseum.	Boiss,
—staticifolium. HORDEUM jubatum.	Vill. L.	MOLTIA petraea.	Criesb.	PULMONARIA angustifolia.	\mathbf{L}_{4}
HORMINUM pyrenaicum.		MORINA longifolia. —kokanica.	Waal. Regl.	RANUNCULUS lapestris. —gramineus.	L. L.
— —rubrum.	D T.	MUSCARI aucheri.	Boiss.	—parnassifolius.	
HUTSCHINSIA alpina. — brevicaulis.	R. Br. Herz,	-racemosum.	D. C. F. W.	—pyrenaeus. —Thora.	L. L.
HYPERICUM intermedium.	Steud.	MYOSOTIS alpestris v. asiatica. —rupicola.	Smith.	RESEDA complicata.	Dory.
—calycinum. —olympicum.	L.	NAROSTACHYS Jatamansii.	D. C.	RODGERSIA pinnata.	Franch.
-orientale.	L.	OENOTHERA densiflora.	Lind. L,	ROSA Highdownensis. —Moyesi.	Hiller. Wils.
-repens.	L.	—fruiicosa. —pumila.	L.	— —Fragesi.	Rolfe.
HYSSOPUS asiaticus. IBERIS Pygmea.		—riparia.	L.	—rubrifolia.	Vill. Gagn.
-Saxatilis.	L.	OMPHALODES Luciliae. —nitida.	Boiss. Hoff.	ROSCOEA cautleoides. RUTA graveolens.	Gagn. L.
-sempervirensventoosicola.		ONOSMA helveticum.	Boiss.	—montana.	Mill.
Continued on Page 2	18				

RARE FLOWERS

The following list is continued from page 211 and if you will indicate your selections with the letter (F) it will help to hurry your delivery. Do not use the abbreviations at the end of each line; they merely indicate the botanical authority for the name and for the use of those customers who are particular about the correct classification.

ALL PACKETS are 40¢ EACH.

This list contains many very hard-to-

find flowers.	
SIEVERSIA montana.	L. NYM.
—raethica. —reptens.	R. Br.
SILENE alpestris. —bryoides.	Jacq. Jord.
caucasica.	Boiss. L.
—crefica. —dalmatica.	Scheele.
—dinarica. —japonica.	Spreng. Ronr.
—legionensis. —pyrenaica.	Lag.
Reichenbachii.	Vis, Ve.
— oemeri. — Senatneri.	Boiss. L.
—saxifraga. —vallesia.	L.
—vulgaris. — —cosniaca.	L. Whn.
SISYRINCHIUM angustifolium.	Mill. Pope.
-birameum. -brachypus.	Henry.
—idahoense. —californicum.	Bick. Dyrand.
SOLNUM dulcamara.	L.
SOLDNELLA montana.	L. Ait.
SOLIDAGO nemoralis. STACHYS alepecuroides.	L.
—lanaia.	Jacq. Sch.
—officinalis. —lavandulifolia.	Vahl.
STOESIA laevis.	Greene.
praecox. SWERTIA aucheri.	Boiss.
—petiolata. —speciosa.	Royle. Wahl.
TEUCRIUM Chamaedrys.	L. Cel.
—cordifolium. —lucidum.	L.
-montanum. TEUCRIUM orientale.	L. L.
-pyrenaicum.	L.
THALICTRUM alpinum. —altaicum.	L. L.
—Delawayi.	Franck. Engelm.
—Fendleri. —flavum.	L. L.
-minus. THLASPI alpestre.	
-rotundifolium.	L. L.
TIARELLA cordata. TOWNSENDIA exscapa.	Porter.
—Parryi.	Eaton. Wood.
-Vilcoxiana. TRADESCANTIA virginiana.	L.
TRIFOLIUM alpina. ——album.	L. L.
-pannenicum.	L.
practically all listings throughout	the year.
These will classified later on in the 2-column seed lists.	e regular
TROLLIUS asiaticus	L.
I NOLLIOS asiancas	Bge.
-chinensis.	Reichb.
—chinensis. —Ledebourii. —pumilus.	Reichb. DON.
—chinensis. —Ledebourii. —pumilus. —vaginatus. —yunnanensis.	DON.
—chinensis. —Ledebourii. —pumilus. —vaginatus. —yunnanensis. TUNICA saxifraga.	DON.
—chinensis. —Ledebourii. —pumilus. —vaginatus. —yunnanensis. TUNICA saxifraga. — —alba. UMBILICUS chrysanthus.	DON. OLBR. Scop. Scop. Boiss.
—chinensis. —Ledebourii. —pumiius. —vaginatus. —yunnanensis. TUNICA saxifraga. — alba.	DON. OLBR. Scop. Scop. Boiss. Boiss. Boiss.
chinensisLedebouriipumilusvaginatusyunnanensis. TUNICA saxifragaalba. UMBILICUS chrysanthuspersiensPestaliezzae. VALERIANA. supina.	DON. OLBR. Scop. Scop. Boiss. Boiss. Boiss. L.
chinensisLedebouriipumilusyuaginatusyunnanensis. TUNICA saxifragaalba. UMBILICUS chrysanthuspersiensPersiensPestaliezzae. VALERIANA. supina. VERATRUM albumnigrum.	DON. OLBR. Scop. Scop. Boiss. Boiss. L. L.
chinensisLedebouriipumilusyuaginatusyunnanensis. TUNICA saxifragaalba. UMBILICUS chrysanthuspersiensPestaliezzae. VALERIANA. supina. VERATRUM albumnigrum. VERBASCUM phoenicum.	DON. OLBR. Scop. Scop. Boiss. Boiss. L. L. L.
chinensisLedebouriipumilusyuaginatusyunnanensis. TUNICA saxifragaalba. UMBILICUS chrysanthuspersiensPersiensPestaliezzae. VALERIANA. supina. VERATRUM albumnigrum. VERBASCUM phoenicum. VERONICA Allioniialpina.	DON. OLBR. Scop. Scop. Boiss. Boiss. Boiss. L. L. L. Vill. L.
chinensisLedebouriipumilusyaginatusyunnanensis. TUNICA saxifragaalba. UMBILICUS chrysanthuspersiensPersaliezzae. VALERIANA. supina. VERATRUM albumnigrum. VERONICA Allioniialpinaroseabellidioides.	DON. OLBR. Scop. Scop. Boiss. Boiss. L. L. L. Vill. Vill. Nurr. L.
chinensisLedebouriipumilusyaginatusyunnanensis. TUNICA saxifragaalba. UMBILICUS chrysanthuspersiensPersialiezzae. VALERIANA. supina. VERATRUM albumnigrum. VERONICA Allioniialpinaroseabellidioidesfruticansfruticulosa.	DON. OLBR. Scop. Scop. Boiss. Boiss. L. L. L. Vill. L. Nurr. Jacq. L. L.
chinensisLedebouriipumilusyuaginatusyunnanensis. TUNICA saxifragaalba. UMBILICUS chrysanthuspersiensPestaliezzae. VALERIANA. supina. VERATRUM albumnigrum. VERBASCUM phoenicum. VERONICA Allioniialpinaroseabellidioidesfruticulosagentianoides.	DON. OLBR. Scop. Scop. Boiss. Boiss. L. L. L. Vill. L. Nurr. Jacq. L. Uada
chinensisLedebouriipumilusyuaginatusyunnanensisyunnanensis. TUNICA saxifragaalba. UMBILICUS chrysanthuspersienspersiensPestaliezzae. VALERIANA. supina. VERATRUM albumnigrum. VERBASCUM phoenicum. VERONICA AllioniialpinaroseabellidioidesfruticulosagentianoidesincanaKeilereri.	DON. OLBR. Scop. Scop. Boiss. Boiss. L. L. L. Vill. Vill. Jacq. UL Vahl. L. Ur
chinensisLedebouriipumilusvaginatusyunnanensis. TUNICA saxifragaalba. UMBILICUS chrysanthuspersiensPesialiezzae. VALERIANA. supina. VERATRUM albumnigrum. VERBASCUM phoenicum. VERONICA Allioniialpinaroseabellidioidesfruticansfruticulosagentianoides	DON. OLBR. Scop. Scop. Boiss. Boiss. L. L. L. Vill. L. Nurr. L. Jacq. L. L. Wahl. L. L. Uahl. L.

LILY SEED HEADQUARTERS

NOTE: In the following 16 pages there have been added to this seed listing alone two full columns.....Besides there will be found over 200 more new listings made up in single column. which we were not able to list here but which will be included later on....If you are especially interested in flowers, you should subscribe so as to have every isue and not miss any listing, some of which appear only once a year.

LAGERSTROEMIA. (lay-gur-STREEM-ee-uh) Lythraceae.

Ornamental trees and shrubs with showy flowers in panicles follower by capsular ruits. Grown out doors in the South or in the greenhouse for pot plants. -turbinata.

LEUZEA (LEW-zee-uh) Compositae. Conifera. Fl-heads cone-like, 2" long; with showy scales; 1 ft; HP.......LEUZ-3 (C). 35¢

LIATRIS. (ly-AY-tris) BLAZING STARS, GAY FEATHER. Compositae.

Perennial plants, very attractive all summer and into autumn, especially when massed in the border. Flowers are in spikes or racemes. Easily grown from seed and not difficult to grow.

-callilepsia. Purple fls; HP. LIAT-2. 15¢
-pycnostachya. Purple fls in dense spikes; 5 ft; HP. LIAT-15. 20¢
-scariosa. Purple fls; bracts purple tipped; 6 ft; HP. LIAT-16. 20¢
-Liatris Blend. All above mixed LIAT-X. 15¢

LIBOCEDRUS. (lye-boh-SEED-rus) INCENSE-CEDAR. Cupressaceae.

LIGULARIA. (lig-u-LAY-re-ah) Compositae.

Herbaceous perennials with broad basal leaves attractively marked and with many yellow ray-flower heads in racemes or corymbs on 5 ft, stems. They are of easy culture and useful in the border.

-clivorum, Orange Queen. Heads 4" ac and pretty orange; 5 ft; HP.... LIGU-1Q. 20¢

LILIUM LIL-ee-um) LILY. Liliacaea.

Most lilies are easily grown from seed and hardy in the North. They should be planted in a well prepared bed where no manure has been recently added. The ideal bed would be the one prepared a year before and covered with a mulch. Sand should be mixed with the soil for best results. Lilies can be quickly grown from bulbs, delivered in the fall or from seed which are not hard to grow. For growing from seed the species are divided into two groups according to the method used in germinating them: Those marked (A) are the quick germinating species and those marked (B) the following spring with no top growth the first year; transplant to the nursery row the 2nd or 3rd year. Those marked (B) sow in March or April outdoors or a month earlier indoors; they take about 3-6 weeks to germinate; carry the seedlings over the first year and transplant to the nursery rows the 2nd spring. There are other short cut methods which will be described in these columns from time to time.

cut methods which will be described in these columns from time to time.	
-amabile. Red, dark spots; Turk's Cap; 3 ft; ALILY-2. 50	ا ہ
lutoum Vollow form: A	2 1
-auratum. (Type) Gold Banded L.; bowl-shape; 4-6 ft; B LILY-4. 25	4
I II V AT FO	7 1
pictum. White, heavily spotted crimson; 6 ft; B	1
platyphyllum. More massive and robust; 6 ft; B	٤١
	7 1
tricolor. Like A. platyphyllum but with out crimson spots; B. LILY-4T. 50	9
Anrelian Hybrids, A	· 4
-Backhouse Hybrids. B. LILY-47B. 50	F.
-Bolanderi Thimble Lily Bell-shaped wine red: 3 ft. B	2.1
-callosum. Bright scarlet dotted purple; Japan; 2 ft; A. LILY-11. 50	5
-canadense flavum. Lemon Vellow' 5 ff' B	4
—candidum. Madonna Lily. Waxy white; 4 ft; A	٤ ا
-Catesbaei. Southern Red Lilv. Scarlet, vellow spotted 2 ft. N. C. B. III V.18 50	2
—centifolium: see leucanthum v. chloraster.	
-cernuum. Lilac spotted purple; nodding; 2 ft; A LILY-20. 35	ا نہ
-columbianum. Bright reddish orange reflexed: 4 ft: B	اند
Ingrami Has larger and hrighter flowers. R	·. I
-cordatum. White striped purple: erect: 4 ft: B. T.II.V.25 50.	*
—cordatum. White striped purple; erect; 4 ft; B. LILY-235. 50, —Crow's Hybrids. (Friemann Strain) Trumpet; huge cream; 5z6 ft; A. LILY-47W. 25,	4
Pink Selections A LILY-47WP 50	4
-dauricum Wilsonii. Deep aprricot; erect; 3ft; A LILY-32W 50	4
—elegans: see L. masculatum. Recent reclassification.	*
	e
Wilmottiae A LILY-33W. 50	ė
—giganteum v. himalaicum. White; huge woodland lily; 6-12 ft; B LILY-40H. 50	¢
Henryi. Golden Speciosum; recurved, soft golden orange; 6-8 ft; A LILY-45. 25	¢
-nollandicum. Up facing bowl-shape; many forms; 2-3 ft; A Lily-46, 30.	é
-Red Bird. LILY-47RB. 35Humboldtii v. magnificum; see H. v. ocellaium; B.	ø
-rumboldin v. magnificum: see H. v. ocellaium; B.	
-Humboldtii v. ocellatum. Reddish bronze fls; drooping; 6 ft; B LILY-48C. 50, -imperiale v G. C. Creelman Hybrids. Regale x Sargentiae; 6-8 ft; A LILY-49C. 35,	¢
-japonicum. Pink trumpet-shaped; 2-4 ft; B	ø
-Kelloggii. Pink spotted with purplish-black; erect; 4 ft; Calif; B LILY-50. 500	¢
—masculatum. (elegans) Fls orange, spotted black-purple LILY-51. 50.	¢
—Leichtlinii v. Maximowiczii Wadai. Early Tiger L. Recurved; 6 ft; A., LILY-58MW, 50	¢
—leucanthum v. chloraster. Chinese White L; trumpet; 6 ft; A LILY-54. 50	¢
-Longiflorum Hybrid. White Trumpet L. 3 ft; Japan; ALILY-57. 50	9
Marhan hybrids. Martagon album x Hansonii: vellow: 4 ft. B	انما
-maritinum. Coast Lily. Reddish orange spotted purple; 4 ft; B LILY-58. 50	4
-Mariagon, Turk's Cap L. Bose or dark number 6 ft. B	10
	4
-Maximowiczii: see Leichiinii v. Maximowiczii.	
-medeoloides. Wheel Lily. Apricot to scarlet; recurved; 3 ft A LILY-62. 500	é
nepalense. Yellow Stained burble inside: 3 ft. A	é
See also Page 211 for more Listings. LILY SEED Continued on Page 213.	•

PIONEER SEED COMPANY

DIMONDALE MICHIGAN

LIMONIUN - LINARIA - LINUM

LIMUNIUN - LINAKIA - LI	NUIVI	
LILY SEED Continued from Page 212. —pardalinum. Leopard Lily. Orange-red spotted purple; 8 ft; B ——giganteum. White tinged green; 12 ft B		
—princeps: see imperiale. —pumilum. (tennuifolium) Coral L Bright scarlet; 2 ft; A. —regale. Royal L. White; 5 ft; China; A. — album. A. —Palmer's Hybrids. Named varieties mixed; A. —Presion Hybrids. Named varieties; recurved; 3-5 ft; A. —regale. Huge white trumpets; 4-6 ft; A. —rubellum. Small rose-pink; funnel-shape; 1-2 ft; B. —Sargentiae. Rose-purple outside, white within; 6 ft; A. — Hybrid. S. x centifolium hybrids; A. —Scottiae hybrids. Willmottiae x elegans v. Mahogany; 3 ft; A. —Skyzocket. A. —speciosum v Kraetzeri. B. — magnificum hybrids. B. — punctatum B.	LILY-91.	25¢
——album. A —Palmer's Hybrids. Named varieties mixed; A	LILY-96A. LILY-47M.	. 50¢ . 50¢
-resion hybrids. Named varieties; recurved; 3-5 ft; A -regale. Huge white trumpets; 4-6 ft; A -rubellum. Small rose-pink; funnel-shape; 1-2 ft; B.	LILY-47P. LILY-95.	50¢
—Sargentiae. Rose-purple outside, white within; 6 ft; A.——Hybrid. S. x centifolium hybrids; A.————————————————————————————————————	LILY-105. LILY-105C.	50¢ 50¢
-Scottiae nyorids. Willmottiae x elegans v. Mahogany; 3 ft; A -Skyzocket A	LILY-106H. LILY-47S.	50¢ 50¢
——magnificum hybrids. B ——punctatum. B	LILY-110M. LILY-110P.	50¢
— —punctatum. B — —rubrum. B — superbum: See myriophyllum v superbum. B — Sulphur hybrids. A	LILY-110H.	50¢
-tennuifolium: see myriophylium v. superbum		
-Tsingtanense. Aumbellatum: see hollandicumWashingtonianum v. purpureum. White changing to lilac; 6 ft; BWillmottiae: see Davidii.	LILY-126P.	50¢
-Lily Blend. All (A) kinds mixed. -Lily Blend. All (B) kinds mixed. -Lily Blend. All kinds; best for those growing in vermiculite	LILY-XA.	35¢ 35¢
	mbaginaceae.	35¢
A highly prized flower both for the border and for commercial g those listed were formerly listed as Statice. They make fine everlastiers; all easily grown from seed, the annual sorts sown early in the spirit errors.	rowing, many ng or dried fl	of low-
ers; all easily grown from seed, the annual sorts sown early in the spi ennials anytime up to August for the next year's flowers.	ring and the p	-per م-15
ernials anytime up to August for the next year's flowers. -bellidifolium, (S. caspia) White and pale blue; 8"; HP	LIMO-4. LIMO-14N.	15¢
L. SINUATUM: Biennial or perennial, grown as a hardy annual low rosette at base of the stiff angular branching flower stalk. User	The leaves for yeary much	orm for
I cutflowers draing or in the horder		
	LIMO-32M. LIMO-32C. LIMO-32X.	15¢ 15¢ 10¢
Price on all L. sinuatum Sorts: Oz. 40¢; ½ lb. 85¢; lb. \$2.50, Prepaid —Suworowii. Bright rose spikes; easy house plant too; 18"; HA —Limonium Blend, Mixture of all kinds	LIMO-36.	15¢
-Limonium Blend, Mixture of all kinds	LIMO-X.	10¢
Linanium Blend, Mixture of all kinds		
LINARIA (lve-NAV-ree-ah) TOADELAX Scrophulariaceae	r spikes in mads or for cutt	any ting 30¢
LINARIA (lye-NAY-ree-ah) TOADFLAX.Scrophulariaceae. Annual and perennials of easy culture; the flowers are in racemes of colors. They are sometimes called Baby Snapdragons. Excellent in be Sow seeds from August to February; best in full sun.—alpina. Violet fls; Alps; 6" tufted; HP	r spikes in mads or for cution LINA-I(C). odsy soil. LINN-I. flowers, popule garden early	any ting 30¢ 30¢
LINARIA (lye-NAY-ree-ah) TOADFLAX.Scrophulariaceae. Annual and perennials of easy culture; the flowers are in racemes of colors. They are sometimes called Baby Snapdragons. Excellent in be Sow seeds from August to February; best in full sun. —alpina. Violet fls; Alps; 6" tufted; HP	r spikes in modes or for cutton LINA-1(C). odsy soil.	any ting 30¢ 30¢ ular y in
LINARIA (lye-NAY-ree-ah) TOADFLAX.Scrophulariaceae. Annual and perennials of easy culture; the flowers are in racemes of colors. They are sometimes called Baby Snapdragons. Excellent in be Sow seeds from August to February; best in full sun. —alpina. Violet fls; Alps; 6" tufted; HP	r spikes in modes or for cutton LINA-1(C). odsy soil.	any ting 30¢ 30¢ ular y in
LINARIA (lye-NAY-ree-ah) TOADFLAX.Scrophulariaceae. Annual and perennials of easy culture; the flowers are in racemes o colors. They are sometimes called Baby Snapdragons. Excellent in be Sow seeds from August to February; best in full sun. —alpina. Violet fls; Alps; 6" tufted; HP	r spikes in m. ds or for cutt LINA-1(C). odsy soil LINN-1. flowers, popue garden early ogrow LINM-14C LINM-14C LINM-16C LINM-16C.	any ting 30¢ 30¢ alar y in 15¢ 15¢ 15¢
LINARIA (lye-NAY-ree-ah) TOADFLAX.Scrophulariaceae. Annual and perennials of easy culture; the flowers are in racemes o colors. They are sometimes called Baby Snapdragons. Excellent in be Sow seeds from August to February; best in full sun. —alpina. Violet fls; Alps; 6" tufted; HP	r spikes in m. ds or for cutt LINA-1(C). odsy soil LINN-1. flowers, popue garden early ogrow LINM-14C LINM-14C LINM-16C LINM-16C.	any ting 30¢ 30¢ alar y in 15¢ 15¢ 15¢
LINARIA (lye-NAY-ree-ah) TOADFLAX.Scrophulariaceae. Annual and perennials of easy culture; the flowers are in racemes o colors. They are sometimes called Baby Snapdragons. Excellent in be Sow seeds from August to February; best in full sun. —alpina. Violet fls; Alps; 6" tufted; HP	r spikes in m. ds or for cutt LINA-1(C). odsy soil LINN-1. flowers, popue garden early ogrow LINM-14C LINM-14C LINM-16C LINM-16C.	any ting 30¢ 30¢ alar y in 15¢ 15¢ 15¢
LINARIA (lye-NAY-ree-ah) TOADFLAX.Scrophulariaceae. Annual and perennials of easy culture; the flowers are in racemes of colors. They are sometimes called Baby Snapdragons. Excellent in be Sow seeds from August to February; best in full sun. —alpina. Violet fls; Alps; 6" tufted; HP LINNAEA. (li-NEE-ah) TWIN-FLOWER. Caprifoliaceae. Subshrubs suitable for the rockery thriving in a moist peaty or wo—borealis. Dainty trailer; bell-shaped rose fls; glossy ev; HP LINUM. (LY-num) FLAX. Linaceae. Annual and perennial plants and shrubs with blue, white or yellow in the border. Grow in full sun and sow the annual forms direct to the the spring; the perennials up to August for next year's flowers. Easy t—alpinum. Deep blue ¾ inches across; 10" high; HP—flavum. Gclden yellow fls; 1 ft; half hardy in North; HP—compaclum. Compact form especially suitable for RG; HHP—grandiflorum. Red to bluish purple fls, 1½" ac; 2 ft; HA—roseum. Large rose-pink fls; HA—Blue, Very popular cutflower; HA—Blue, Very popular cutflower; HA—Blue, Very popular cutflower; HA—Blue, Very popular cutflower; HA—Blue, Well popular flag; lall; very good; HP—narbonnense. Best form of this pretty Flax; gentian-blue fls—perenne. Deep blue fls; la"; tall; very good; HP—sal'soloides. White fls, !" ac; evergreen; 16"; HHP—salbum. White form of above—White. A white flowered form of above; HP—Linum Blend. All the above kinds mixed	r spikes in mads or for cutt LINA-1(C). odsy soil. LINN-1. flowers, pope garden early o grow. LINM-16C). LINM-16C. LINM-16R. LINM-16B. LINM-18C. LINM-18C. LINM-18C. LINM-18C. LINM-18C. LINM-18C. LINM-18C. LINM-18C. LINM-18C. LINM-28C. LINM-26W. LINM-26W. LINM-26W. LINM-26W. LINM-26W. LINM-26W. LINM-26W. LINM-X	any ting 30¢ ular y in 15¢ 15¢ 15¢ 15¢ 15¢ 15¢ 15¢ 15¢ 15¢ 15¢
LINARIA (lye-NAY-ree-ah) TOADFLAX.Scrophulariaceae. Annual and perennials of easy culture; the flowers are in racemes o colors. They are sometimes called Baby Snapdragons. Excellent in be Sow seeds from August to February; best in full sun. —alpina. Violet fls; Alps; 6" tufted; HP	r spikes in mads or for cutt LINA-1(C). odsy soil. LINN-1. flowers, pope garden early o grow. LINM-16C). LINM-16C. LINM-16R. LINM-16B. LINM-18C. LINM-18C. LINM-18C. LINM-18C. LINM-18C. LINM-18C. LINM-18C. LINM-18C. LINM-18C. LINM-28C. LINM-26W. LINM-26W. LINM-26W. LINM-26W. LINM-26W. LINM-26W. LINM-26W. LINM-X	any ting 30¢ ular y in 15¢ 15¢ 15¢ 15¢ 15¢ 15¢ 15¢ 15¢ 15¢ 15¢
LINARIA (lye-NAY-ree-ah) TOADFLAX.Scrophulariaceae. Annual and perennials of easy culture; the flowers are in racemes of colors. They are sometimes called Baby Snapdragons. Excellent in be Sow seeds from August to February; best in full sun. —alpina. Violet fls; Alps; 6" tufted; HP LINNAEA. (li-NEE-ah) TWIN-FLOWER. Caprifoliaceae. Subshrubs suitable for the rockery thriving in a moist peaty or wo—borealis. Dainty trailer; bell-shaped rose fls; glossy ev; HP LINUM. (LY-num) FLAX. Linaceae. Annual and perennial plants and shrubs with blue, white or yellow in the border. Grow in full sun and sow the annual forms direct to the the spring; the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennial sup to August for next year's flowers. Easy the perennial sup to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennial sup to August for next year's flowers. Easy the perennial perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flo	r spikes in mids or for cutil	30¢ 30¢ 30¢ 30¢ 30¢ 15¢ 15¢ 15¢ 15¢ 10¢ 0 50¢
LINARIA (lye-NAY-ree-ah) TOADFLAX.Scrophulariaceae. Annual and perennials of easy culture; the flowers are in racemes of colors. They are sometimes called Baby Snapdragons. Excellent in be Sow seeds from August to February; best in full sun. —alpina. Violet fls; Alps; 6" tufted; HP LINNAEA. (li-NEE-ah) TWIN-FLOWER. Caprifoliaceae. Subshrubs suitable for the rockery thriving in a moist peaty or wo—borealis. Dainty trailer; bell-shaped rose fls; glossy ev; HP LINUM. (LY-num) FLAX. Linaceae. Annual and perennial plants and shrubs with blue, white or yellow in the border. Grow in full sun and sow the annual forms direct to the the spring; the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennial sup to August for next year's flowers. Easy the perennial sup to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennial sup to August for next year's flowers. Easy the perennial perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flowers. Easy the perennials up to August for next year's flo	r spikes in mids or for cutil	any ting 30¢ 30¢ ular y in 30¢ 15¢ 15¢ 15¢ 15¢ 15¢ 0 0 50¢
LINARIA (lye-NAY-ree-ah) TOADFLAX.Scrophulariaceae. Annual and perennials of easy culture; the flowers are in racemes o colors. They are sometimes called Baby Snapdragons. Excellent in be Sow seeds from August to February; best in full sun. —alpina. Violet fls; Alps; 6" tufted; HP	r spikes in m. ds or for cutt LINA-1(C). odsy soil. flowers, popule garden early o grow. LINM-1(C). LINM-14C. LINM-14C. LINM-16C. LINM-16C. LINM-18C. LINM-18 (C). LINM-26 A(C). LITO-10 (C). LITO-29 (C). Trs and tuber ated to Glori	any ding 30¢ 30¢ 30¢ 30¢ 30¢ 30¢ 30¢ 30¢ 30¢ 30¢
LINARIA (lye-NAY-ree-ah) TOADFLAX.Scrophulariaceae. Annual and perennials of easy culture; the flowers are in racemes o colors. They are sometimes called Baby Snapdragons. Excellent in be Sow seeds from August to February; best in full sun. —alpina. Violet fls; Alps; 6" tufted; HP	r spikes in mids or for cuti LINA-1(C). odsy soil. LINN-1. flowers, population of cution of	any ting 30¢ 30¢ 30¢ 15¢ 215¢ 215¢ 215¢ 215¢ 215¢ 215¢ 215¢

RARE FLOWERS

(Continued from Page —multifida.	L. Criz.
	Crtz.
-orchidacea.	
spicaia.	L.
— —rosea.	hort.
spuria.	L.
-Toucrium.	L.
VIOLA altaica.	Fall.
calcarata.	L.
-cenisia.	L.
-elatior.	Fr.
—gracillis v. purpurea.	hori.
hirta.	· L.
-Joois.	Jka.
—rugulosa.	Greene.
sempervirens.	
VISCARIA alpina.	Don.
-afripurpurea.	Kriesb.
-vulgaris.	Bernh.
——alba.	
WULENIA Amhestiac. —carinthiaca.	

——alba. ZYKADENUS Nuttallii. FREESIAS

The right time to sow seeds of Freesias is in March or April, as soon as the seed is ripe. Put up as soon as possible but do not repot again until the second year.

They may bloom as early as six months from sowing. Flowers will be had during the winter months:

Grow in a cool house, never lower than 40 degrees Far.

Repot each year in August for January flowering or in October for February flowers; November for March and December for April flowering. Plant the bulbs one inch deep and 2 inches apart. Do not water much until growth starts, then freely till the plants have flowered, when you gradually decrease the water to July.

When they start to flower a little liquid manure once a week will be beneficial.

ORDERING SEEDS

When so many orders for seeds come in as they do at this time of the year, it is surprising how much time can be consumed in filling an order which is made out by the common names that are given along with the regular listings. The other day one item just stated "Camphor". Naturally this had to be laid aside until someone could make it out to be packed and as this person already has more work than can be done in a 24 hour day, such orders can be delayed when if it was listed as given in the seed list any packer could find the seed.

It will help very much if the orders gave the name of the flower, viz., "Nepeta Mussinii. NEPE-10. 15¢" It could mean a quicker delivery.

We might also mention that all our seeds are stored according to their needs and thus each order is filled as it is packed. Very few of our seeds are packaged in quantity and then left waiting for orders as is the usual case; this is one of the main reasons for the good germination of our seeds.

While mentioning germination we might say that we actually like to hear from those having poor germination on any particular seed. It is possible that we can help to get a germination for there are many details to be watched in most all seeds. However, we trust that anyone buying seeds will not be disappointed when they have a failure; we would not expect better than 60% of our own plantings to reach the seedling stage, so many things do happen.

Also, on some of the special one-column lists that are now appearing, without the usual symbol number, it will assist us if

(Continued on Page 217)

Peltophorum inerme

By Edwin A. Menninger Sogabark Peltophorum. (Caesalpinieae). A beautiful evergreen tree from the Philippines and "one of the best shade trees we have' in those islands, according to Dr. E. D. Merrill, distinguished head of the Fairchild Tropical Garden, It bears great upright spikes of very showy yellow flowers, blooming in Florida from May to August.

Kathleen Cough in "A Garden Book for Malaya," writes: "Best of all for cuttings are perhaps the luminous flowers; those that glow and hold light. I do not know what it is that gives some flowers a 'lit-up' look; not only does the light shine through their petals, but they seem to catch and hold it .

Yellow and flame-colored dahlias hold light and so do the fleeting single hibiscus, blue morning glories and, above all, the golden spikes of Peltophorum in erme. Sprays of these flowers indoors seem liquid gold: they are wonderfully beautiful with their decorative unopened tight bronze buds and bronze stems, just touched with gilt. The fully opened flowers have crinkled golden petals and orange-tipped stamens. The light shines and glows in a mass of these beautiful flowers more intensely in the shade indoors than when they are growing out-

W. E. Broadway of the Trinidad Botan-ical Garden, wrote: "The appearance of this tree at all times of the year is conspicuous on account of its dark green feathery foliage. When in flower this dense tree carries great weight with those who prefer a mass of bloom.'

Henry Nehrling wrote: "In comparison with the many other distinguished representives of its family, this tree adds variety to the collection, its compound leaves being much larger, individually and collectively, of a much deeper green, showing in certain lights a faint steel-blue tint in the old, and a more ferruginous cast in the young foliage. The large, erect flower panicles terminating every shoot are covered with a rusty brown tomentum with a slight touch of chestnut color. Its vigorous growth, the distinct color of its foliage and the large erect panicles of bright yellow, fragrant flowers continue to make this tree a marvelous object of tropical beauty. It is a unique and first-class flowering and shade tree. It thrives well in South Florida, is evergreen, not too dense, gives a good shade and produces an abundance of showy flowers. A well drained soil, rather dry, is what it requires."

Trimen wrote: "A magnificent sight when in full bloom." In Ceylon the tree blossoms twice a year at irregular seasons, some specimens being in bloom while others nearby are carrying the ripe seed pods, flat, several inches long, shaped like the blade of a paddle.

Editor's Note: There are so many beautiful flowering trees suitable to Florida and Southern California, many of which have been introduced by Mr. Menninger, which should be grown by more people residing in these favored sections. It is often an easy matter to start them from seed and the growing of them on from the seedling stage, offers an interesting pastime. Surplus trees thus grown can be planted in other local gardens

Kalmiaeflorus - (kal-mih-ee-FLOH-rus) Laurel: Kalmia-flowered. Kewensis - (kew-EN-siss) of Kew Gardens. Kamtschatikus - (kam-CHAT-ik-us) of Kamchatka, Siberia.

RUSSELL PERENNIAL LUPIN

LUCULIA. (lew-KEW-lee-uh) Rubiacae. Shrubs with salverform 5-lobed flowers in terminal corymbs. Native of India and China; grown in the greenhouse and planted out during the summer. —gratissima v. rose. To 16 ft; fls rose, 1½" ac; greenhouse plantLUCU-1Z. 30¢ —White. Same with white flowers
LUEHEA. —seemani. Costa Rica tree with pretty white fls; Fla or S. Cal; TTr LUEH-1(M). 30¢
LUNARIA. (leu-NAY-ah) SATIN-FLOWER, HONESTY, MOONWORT. Cruciferae. They come in an annual and a perennial species; are grown mainly for the pretty dried flowers. Sow seed early fro the annuals and any time up to August 20th for the perennials. The annuals are often biennial. —annua. 18" tall and comes in white, red and purple fls; HA or HB LUNA-1X. 10¢ —White. Pure white fls
LUPINUS. (lu-PI-nus) LUPINE. Leguminosae. Flowers in great profusion on long stemmed spikes; both annual and perennial sorts are excellent for display in the border or for cutting. They grow on any well drained soil and thrive even on poor land; sow seed where plants are to grow.
-RUSSELL LUPINS. Original strain direct from originator's stock. This is the highest quality obtainable and wonderful plants can be obtained from them; HP. Comes in packets at 50¢; 75¢ and \$1.00; state whichLUP-54. 50¢
-arboreus. Lavender fis; shrub to 8 ft; TP
-Carmine. LUP-50C. 15¢ -Blue. A pale blue or sky blue. LUP-50B. 15¢ -Yellow. A nice bright color. LUP-509. 15¢ -Moerrheimi. Pretty rose and white flowers. LUP-50M. 15¢ -Princess Juliana. Dwarf bright pink, 3 ft tall. LUP-50J. 15¢ -Salmon Cueen. Beautiful shade of salmon-rose. LUP-50S. 15¢ -Terre Cotta. In various shades of terre cotta. LUP-50T. 15¢ -Russel Hybrids. This is a very superior strain in bright colors. LUP-50R. 20¢ -L. polyphyllus Blend. Hand made blend. Oz. 35¢; Lb. \$3.80; LUP-50X.15¢ -subcarnosus. Texas Blue-bonnet. Bushes 15" tall; massive fi spikes;HA. LUP-56. 15¢
LYCHNIS. (LIK-nis) Caryophyllaceae. Brilliantly colored flowers and easily grown from seed; if sown indoors early, will flower following June and July. Requires plenty of sunshine and a rather dry soil. They are related to the Silenes and the dominant color is red; herbaceous HA and HP.
—alpina. Pink fls; dense terminal heads; tufted; 1 ft; HP
LYSIMACHIA. (ly-si-MAY-ki-ak) LOOSESTRIFE. Primulaceae. Annual and perennial summer blooming flowers in white or yellow, sometimes purple and blue, in spikes or racemes. They are grown in moist places. —punctata. Yellow fis in whorls; 3 ft; HPLYSM-14. 20¢
Lysimachia Blend. Mixture of those in stock
MACHAERANTHERA. Compositae. A genus of American daisy-like annuals, biennials and perennials, similiar to hardy Asters. Tahoka Daisy is the commonly grown species. —tanacetifolia. Blue fls; June-Nov; sow late fall, ey spring; HA
MACLEAYA. (mah-KLAY-rah) PLUME POPPY, BOCCONIA. Papaveraceae. Perennials used for their bold and attractive habit and appearance. The flowers are small and in terminal panicles. —cordata. Lvs 8" ac; specimen plants; 6 ft; HP
MAHONIA. (ma-HOH-ne-ah) Berberidaceae. Perennial evergreen shrubs, similiar to Barberry. The flowers are yellow and in racemes followed by blue berriees. Some are hardy in the North and should be planted in a sheltered place from the wind and hot sun, —repens. Low growing; bluish green lvs; hardy in N; 1 ft; HP MAHO-16. 20¢

It is difficult to keep a complete list of the seeds we offer as the stocks are contin-ually changing from month to month; our present method is the only practical way.

DIMONDALE MICHIGAN

MARIGOLDS - ALL KINDS

Annuals and perennials from Med. regions, mostly grayish leaves. Plant seeds early indoors or direct to garden. In M. maritima sow seeds every 2 weeks for a succession -maritima. Va. Stocks. Mixed colors; fine for border; 12"; HA............. MALC-3X. 15# MARIGOLD. TAGETES. Compositae. Marigolds are fairly hardy and therefore they should be planted rather early in the spring. There are many wonderful plants in both types, African and French, that have been developed recently and we will always offed the bets as they are in-AFRICAN MARIGOLDS: These are strong feeders and require plenty of water, there-FRENCH MARIGOLDS. Mostly small plants 12-15 inches high, with smaller flowere than the African Marigolds; they are especially good for beds and borders and good uniform stock is necessary; many varietie are ideal for edging. This type does better if they can be planted where they are too grow as they do not take well to transplanting. Unlike the African Marigolds, the French type does better if not grown in rich soil not with too much moisture. DWARF SINGLE FRENCH:

PIONEER SEED COMPANY - DIMONDALE MICHIGAN

Germination of Woody Plants

Cercis generally germinates in April and May, no matter when it has been planted, and a mineral soil should be used, no peat or muck. The seed coat is impermeable and for large plantings, a 30 minute soaking in sulfuric acid followed by a 2 month cold stratification. Seed may germinate the second spring.

American Bittersweet (Celastrus) may be slow due to its seed coat but good results may be had by planting in the fall or stratifing in moist sand or peat for 2 months at around 25 40 degrees.

at around 35-40 degrees F.

True Cedars or Cedrus. The seed germinates first thing in the spring and the soil should be a mineral one and one having ashes well worked into it or even all ashes. They have no dormancy.

Ceanothus makes a good wild life food plant as well as being used on dry soils. Most species have impermeable seed coats with a few also with dormant embryos. Soaking the seed at 170-180 degrees F. or even boiling water poured over the seed and allowed to stand till cool; use only enough boiling water to cover the seed well. Then stratify the seed in moist sand for 2-3 months at 32-40 degrees F.

Birch or Betula, generally germinates in the spring from fall sown seeds with some germinating the second year. Many of the late ripening species do best when the seed is stratified in sand or peat at 32-40 degrees for 1-2 months. Some of the species require special handling.

Rhododendrons do best in a moist mineral soil and partial shade. Many seed of Rhododendron are germless and because Continued on Page 218.

SPHAGNUM FOR GERMINATING





It is simply impossible to germinate many seeds without the use of milled sphagnum moss. If you were over your seed pans all day long as the professional grower is you may find you could get along without it, but no professional grower would fail to have the fine moss on hand. It will save many a packet of valuable seed from loss due to an hours neglect, that cannot be avoided by one having other duties.

Now packed in $\frac{1}{2}$ bushel boxes containing approximately $\frac{1}{2}$ bushel; \$1.50 postpaid.

PEAT MOSS

PIONEER SEED COMPANY
Dimondale, Michigan.

ENGLISH SEEDS

The following seeds are from one of the English specialists and while some ard already listed, we give the entire list here, as it will be some time yet before we can get all the seeds properly classified.

In ordering from this list, if you will mention the "E" list, it will make it possible to fill your order more quickly.

ALL PACKETS ARE 30¢ EACH

ALLIUM Farreri. ANEMONE pulsatilla. -rivularis. ASTER diplostephoides. species, mixed. AUBRIETIA mixed. CASTELLIJA minuata. CYNOGLOSSUM nervosum. DIANTHUS alpinus. EPILOBIUM glabelium. ERINUS alpinus. ERODIUM manescavi. GENTIANA acaulis. -hascombensis. GERANIUM sanguineum. GEUM montanum. HELIANTHEMUM mixed. HYPERICUM citrinum. -olympicum. -reptans. IBERIS sempervirens. IRIS chryographes. LILIUM columbianum. -regale. LIBERTIA grandiflora. MECONOPSIS Baileyi. —integrifolia. MORINA longifolia. PAPAVER alpinum. -lateriteum. POTENTILLA Miss Willmott. SISYRINCHIUM bernudiana. TIARELLA trifoliaia. VEnBASCUM Bauri. VIOLA chantrylands. PRIMULAS alpicola luna. -auricula mixed. -bulleyiana hybrids. -chungensis. -Cockburniana. -denticulata. -florindae. -florindae hybrids. —involucrata.
—ioessa. -japonica. --Posiford White. —leucophyma. —nuians. —polyanihus. -porymeura. -purverulenta -Bartleys Strain.

ANAPHALIS NUBYANS

Anaphalis nubyans is a most attractive everlasting, ivory white flowers with glauous blue foliage. If picked when haif out and hung up in bunches for a few weeks in an airy but shady place, they will make delightful decorative effects for Christmas. It should be planted one foot apart.

Mention when ordering the "E" List.

PHORMIUM TENAX

The New Zealand Flax. They not only form interesting flowering plants in the garden but give a supply of flax string for tying up plants and vines in the garden.

PLATYCODON GRANDIFLORUM

Semi-duplex. This grows to 24 inches, has double star-flowers and is very hardy. If started indoors it will flower the first year. Best in loamy soil, full sun. It is a handsome subject. (PLTY-1D. 25u

MATHIOLA - MECONOPSIS

MARINOLA - MILCONOI	
MARIGOLDS Continued from Page 215. —All Afican Marigolds Mixed. —All French Marigolds Mixed. —All arigolds Mixed. Contains all kinds.	MARY-AX. 10¢ MARY-FX. 10¢ MARY-X. 10¢
MATHIOLA. (mat-THY-oh-lah) STOCKS. Cruciferae. Annuals and perennials, some subshrubs native mostly of the Med. monly known as Stocks. The flowers are in lilac, purple and white in M. bicornis is the Evening Stock or Perfume Plant, very fragrant in th flower is closed during the day. M. incana, the common Stocks or B Gilliflower and a type of this is the Ten-Weeks-Stock.	terminal racemes. te evening but the trampton Stock or
M. INCANA: This biennial or perennial with one annual type, sturd many colors. Stocks are not only grown outdoors but make good and for this purpose the seed should be planted in late autumn or outdoor planting, seed can be started indoors in February. Seed sow make good house plants for winter. They are usually handled as he and in the far North would not winter over.	dy, erect plants in greenhouse plants early winter. For m in summer will alf hardy subjects
one 2-2½ ft. spike per plant. This is strictly a non-branching strain e	especially used by
-Ball's No. 2. One large white spike, tinged with pinkBall 14.Rose-pink. Deep rose-pink, the bestGardenia. Very large single pure white varietyPurity. Non-branshing pure whiteSchrieber's All Double. 100% double German strainPastel Shades. Improved BismarckGiant Column Blend. A hand made blend of colors.	MACH-2Z. 35¢ MACH-2G. 25¢ MACH-2W. 25¢ MACH-2SX. 25¢ MACH-2PX. 20¢ MACH-2PX. 30¢
Above kinds, per Oz. \$8.00; per 1/4 lb. \$20.00. EARLY GIANT IMPERIAL: Of branching habit, the large flowers a thic class makes it especially desirable for cutting. Very early bloomin high percentage of doubles; 26 inches.	
high percentage of doubles; 26 inches. —Blood Red. Color 27 shading to 24. —Chamois. Ivory, color 606/3 tinged old rose 3/3. —Fiery Red. A Super Giant Imperial strain. —Rose. Deep rose-pink, 630 and 630/1 white centers. —Rose Charm. A Super Giant Imperial strain. —Roseilght. Beautiful rose colored variety. —White. Early strain —Giant Imperial Biend. A carefully hand made blend of colors. All Giant Imperial varieties: Oz. \$2.50; 1/4 lb. \$7.75.	MACH-3B. 20¢ MACH-3C. 20¢ MACH-3R. 20¢ MACH-3Z. 20¢ MACH-3RC. 20¢
—Roselight. Beautiful rose colored variety	MACH-3RL. 20¢ MACH-3W. 15¢ MACH-3X. 20¢
ed; 12 inches tall. Usually grown as an annual and very popular for count of its earliness. Listed as Dresden Stocks and Cut-andCome-A early in the spring, either indoors or outside where they are to grow—Dark Blue. Large flowered double dark blue.—Dwarf German Mixed. Choice double dwarf German Stocks.——Timer Mixed All colors and shodes in both bloods.	r outdoors on ac- gain. Start seeds
ALL TEN-WEEK-STOCKS: Ounce, \$1.75; 1/4 lb. \$15.00.	MACH-4X, 13¢
GIANTS of CALIFORNIA: Superb branching type producing immense florets and averaging better than 70% double, one mammoth spike produced when planted 4-5 inches apart in beds. Best strain for commenced with the planted 4-5 inches apart in beds. Best strain for commenced with the production of the prod	mercian growers. MACH-6X. 25¢
Ten-Weeks Stocks and form a pyramidal-shaped plant; most popular for growing; 1½ feet high. —Snow White. Pure white variety	MACH-5W. 15¢ MACH-5C. 15¢ MACH-5S. 15¢ MACH-5S. 15¢
Beauty of Nice Blend. All colors blended. Brilliant Rose. New Mammoth Hybrids. Early Branching Mixed. Early strain in mixed colors.	MACH-5SP. 20¢ MACH-5X. 15¢ MACH-5H. 15¢ MACH-5H. 15¢ MACH-5EX. 15¢
PERPETUAL BRANCHING or GIANT PERFECTION: An early double a favorite with the florist; high double percentage and strictly hand b—Perpetual Blend ——Dresden Perpetual Blend. Giant Perfection type; extra	flowering strain,
LARGE FLOWERED DOUBLES: —Light Blue. —Snow White. —Dwarf Strain Mixed. Extra nice. —Double Choice Mixed. —Brilliant Rose. Large flowered. —Crimson. Double large flowered	MACH-7B. 15¢
-bicornis. Lilac fls: July-Sent: sow early: 15": HA	MACH-2 204
MATRICARIA. (mat-re-KAY-re-ah) MATRICARY. Compositae. Mostly annuals and a few perennials, with finely cut foliage and sn They are easily grown. There is little difference between them and Chamomilla is also included here; treat them as you would Chrysanth—indora v. Bridal Rose. Very double heads white ray fis; 2 ft; HA—Snowball. Small double heads of white ray-fis; 2 ft; HA—Snowball. Small double heads of white ray-fis; 2 ft; HA	nall flower heads.
MAURANDIA. (mau-RAN-de-ah) Scrophulariaceae. Bright flowered plants, mostly vines, for the greenhouse or far Soutsown early they make excellent plants for baskets and vases in the summer. For winter grow in the greenhouse at 60 degrees F in fibromold and cow manure. —scandens. Purple fis 1" long: TP	th. If the seed is open during the us loam with leaf
PLEASE NOTE: The symbols used for ordering each kind of seed only easier for you to order, but also more definite as to the exact specially in many kinds where the listing is complex; in ordering m very plain, for instance here in Linum, the symbol is LINM and ther symbol used for Linnaea; it is easy to make the M and N to look alike	will make it not cain or variety,es- nake our symbols

DIMONDALE MICHIGAN

MIGNONETTE - MONARDELLA

MECONOPSIS. (me-kon-OP-sis) Papaveraceae. Annuals, biennials and perennials requiring a cool moist summer, a sheltered partly shaded place. They make attractive plants in the border. Start the annuals early indoors, setting out after frost danger is passed; the perennials are best started in a frame over the first summer. Flowers are in racemes or panicles; some are hardy, others semi-hardy in the North; the Northwest Coast states have ideal climate for them. Do not disturb after establishing them. -betonicifolia. Purple fls in clusters 2" ac; 6 ft; HP.... MECO-2. 25¢
MECO-2B. 25¢
MECO-3A. 25¢
MECO-3A. 25¢
MECO-5. 25¢
MECO-9. 25¢ —betonicifolia. Purple fis in clusters 2" ac; 6 ft; HP.

—Baileyi. Not much different to the above.
—cambrica, Welch Poppy. Pale yellow fls 3" ac solitary; 1½ ft; HP.
—aurantiaca. Orange flowered type of above.
—cathcartii. Golden yellow fls, 2-3" ac; HP.
—horridula. Light blue or claret solitary fis; 5 ft; HB.
—integrifolia. Yellow Chinese Poppy. Yellow fls 6" ac; 3 ft; HB.
—napaulensis, Satin Poppy. Pale blue satiny fls 2" ac; 6 ft; HP.
—paniculata. Yellow fls 2" ac, racemes 2 ft. long; 5 ft; HP.
—quintuplinervia. Lavender to purplish fls 3½" ac; RG; 1 ft; HP.
—simplicifolia. Nodding blue or purple solitary fls 3" ac; 2 ft; HP.
—Meconopsis Mixture. All species mixed. MECO-10. 25¢ MECO-13. 25¢ MECO-14. 25¢ MECO-16. 40¢ MECO-18. 40¢ MECO-X. 25¢ MICHELI.A (my-KEE-le-ah) Magnoliaceae. Trees and shrubs from Asia much like Magnolias and grown only in the South -cathcarfii. MICH-1. 25¢ -excelsa. MICH-4. 25¢ -excelsa. -lanuginosa. MIGNONETTE. (Reseda) Resedaceae. Mignonette belongs to the genus RESEDA of which there are 3 or 4 species with R. odorata is the common Mignonette. They are noted for their fragrance, are tender annuals and when started indoors are best handled in pots as they do not transplant easily. Thrives in a cool moderately rich soil in partial shade; in the greenhouse grow in cool part around 48 degrees F; they are very popular. in cool part around 48 degrees F; they are very popular.

RESEDA ODORATA: Comes in shades of blue.
—Allen's Defiance. Compact, florets immense size; very fragrant.
—Mig-1A. 15¢
—Machet Giant. Pyramidal growing plants, very nice; 12"
—Mig-1MG, 15¢
—Golden Goliath. Golden yellow fis; 12"
—Mig-1MG, 15¢
—Hed Goliath. Large red fis; special strain; 12"; fragrant.
—Mig-1MR, 15¢
—Bismarch. Beautiful flat top and large spikes.
—Mig-1B. 20¢
—Gabrielle. Robust, heavy red spikes.
—Gabrielle. Robust, heavy red spikes.
—Indianatal Mig-1F, 15¢
—grandiflora. Large flowered, 16" tall.
—Red Monarch. Deepest red; perfect form.

Mig-1R, 15¢
—Wictoria, Brilliant red; prize winned.
—Mig-ned.

Mig-1V, 15¢
—Mignonette Blend. All varieties mixed.

Oz. 30¢
Mig-X, 10¢ MIRABILIS, (my-RAB-e-lis) FOUR O'CLOCKS, MARVEL OF PERU. Nyctaginaceae. Annuals and perennials, all of which are tender and grown as tender annuals in the North. The seeds are best sown where the plants are to grow and in the fall the roots can be taken up and stored in the root cellar over winter. can be taken up and stored in the root cellar over winter.

—Jalapa. Four O'Clocks. Red, yellow, white; 3 ft; TP as TA 25¢ Oz. MIRA-6X. 15¢

—Dwarf, A dwarf compact type in red, yellow and white; 2 ft. MIRA-6DX. 15¢

—Dwarf Varigated. Variegated leaves; mixed colors; 2 ft. MIRA-6DV. 20¢

—longiflora v. White. White fls; 3 ft; TP grow as TA. MIRA-7W. 20¢

—Violet. Violet fls of same. MIRA-7V. 20¢

—Mixed. Violet and white mixed. MIRA-7X. 15¢

—unifloora, Bright rose; showy and unusual; free blooming. MIRA-10. 20¢

—Mirabilis Blend. All kinds mixed. Oz. 25¢

MIRA-X. 15¢ MOLTKIA petraea. (Lithosperum) Deep blue fls; HHP..... MOLT-5 (C). 35¢ MONARDELLA. (mon-ahr-DEL-ah) Labiatae. MONARDA. (mon-NARD-uh) Horse-mint. Labiatae. Annuals and perennialss native to N. Am. They are striking plants in groups in the border or in beds with their showy clusters of flowers. There is room for improvement in many species for any flower grower having an urge for this interesting work.

—superba rosea. Large rose flower heads.
—dlba. White flowered variety.
—dlba. (Kalmiana) Bee Balm; term. cl; bedding or border; 3'; HP MOND-3 (C). 25¢

MUSCARI. (mus-KAY-ry) GRAPE HYACINTHS. Liliaceae. They are ing. Used

MONTIA. (MONT-ee-uh) Portulacaceae.

Small plants with fleshy leaves, one grown as a salad or pot herb. Sow seeds where plants are to griw, in spring or summer.

—perfoliata. Winter Purslane. Salad herb; 6"; TA; See Herb List....... MONT-4. 25¢

MYOSOTIS. (my-oh-SOH-tis) FORGET-ME-NOTS. Boraginaceae. (16 days) Small annuals, biennials and perennials with many small blue, rose or white flowers in terminal racemes. They thrive in a cool moist partially shaded places. They are grown in the low border and are especially nice. They bloom the second year or if MYOSOTIS Continued on Page 218.

PIONEER SEED COMPANY - DIMONDALE MICHIGAN

PRIMULA KEWENSIS

Primula kewensis is a hybrid that originated at the Royal Botanic Gardens, Kew, England, over fifty years ago, and that, unlike most hybrids, freely produces fertile seed which breeds true. It developes basal rosettes of glossy, wavy-edged leaves, and flowers in winter. The yellow flowers are nearly an inch across, borne in one or two whorls on foot-high stems.

This plant is usually regarded as requiring cool greenhouse treatment, but it can be grown with ease by anyone who has a sunny basement window where the temperature will remain above freezing. Seed should be sown in early spring (freezing will not hurt the seeds) in rich loam. When the seedlings have two or three ssmall true leaves, they may be potted up singly in very small pots or spaced about an inch apart in flats. As the plants increase in size, they should be shifted to larger pots; a 4" one should be large enough for the plant at flowering time.

During the summer the young plants should be kept outside in light shade, and, of course kept well watered; when frost threatens they may be moved into the basement window, where they will keep growing and will come into flower in late

THE FRANKLINIA TREE

(Continued from page 209) Gresaham, we believe we have popularized the beautiful Franklinia tree so that today even inquiries have been received from Germany and England for seed. We wish to establish a northern line for this tree and in order to do so it will be necessary for our readers to drop us a postal stating the location of trees that have stood five winters when we can finally publish a map showing their locations; it would also be nice if owners of flowering trees would advise of their locations and date of flowering, if they are willing for visitors to see their trees. We will be pleased to give space to this.

We might caution those planting seed that the Franklinia requires an acid soil and thus the seed will germinate better in peat or such seed mediums. We are not aware of any dormancy in the seed and would appreciate hearing from any one having experience in germinating much of the seed.

(Continued from Page 213) the Letter given to the list, is mentioned as the packer can then go direct to the seed without having to ask someone else. The letters "F", "C", "W", etc., represent the collector or grower and is added to the symbol in the 2-column listings.

HELENIUM BIGELOVII

This was originally named by Asa Gray in honor of Jacob Bigelow. Gray deliberately used the V since the classical Latin alphabet contained no letter W and thus the original spelling holds.

George Lawrence, Bailey Hortorium.

RAPHIOLEPIS OVATA

Slow growing, neat, compact evergreen shrub from Japan, 3-6 feet; thick leathery, dark foliage; flowers are small, white and in clusters followed by small blue-black fruits; it is hardy in the Southern States.

haemanthus: (hee-MANTH-us), blood-red flowers.

integer: (inn-TEJ-er), unbroken or entire. hortensius: (hor-TEN-see-us), of gardeners.

GERMINATION OF WOODY PLANTS

Continued from Page 215. there is no way to remove them from the good seed, they will usually show only a "partial germination". There is no seed dormancy.

In nursery practice sow seeds in flats containing a soil of sandy peat to which has been added a pulverized decayed oak litter. Sow seeds on the surface of the soil, press down and cover lightly with fine sphagnum, cover with glass and water from below. The seed takes 10 to 25 days to germinate.

HARD-TO-FIND FLOWER SEEDS F LIST

(F) List of Hard-to Find Flowers continued from page 211. If you will indicate your selection as from the (F) list it will make it easier to fill your order. The abbrevations at the end on each line indicate the botanical authority for the name and need not be written in your order.

ALL PACKETS ARE 40¢ EACH
SAXIFRAGA aizoides.

SAXIFRAGA aizoides.	L.
—aizoon. — —montana.	Jacq.
— —crustata.	
— — Stabiana. — — typica.	
—androsacea.	L.
arormalis. aretoides.	Lap.
biflora.	All.
— —alba. —caesia.	L.
—caucasica.	Somm.
-x Churchillii.	Hut. Sund.
-x Clarkicochlearis.	Rchb.
—coriophylla.	Gries.
-cotyledon. -cultrata.	L. Vest.
—decipiens.	Ehr.
—Hostii. —intermedia.	Tausch. Sweet.
—Jenkinsii.	hori.
—longifolia.	Lap.
lingulata. oppostifolia.	Bell.
—pedemontana.	A11.
Portae. virginiensis.	Stein. Michx.
-rhocopea.	Vel.
SCUTELLARIA alpina.	L.
— —alba. —versicolor.	Nutt.
—minor.	Huds.
SEDUM aixoon. —algidum.	L. Ledeb.
Albertii.	Rgl.
—amacampseros. —crassipes.	L. Wall.
-Ellacombianum.	Pr.
hispanicum. intermedium.	L.
-Kamischaticum.	Rupr. P-N
-Middendorffianum.	Max.
-Newii. -nicaense.	Gray.
-obiusaium.	Gray.
-oreganum. -pilosum.	Nuii. M. B.
-Pruinosum.	Calı
—Telephium ssp maximum. —spurium.	Camus.
— — album. — —splendens.	
	hort. Schn.
-brevifolium.	Belli.
-Chavinii.	Lagg.
—gracile Christ. —hrbrida Beta.	
— —Gamma.	D
-Kopaonikense. -Kuendigeri.	Pan. Adam.
-montanum.	L.
spinosissimum	hort. Hoppe.
SENECIO abrotanifolius.	L.
—alpinus.	Scop.
-Biebersteiniicoriaceus.	Ait.
-Doromicum.	L.
—Tyroiensis. —uniflorus.	A11.
SESELI montanum.	
—caespitosum.	S. S.
-glaucium. SIDALCEA candida.	L. Kray.
—malvaeilora.	Gray.

NASTURTIUMS

MYOSOTIS	Continued	from	Page	217.
started carly	r in the fel	1 of th	a finat	71007

MYOSOTIS Continued from Page 217. started early, in the fall of the first year.		
VARIETY LISTING: We list here all the varieties following; some belong to a species but most are hybrids of superior breeding.		
-A. Fischer. Deep blue, large fis; very choice; 8 in		
—Blue Eyes, Pretty bright blue with white eye		
—Gerda Seager. Blooms 8-10 days earlier; pretty blue		
- Messidor, Rich blue color MyOs-IM, 25¢ - Star of Love. Sky blue, nice pot plant; floriferous MYOS-IT. 25¢ - Sylphe, A pure white form MYOS-IW, 25¢		
—Victoria. Dwarf, dark royal blue		
started early, in the fall of the first year. VARIETY LISTING: We list here all the varieties following; some belong to a species but most are hybrids of superior breeding. —A. Fischer. Deep blue, large fls; very choice; 8 in. MYOS-1B. 25¢ —Blue Ball. Deep indigo blue; compact ball-shaped plants, 10". MYOS-1B. 25¢ —Blue Bird. A large flowered variety in dark blue. MYOS-1D. 25¢ —Blue Eyes, Pretty bright blue with white eye. MYOS-1D. 25¢ —Boden. A Swiss variety of perfect form; very dark blue fls. MYOS-1N. 25¢ —Gerda Seager. Blooms 8-10 days earlier; pretty blue. MYOS-1N. 25¢ —Marga Seager. Excellent pot plant for forcing; large blue fls. MYOS-1R. 25¢ —Messidor. Rich blue color. MYOS-1R. 25¢ —Sylphe. A pure white form. MYOS-1T. 25¢ —Sylphe. A pure white form. MYOS-1W. 25¢ —Victoria. Dwarf, dark royal blue. MYOS-1W. 25¢ —Mixed Myosois. All the varieties equally mixed. MYOS-1V. 25¢ —Indigo Blue. Very deep blue form. MYOS-1C. 25¢ MYRICABIA (mye-rik-KAV-ree-uh) germanica False-tamarisk Deed woody plant:		
6 ft; fls in terminal bracted racemes; HSh		
MYRRHIS (MIHR-iss) Sweet Cicely. odorata. Grown for sweet scented leaves; sow seeds when ripe for best results; HP		
MULGEDIUM: see Lactuca. NASTURTIUM. (nas-TUR-ee-um) (Tropaeolum) Tropaeolaceae. (8 days)		
This is a much confused classification with Water Cress, Nasturtium officinale being the only listed species. The flowers listed in the trade and also commonly known as		
This is a much confused classification with Water Cress, Nasturtium officinale being the only listed species. The flowers listed in the trade and also commonly known as Nasturtiums belongs to the Tropaeolaceae Family, with the genus Tropaeolum being the only member. It has several species, including the Canary Bird Flower. The species major includes all the commonly grown Nasturtiums, both bush and climbing.		
Grow them as tender annuals giving them a warm sunny position, planting seed direct to the soil. They also an he started in part for setting authors, when the weather is		
Grow them as tender annuals giving them a warm sunny position, planting seed direct to the soil. They also can be started in pots for setting outdoors when the weather is warm; they are tender and will stand no frost. They can be planted even in June here in Michigan. They are good for the Tulip beds, using the climber or tall type.		
I Canary Bird Flowers see Transcololum nerogrinum A good annual climber		
The plants grow to 18" tall and are excellent for cutting Oz. 30¢; ¼ 1b. 80¢. —Crimson Glow. Deep glowing golden orange		
-Fire. All double bright scarlet		
SEMI-DOUBLE GLEAM: A very popular type, with double and semi-double flowers. The plants grow to 18" tall and are excellent for cutting Oz. 30¢; ½ 1b. 80¢. —Crimson Glow. Deep glowing golden orange		
Clary Mark to a Contain and the second and the ball to the second and the second are second as a secon		
GLOBE TYPE: Giant double flowers in all the colors; plants compact, 12" tall and excellent in beds, etc. Oz. 30¢; ¼ lb. 90¢. —Black Beauty. Deep scarlet flowers and very dark foliage		
-Black Beauty. Deep scarlet flowers and very dark foliage		
—Scarlet Emperior. Fine scarlet and dark foliage		
—Mahogany Gem. Deep mahogany color		
—Globe Type Blend. Made up of many varieties?		
DWARF or TOM THUMB TYPE: These all have single flowers, the plants growing about 12" tall. They will stand more neglect than the double type. —Empress of India. Velvety dark scarlet with dark leaves		
12" tall. They will stand more neglect than the double type. Empress of India. Velvety dark scarlet with dark leaves		
-King of the Tom Thumbs. Bright scarlet; dark leaves		
-Lady Bird. Lovely rich yellow, scarlet spotted; dark leaves		
—Single Mixed. Contains many fine varieties; all single flowers		
TALL or CLIMBING TYPE: These will grow 3'; should have some support;Oz. 30¢		
—Salmon Rose. A showy color NAST-4SR. 15¢ —Von Moltke. A lovely rosy blue		
NEPETA. (NEP-e-tah) CATNIP. Labiatae. Aromatic annuals and perennials with white and blue flowers in whorls, clusters or spikes. Some species are very pretty and can grow in shady places. They all are		
easily grown from seed.		
Cataria. Catnip. Whitish or pale purple fls; 1½ ft; HP		
OENOTHERA. (ee-noh-THEE-rah) EVENING PRIMROSE. Onagraceae. (5 days) A very large and extended group of annuals, biennials and perennials, all suun lov- ing, dry land plants easily grown from seed. The common color is yellow with some		
—fruticosa. Showy yellow fis 2' ac; dry land; 1-3 ft; HP		
The correct classification now is Erythrosepala. Thumbipetala. Yellow fis 2" ac; 4 ft; HB		
OENOTHERA Continued on Page 219.		

PIONEER SEED COMPANY

DIMONDALE MICHIGAN

OFNOTHERA - ONOSMA - PANSY

OENOTHERA - UNUSMA - PA	ICNIF
OENOTHERA Continued from Page 218. -Lamarckiana. Yellow fis 2" ac; 3 ft; HP. -Oenothera Mixture. All species mixed	OENO-33. 15¢ OENO-X. 15¢
ONONIS. (on-NOH-niss) REST-HARROW. Leguminosae. They are easily grown and are good plants for the border or roc are either solitary or in racemes. —rotundifolia. Bright rose; shrubby; 1½ ft; HP	
ONOSMA. (oh-NOZ-mah) Boragmaceae. Annuals, biennials and perennials with extremely attractive flowers in or purple in one-sided clusters. They do well in sun or shade and are sborder or rockery. Not hard to grow. —stellulatum v. tauricum. Gold Drop. Golden yellow; wall plant; 8"; HP.	uitable for the
OPHIOPOGON. (o-fe-o-PO-gon) LILY TURF Lilaceae. Turf forming plants with racemes of small whitish flowers and grass-li en striped and spotted with white or yellow. Useful for turf and borde require no clipping. They are not extra hardy and in the North some at Michigan. Grow in sun or shade. —Clarkei. —intermedius.	re hardy up to
ORNITHOGALUM. (or-nith-THOG-alum) Liliaceae. Bulbous plants with white, yellow or reddish fls in bracted racemes or tender species are grown in pots or in greenhouses. —pyrenaicum. Yellow flowers	corvmbs. The
OTHAKE: See Polypteria Hookeriana. OXYPETALUM (ox-PET-al-um) caeruleum. Twining herb. pl; blue flo	owers; for the
PANSY. (Viola tricolor) Violaceae. Pansies are best grown as a hardy annual or biennial, especially in the do best in a rich sandy soil and not exposed to the hot winds; they star Seed can be started indoors very early in the spring and the plants shift grown on to some size in the frame where they can have shade and wat be planted as late as the first of August and the seedlings after they have flats from the first transplanting, they can then be set in their outdoor are definitely cool weather plants and the hotter the winds and the sun, the GIANT FLOWERING SWISS GIANTS: Large flowering Pansies in all contents.	(8 days) e North. They nd some shade. ed to flats and er or they can, e rooted in the beds. Pansies he less success,
binations. They are very popular both for the home plantings and with cial growers who grow for the box trade. Write for prises in quantity. —Alpenglow. A large flowered scarlet	PANS-1A. 25¢
Flame. Attractive orange scarlet. Mont Blanc. The best pure white. Orange Sun. A new bright orange variety Rheingold. Deep golden yellow with dark blotch on lower 3 petals Silver Bride. A clear glistening white Ullswater. Marine blue with darker blotch; very showy Yellow Master. Exceptionally fine deep yellow Swiss Giant Blend. Our best blend of varieties	PANS-IF. 25¢ PANS-IW. 25¢ PANS-IR. 25¢ PANS-IV. 25¢ PANS-IV. 25¢ PANS-IV. 25¢ PANS-IV. 25¢ PANS-IX. 20¢ PANS-IX. and full
VARIOUS PANSY STRAINS: These are all large flowered types and strains are listed. They include all types. —Cassier's Giants. Golden yellow giants, all with large blotch. —White. Large white fls with dark blotch, showy. —Three Blotches. Showy colors all with 3 large dark blotches. —Cornation Gold. Giant pure golden yellow; very showy. —Englemann's Giants, With lighter tone around edges; no solid colors. —Maple Leaf. Husky growers, dark green fol; full color range. —Masterpiece. Daintily ruffled and frilled; rich in reds and browns. —Orchid-Flowered. Waved and curled petals in a choice color range. —Scottish Exhibition. Mammoth fls heavily blotched; circular outline. —Florist or Market Strain. An extra choice hand made strain containir portion of yellow, reds and blotched flowers with some new types add 14 Oz. \$1.90; Oz. \$7.00; 1/4 Lb. \$20.00; Lb. \$70.00. —Oregon Giants. Bright blend of giants; California grown seed. —101". NEW market grower strain in a beautiful selection of colors.	PANS-2C. 25¢ ANS-2CW. 25¢ PANS-2CW. 25¢ PANS-2CT. 25¢ PANS-2D. 25¢ PANS-2E. 35¢ PANS-2P. 25¢ PANS-2P. 25¢ PANS-2P. 25¢ PANS-2P. 25¢ pANS-2P. 25¢ ga good prodedPANS-2F, 25¢
—Oregon Giants. Bright blend of giants; California grown seed	PANS-2G, 25¢
V. hiemalis: Ice Pansy. They flower very early, even in the snow, and whare smaller than the regular Pansy, they are distinct and showy, especial of the year when they flower. They should be given a place in the garder as to be protected from the hot summer sun.	
Blue Boy. Showy silver blue	PANS-3B. 20¢ PANS-3C. 20¢ PANS-3C. 20¢ PANS-3M. 20¢ PANS-3S. 20¢ PANS-3Z. 20¢ PANS-3Z. 20¢ PANS-3Z. 20¢ PANS-3X. 20¢ PANS-3X. 20¢
STEELE'S MAMMOTH PANSIES: The following Pansies are direct from the Steele Pansy Seed Garden 1951 crop. These Pansies have enjoyed a world wide reputation for over	is and of their er thirty years.

PIONEER SEED COMPANY - DIMONDALE MICHIGAN

Surface Moisture in Germinating Seeds

(Continued from Page 209) covering of soil at all, or scarcely any, they can be watered throgh the burlap without washing them about. As a matter of fact, with the burlap covering, only about a quarter as much watering need be done, and sometimes the seeds will even germinate on the moisture provided by one watering at the time of sowing. Of course, we must lift the corner of the burlap from time to time, and when the seedlings are appearing on the surface of the soil, the burlap must be removed before they penetrate through it. For some seeds, such as honeysuckle seed to produce plants that are not to be transplanted out till the following spring, the burlap could be left on to rot away. I even use the burlap covering for tomato seed. For tomatoes one must especially be careful to take off the cloth covering soon enough, for if it is pulled away after some of the seedlings have penetrated through it, many of the seedlings have penetrated through it, many of the seedlings will be pulled out of the soil or broken off and destroyed.

I have never tried the burlap method of germinating seeds out of doors, but consider that it would be very successful. If long strips, about three inches wide, were cut and laid over the row, burlap could even be an aid in germinating ordinary garden seeds in the garden in dry years. If watering is necessary in order to provide the moisture for germination, the burlap covering would be especially desirable, for watering with a watering can hardens the soil and makes it crust more than showers of rain, through no more than do heavy rains. The burlap covering would prevent this crusting and give the seeds their chance. One would be more inclined to get caught in leaving the burlap on such rows too long than in the case of seed sown in flats, but, for some seeds at least, presumably no harm would be done if it remained on all summer and it might possibly have some effect in turning the cutworms the other way.

Prairie gardeners are coming more and more to sow their tomato seed right out in the garden where the plants are to remain. I would consider the narrow burlap strip especially helpful for this plant. Tomato seed is not ordinarily as easy to germinate out of doors as the seed of other garden vegetables. Tomatoe plantlets do not seem to have the same power to penetrate a partially hardened soil as do other seeds of comparable size or even smaller. Thus tomato seed cannot be sown as deep as other seeds of the same size. In fact, if surface moisture can be maintained, sowing almost on the surface is desirable and brings quick results and a larger percentage of plants.

Raising shrubs and trees from seed is something that should be done oftener by the Canadian gardener. For the price of a package or ounce of seed, one can obtain as many honeysuckles, liilacs, flowering cherries, flowereing currants, spruces, pines, tamaracs and junipers as he can use, provided of course that he is willing to pay another price in taking care to give the seed a chance to germinate after he does get it. The requirements for good germination are really not very difficult, if one knows what the problem is and how to meet it.

Sage should be cut back in the spring to produce nice tender stems.

Cut Wormwood back to the ground in the spring.

Helleborus or the Christmas Rose

Fine as are all of the forms of Helleborus, or Christmas Rose, all, I believe, must yield pride of place to H. niger St. Brigid. This variety was found many years ago in the gardens of an ancient castle in County Cork in Irelanl. St. Brigid has immense pure white flowers of exquisite shape, and there are invariably two of them ideally placed on a long, stout stem. It is a superb variety.

Three years ago some seed were sown which has been saved from St. Brigid, and as they were put in as soon as they were ripe, they germinated quickly. If seed is kept for any length of time it will become dormant for a year before it germinates and thus it is well to stratify the seed in moist sand during the winter months at a temperature above freezing when it shoull be planted

early in the spring.

the Christmas rose.

The seedlings raised from that seed flowered this year and all of them are good; some have flowers richly suffused, with rose, and others are immaculate in their purity. I have one plant amongst them whose flowers are wholly pink or a soft rose, and I look forward to seeing this flower again after the plant has gained a little more strength through age. The flowers are wonderful for such a young plant and many of them had two on a stem and several had six petals instead of the usual The beautifully formed blossoms are very lovely, and in the center of each there is a green ring which, along with the boss of golden stamens, intensifies the purity of the flowers.

Many crosses have been made between H. niger and H. orientalis, and the fine varieties known as the Lenten Roses are the result, but for some reason little crossing has been done between the varieties of

The true Christmas Roses, the forms of H. niger, last well when cut and put in water; in fact; few flowers can vie with them in this respect. The flowers will last for as long as a month in perfect and unsullied purity, and they then gradually assume a green tint. They may last for six weeks before showing signs of fading.

Christmas roses love a position in semishade, and will amply repay liberal treatment in the way of manure. After planting, all they ask for is to be left alone for a year or two.

THE MARCH HERB GARDEN

Sow seeds outdoors of borage, chervil, coriander, fennel, parsley and purslane.

Sow seeds indoors of sweet and bush basil and sweet marjoram.

For new beds transplant alecost, balm, chives, fennel, horehound, hyssop, lavender, pot marjoram, mint, Welsh onion, horse radish, rue, sage, tarragon and thyme.

Manure the pennyroyal bed.

Trim sage plants.

OXYPETALUM CAERULEUM

A tender semi-woody perennial from Argentina; 1-2 feet, full sun; dry well drained soils; flowers are one inch across in an unusual shade of blue (roughly sky-blue). It can be grown in California and the South.

inermis: (in-ERM-iss), without thorns or spines; unarmed.

incomparabillis: (in-kom-par-RAB-il-iss), excelling.

PASSIFLORA - PETROCALLIS

They are especially noted as the Mammoth Pacific Pansies. JUMBO STRAIN: ful. PANS-4B. 50¢

—Jumbo Bronze Tones. Blend of many grand colors ranging from old gold, rich copper and sunset tones to deep browns. Many smoky blue-bordered types, rosy toned bronze beauties, all of excellent texture and immense size... PANS-4Z. 50¢

—Madam Steele. Huge jumbo purple selection; wonderful for adding velvet violet shades for those wishing darker colors. No faded or magenta tones PANS-4S.50¢

—Jumbo Blend. Many new and unique colors, pastel orchids, apricot, yellows, birass tones, copper bronze, purple, reds, in addition to many multi-color combinations and selfs; flowers to 5 inches across. PANS-4X.40¢

1/16 oz. \$3.50; ¼ oz. \$7.50; 1 oz. \$22.00. PARKINSONIA. (pahr-kin-SOH-ne-ah) Leguminosae. Tropical and sub-tropical shrubs and trees with whitish or yellow racemes and flat-tened leathery pods. None are hardy in the North but others are native up to Texea and Arizona.
—aculeata. Tree to 30 ft; thorny; fls yellow, frag; hedge plant...... PARONYCHIA. (par-oh-NIK-ee-ah) Whitlow-wort, Nail-wort. Illeceosceae. Small herbaceous tufted annuals and perennials with small clustered flowers. They are especially nice in the rockery and easily grown.

—argentea. Prostrate; white fis in dense clusters amongst lvs; HHP.... PARON-1(C). 30¢ PASSIFLORA. (pas-i-FLOH-rah) PASSION FLOWER. Passifloraceae. PEDICULARIS. (pe-dik-eu-LAY-ris) WOOD-BOTONY LOUSEWORT. Scrophulariaceae. PEDI-5. 25¢
PEDI-9. 20¢
PEDI-12. 25¢ -nepalensis. -nepalensis. -siphonantha. Pink fis; beautiful lvs; rockery; HP...... -Pedicularis Mixture. All kinds listed PELARGONIUM (per-ahr-GON-ne-um) STORK'S BILL. Geraniaceae. PELTOPHORUM. (pel-TO-fro-rum) (Baryxylum) Leguminosae. Tropical ornamental trees with showy yellow flowers in terminal panicles and flattened winged pods. Suitable for the far South only.

—africanum. Rhodesian Black Wattle. Thorneless, feathery fol; sweet sc.... PELT-1. 25¢ PENNISETUM. (pen-i-SEE-tum) Ornamental Grass. Gramineae. Annual and perennial ornamental grasses for borders or specimen planting. Used also for dried flowers. Start seed indoors early for good sized plants; they are easily grown; space plants 12-18 inches apart.

-Ruppelii. Fountain Grass. Solitary spikes, purple, red, rose; 4 ft; TP.... PENN-9. 15¢

-villosum. (longistylum) Pretty, 2 ft; spikes plume-like, purplish; TP.... PENN-11. 15¢ PENSTEMON. (pen-STEEM-on) BEARDS-TONGUE. Scrophulariaceae. An attractive genus of perennials, nearly all of which are native N. American; in bright tubular flowers on terminal racemes or panicles. They are not hard to grow and do best in a well drained soil. They are great bloomers, sometimes causing the death of the plant. -unilateralis. Tall lavender border type; 2 ft; wyo; HP. PENS-148. Juc -auriberbis. Neat rock pl; showy, pale lilac, golden beard; 4-8"; HP. PENS-15. 25¢ -friilorus integrifolius. PENS-13. 35¢ -barbatus. Red fis 1" long; 6 ft; UTAH; HP. PENS-20. 25¢ -Flat Head Lakes. Clear coral red; blooms all summer; nice; HP. PENS-20F. 30¢ -Hybrids. A French grown strain. PENS-20F. 25¢ -Barreiteae. Shrubby, rose-purple fis; 1 ft; HSh. PENS-21. 25¢ PENSTEMONS Continued on Page 221.

DIMONDALE MICHIGAN

PENSTEMONS - PERILLA

I ENSTEMONS - I ENILLA	
PENSTEMONS Continued from Page 220. —bicolor typicus. Yellow form: large fls: 3 ft: HP PENS-24 354	
—bicolor ssp roseus. Rare Arizona form, rose-purple fls; 1 ft; HP PENS-24R. 35¢	
—Canescens. Pale purple fls; for wild garden; 3 ft; HP	
-caudatus. Glaucous blue lvs; lavender or blue fls; 1 ft; HP	
Alba. A white flowered form	
connatifolius. Very pretty; lge. bell-shaped fis; 2 ft; HP PENS-31C. 30¢	
-cluser. Bluish IVs; his rose touched orange; 3 ft; HP	
—comarrhenus. Showy deep blue; lovely; 18"; HP	
-cyananthus. Intense blue fls in clusters; 2 ft; HP	
—Davidsonn. Matted alpine; filac-purple fis; wasn; HP	
—Digitalis. White or pinkish fls; strong grower; 5 ft; HP	
-Eatonii ssp. lancefolius. A Nevada form with narrow lvs; 4ft; HP PENS-57L. 30¢	
—erianthera ssp. saliens. Flat rosettes; fis lge. lavender; RG; 1 ft; HP PENS-57N. 35¢	
—Fendleri. Blue flushed pink fls; dry places; RG; 1 ft; HHP	
-floridus. Showy fls spikes in rose-pink; 4 ft; HP	
Gairdneri. Small pure blue fis; tufted plant; 10"; HP	
—glaber. Procumbent; fine purple-blue; very hardy; 1 ft; HP	
grandiflorus. Showy, large lavender-blue fls; 6 ft; HP	
PENSTEMONS Continued from Page 220. —bicolor typicus. Yellow form; large fis; 3 ft; HP	
-Hartwegii. Fls scarlet 2" long; giant flowered German strain	
-hirsutus. Pink to purple, improved; 2 ft; HP	
Gladwyne Varieties. Mrs. Henry's strain; beautiful; nice colors PENS-885G. 25¢	
—grandiflorus x Murrayanus. Very nice and easy to grow; HP	
—Jamesii. Alpine, neat, clumps; fis soft blue-lavender; 1 ft; HP. PENS-92. 25¢ —laevigatus. Pale lavender fis; 3 ft; HP. PENS-95. 25¢	
-leiophyllus. Rare, fis pure deep glue; easy; 3 ft; HP	
—lentus. Pretty; spikes of rare blue shade; somewhat alpine	
-neomexicanus. Long spikes of bell-shaped blue fls; 2 ft; HHP PENS-111. 25¢	
-nitidus ssp polyphyllus. Blue fls; funnelform; Mont; HP	
—Palmeri. Very showy, very large white flushed pink is; 3 ft; HHP PENS-120. 25¢ — White Form. Pure white fls	
eglandulosus. Broader type and thinner stems; smaller capsules PENS-120E. 35¢	
—procerus. Native Mont. sp., blue fls June-July; 1 ft; HP	
—Raftani minor. Lavender fls; smaller than species; 18"; HP PENS-134M. 25¢	
-Richardsonii. Easy; pink to rose-lilac fls; good for beginner; 2 ft; HP PENS-135. 25¢ -rubicundus. Attractive: lovely rose fls; stands some shade: 4 ft; HP PENS-137. 30¢	
—Scouleri. Shrub; white fis; 1½ ft; HP	
—sepalalus. Sub-sh; large inflated violet fis; very showy; 3 ft; HP PENS-144. 35¢	
—Six Hills Variety. Small shrubby plant; rosy purple fis; 4 ft; HP PENS-145. 25¢ —speciousus. Very showy, large blue fis, very good; 2 ft;HP PENS-147. 25¢	
-strictus. Very showy; densely packed spk deep blue fis; 1½ ft; HP PENS-149. 25¢	
-triflorus. Bright rose-purple fls; bell-shaped; very nice; HP	
Find the same and the same attractive, Reg. 1 ft, HP PENS-100. 30¢ Watsonii. Light to deep blue fls in profusion; 1½ ft; HP	
-Whippleanus. Lvs in rosettes; fls purple to lavender; 1½ ft; HP PENS-171. 25¢ -Wilcoxii. Clear blue fls in open panicles; 4 ft; HP PENS-174. 25¢	
—Penstemon Blend. Probably more species here than any other blend PENS-X. 25¢	
-Jamesii. Alpine, neat, clumps; fis soft blue-lavender; 1 ft; HP. PENS-92. 25¢ -laevigatus. Pale lavender fis; 3 ft; HP. PENS-95. 25¢ -leiophyllus. Rare, fis pure deep glue; easy; 3 ft; HP. PENS-95. 25¢ -leiophyllus. Shrub; bright yellow fis; 4 ft; HP. PENS-97. 35¢ -leiophyllus. Shrub; bright yellow fis; 4 ft; HP. PENS-97. 35¢ -microphyllus. Shrub; bright yellow fis; 4 ft; HP. PENS-97. 35¢ -mitidus. Blue fis; 1 ft; Mont; HP. PENS-111. 25¢ -nitidus. Blue fis; 1 ft; Mont; HP. PENS-113. 25¢ -nitidus sap polyphyllus. Blue fis; funnelform; Mont; HP. PENS-113. 25¢ -nitidus sap polyphyllus. Blue fis; funnelform; Mont; HP. PENS-120. 25¢ -palmeri. Very showy, very large white flushed pink fis; 3 ft; HHP. PENS-120. 25¢ -pelaryphyllus. Sub-sh; showy spikes of blue fis; RG; 1 ft; HP. PENS-120. 25¢ -platyphyllus. Sub-sh; showy spikes of blue fis; RG; 1 ft; HP. PENS-1212. 25¢ -procerus. Native Mont. sp., blue fis June-July; 1 ft; HP. PENS-122. 25¢ -pseudospec(abilis ssp. connatifolus. Showy; various colors; 1 ft; HP. PENS-123. 25¢ -pseudospec(abilis ssp. connatifolus. Showy; various colors; 1 ft; HP. PENS-134M. 25¢ -Rattani minor. Lavender fis; smaller than species; 18"; HP. PENS-134M. 25¢ -Richardsonii. Easy; pink to rose-lilac fis; good for beginner; 2 ft; HP. PENS-137. 30¢ -Scouleri. Shrub; white fis; 1½ ft; HP. PENS-137. 30¢ -Scouleri. Shrub; white fis; 1½ ft; HP. PENS-143. 25¢ -secundiflorus. Showy; large lavender fis; 2 ft; HP. PENS-143. 25¢ -secundiflorus. Showy; large lavender fis; 2 ft; HP. PENS-144. 35¢ -sepelalus. Sub-sh; large inflated violet fis; very showy; 3 ft; HP. PENS-144. 25¢ -six Hills Variety. Small shrubby plant; rosy purple fis; 4 ft; HP. PENS-144. 25¢ -sirictus. Very showy, densely packed spk deep blue fis; 1½ ft; HP. PENS-149. 25¢ -strictus. Very showy; densely packed spk deep blue fis; 1½ ft; HP. PENS-149. 25¢ -strictus. Sriphy in rose-tus; fis purple attractive; RG; 1 ft; HP. PENS-150. 25¢ -triflorus. Bright rose-purple fis; bell-shaped; very nice; HP. PENS-150. 25¢ -triflorus. Bright rose-purple f	
PERSEA (PURR-see-uh) Small ornamental trees grown in the warm sections of the U. S. Boronia. Red Bay. Hardy S. half of U. S	
PETROCALLIS. (pet-orh-KAL-liss) Cruciferae.	
Annuals and perennials, a few subshrubs of the Med. regions and much like Scabiosa. —parnassii. Purplish-pink composite-like heads; 1 i.n ac; 4 in; HHP PTERC-3(C).30¢	
PLYTEUMA. (fye-TEU-mah) HORNED-RAMPION. Campanulaceae.	
Perennials grown mostly in the rockery, the taller ones in the border. They are of	
easy culture. —spicatum. Blue flowers	
PERILLA. (pe-RIL-ah) Labiatae. Half hardy annuals valued for their highly colored foliage and used in bedding for	
Half hardy annuals valued for their highly colored foliage and used in bedding for sub-tropical effect. Thrive in light sandy soils; start seed in March in gentle heat.—frutescens crispa. Fol. in many colors much like Coleus; 4 ft; TA PERI-11. 15¢——lacinata. Pretty lacinated foliage	
lacinata. Pretty lacinated foliage	
PHYSOSTEGIA. (fy-soh-STEE-ji-ah) FALSE DRAGONHEAD. Labiatae.	
Hardy perennials thriving best in a cool moist place with some shade. Beautiful in the border or for cutting.	
-virginiana. Fls in spikes, in purplish red to rose-pink; 4 ft; HP	
ON PURCHASES OF LESS THAN 50¢ WE WILL ACCEPT 3¢ STAMPS	
PIONEER SEED COMPANY DIMONDALE MICHIGAN	

Podophyllum emodi

Plant hunters, especially Kingdon Ward, led by the lure of strange and beautiful plant forms, have found the Himalayas an exciting hunting ground. Through their efforts our gardens have been enriched and made spicy.

Transported over precipitous mountain trails, their slopes sparkling with the jewels of unknown Rhododendron blossoms, across turbulent torrents swollen by melting snow from lofty peaks, the yak and pony caravans of these men have brought to America and England treasures, bundles of roots and seeds. For their multiplication and release to our gardens, we are thankful.

One plant to travel this route is Podophyllum emodi, exotic Himalayan mandrake, cousin of our native Podophyllum peltatum. Hardy in Vermont, virtually unknown in this country, it is a woodland plant of perfection in plant form, spring flower, and autumn fruit. Grown in rich moist woodland soil, half shade to shade, in early spring its interesting bronzy red enfolded umbrellas push up on fifteen inch stems, then open with the sheen of a newly shed Python. Through a slit in the palmate leaf the solitary upfacing flower opens, a white, pink flushed cup with golden stamens.

It is autumn, in fruit, however, that it really treats the eye. To suddenly come upon a colony of the bronzy umbrellas sheltering the amazing glowing crimson fruit, in size and shape of a goose-egg, will halt a gardener in his tracks with a gasp of disbelief.

Grown to front for the skinny shins of the gracefully arching Polygonatum comutum, as a contrast and color spot before a massed planting of Pteretis nodulosa, or to cluster under Rhododesdron and Pieris japonica, it is spectacular.

Fresh seed, planted in the autumn to freeze, germinate surely but slowly but do not disturb the flats as six months or more may find seedlings pushing above the surface. Take a tip from our Podophyllum paltatum, let the plants colonize helter skelter.

On moonlight nights, in the half light before dawn, when Datura meleloides exhales its heavy fragrance, and the night flying moths are busy, visit your Podophyllum emoli plantation. You may hear the tinkle of yak bells, the toneless sing-song of its driver or words of wisdom from an ageless lama.

Note: The seed of Podophyllum emodi has always been difficult to secure anl there has always been enough orders on file to absorb what seed that does come in, so one should place his order and than be patient till seed comes in.

DAUBENTONIA TRIPETI

Tender ferny foliage, deciduous shrub to 8 ft; flowers are orange-red, pear-shaped; good drainage. File seeds or treat with boiling water before sowing in the spring; they should handle easily if kept out of the frosts.

CHILOPSIS LINEARIS

Desert Willow, a slender deciduous tree of Southwestern deserts; the flowers are trumpet-shaped, lavender and yellow; stands heat and drought and probably 10 degrees of frost.

humilis: (HEW-mil-iss), low growing or dwarf:

implexus: (im-PLEX-us), interwoven.

PHACELIA - POTENTILLA

PHACELIA. (fa-SEE-li-ah) Hydrophyllaceae. Hardy annuals and perennials with flowers in lavender to blue, in clusters or racemes; very pretty in mass plantings. Start early indoors or plant later where the plants are to grow. The perennials can be started as late as August. —Musgrave. PHAC-11. 15¢—tanacetifolia. Bee food; Blue fls especially grown for bees; sow in April ; HA

Oz. 25¢; Lb. \$1.35. PHAC-15. 15¢

—Whit/avia. Calif. Bluebells. Blue, bell-shaped fls; 1½ ft; HA PHAC-17. 15¢

—Phacelia Blend. All kinds mixed. PHAC-X. 15¢ PHLOGACANTHUS. (flo-ga-CAN-thus) Acanthaceae. PHLOMIS. (FLOH-nus) Labiatae. Perennial plants suitable for the border and wild garden. They are rather course in growth and should be in the back ground plantings. Easily grown from seed.

—Purple. Showy, easy, vivid purple fls; whorl above whorl; 4 ft; HP.... PHLO-1. 15¢ PHOENIX. PALM. Palmaceae. Feathery Palms from Africa and Asia and commonly grown in the far South or as greenhouse tub palms. -canariensis. Tree to 50 ft; hardiest Palms; Gulf Coast, 1,000 seeds \$3.00 ... PHOE-2, 25¢ PHYSALIS. FIS-a-lis) HUSK TOMATO, GROUND CHERRY. Solanaceae. Easily grown, starting indoors or planting direct to the soil, much like tomatoes.
-Alkekengi. Chinese Lantern Plant (Francheti) For its red pods; 2'; HA PSAL-1. 15¢ Evergreen shrubs and small trees native of the N. Am. and Asia. Best in sheltered positions, some in the greenhouse; moist sandy loam with peat or leaf mold best; partial shade suits them. -floribunda. Pretty small ev. sh; short spikes, white bells; to 6 ft; HSh... PIER-1. 25¢
-formosa. Small tree; fls white or pink, drooping panicles; to 20 ft; HSh... PIER-2. 25¢
-japonica. Nice large shrub to 20 ft; fls white; urn-shape, clusters; HSh... PIER-3. 25¢
-evolifolia. Semi-evergreen to 40 ft; sprays of white bells; HSh... PIER-4. 25¢
-taiwanensis. Compact evergreen; fls long nodding white; 8 ft; TSh... PIER-6. 35¢
-Pieris Blend. All species mixed. PIER-X. 20¢ PIITOSPORUM. (pit-TOSP-or-um) Pittosporaceae. Evergreen trees and shrubs native of sub-tropical regions. They are very ornamental in foliage, flower and fruit and much grown in the far S. Tobira also for GH. -crassifolium. Sh or tr to 30 ft; fis red or purple; terminal cl; HHTr. PITT-5. 25¢

-Tobira. Sh to 10 ft; fine for hedges; frag; white fis; HHSh. PITT-23. 25¢

-undulatum. Sh to 25 ft; fis yellowish green; dense terminal cl; HHSh. PITT-X. 25¢

-Fittosporum Blend. All above species. PITT-X. 25¢ PLATYCODON. (plat-e-KOH-don) BALLOON FLOWER Campanulaceae. One showy perennial species, thriving in loamy soils, in full sun, blooming 2nd year, -grandiflorum Mixed. White and blue fis; very beautiful; 2½ ft; HP...... PLTY-1. 20¢ -Double. Double, blue star fis; 2 ft; HP...... PLTY-1D. 25¢ PLUMBAGO. (plum-BAY-go) LEADWORT. Plumbaginaceae. POLEMONIUM. (pol-ee-MOH-ne-um) Polemoniaceae. Perennials grown in the border; easily grown in rich loam, best from seeds sown in the fall. Flowers in blue, purplish white or yellowish, often nodding, in terminal corymbs.

—caeruleum. Fern-like lvs; gorgeous sky blue fls; 3 ft; HP.
—album. Pure white form.
—album. Pure white form.
—carneum. Rich pink trumpets; RG; partial shade; 1½; HP.
—POLE-4A. 20¢
—carneum. Rich pink trumpets; RG; partial shade; 1½; HP.
—POLE-6. 25¢
—Haydenii. Blue or white fls, May-June; RG; 1 ft; HP.
—POLE-16. 20¢
—occidentale. Native bog species; blue or violet fls; 1½ ft; HP.
—POLE-21. 25¢
—pulcherrimum. Easy and pretty; pale blue fls; fine RG; 1 ft; HP.
—POLE-25. 25¢
—Richardsonii. Blue to purplish fls ½ inch ac; 9" tall; HP.
—POLE-37. 20¢
—Polemonium Blend. All species mixed.
—POLE-X. 20¢ POTENTILLA. (poh-ten-TIL-ah) CINQUEFOIL Rosaceae. A very large genus of plants or sub-shrubs, most of which are hardy in the North. They are especially good in the border or rockery; sandy soils; The flowers are in yellow, white or red, solitary or terminal cymes. The listing of all flower seeds, runs from the As to the Zs and as often as possible, but so as not to crowd other reading matter out. The listings can be considered all available as long as the listing has not been passed in the following listing.

DIMONDALE MICHIGAN

PIONEER SEED COMPANY

HERBS

By Eleanor Chalfin, Va.

The term "creeping thyme" usually brings to mind a flagstone walk interplanted with some species of this type of herb. This application of the creeping thyme is charming but there are other equally effective uses which may also be carried out in many kinds of gardens. As a practical groundcover for small bulbs, one of the carpeter thymes has no parallel. For edgings along a pathway, thyme may be kept trim and neat and once established discourages weeds. In rock gardens a few varieties of the tiny thymes add appeal and their evergreen appearance plus their love of warm rocks and dry, well-drained spots, makes this application an ideal combination.

The varieties recommended and adapted to any of the above suggested sites are the following:

Thymus serpyllum, often called Wild Thyme. This is a very hardy sort which takes a great deal of punishment and gives oout a delightful aroma when trod upon. It is considered one of the best thymes for flavor and thus affords spicy seasoning for the kitchen as well as the other utilitarian services rendered. This thyme is a rapid grower and is easily raised from seed and hence is readily available to many home-gardeners. The very fine seed is sown lightly in well prepared pulverized soil and kept weeded until the plants are large enough for transplanting to permanent positions. After a year's growth, the clumps are divissible.

Caraway thyme-, Herba barona, was recently mentioned in this magazine by our editor. This variety is a servicable sort also, and is not fussy as to culture nor location. However, caraway thyme does not produce viable seed and so must be propagated by divisions of started plants. This, like most thymes, has a lilac colored blossom and an aroomatic scent.

To name a few more kinds, we have the serpyllum aureus, which forms thick carpets of bright golden green. The shade is shy bloomer called Golden Thyme, the T. more intense in spring or fall. The Crimson Thyme, coccineus, gives floral color that is quite showy and of a deeper tone of lavender than most of the other Thymes. The very low Woolly Thyme, lanuqinosus, has soft gray felt-like foliage but as it is a rather difficult garden subject, is not too reliable for general purposes. The shallow roots are not tenacious and so requires a sheltered position and one not too hot and sunny.

The White Creeping Thyme, serpyllum alba, is the most lovable of all the carpeters. Drifts of white flowers almost completely cover the plants in the spring and over a long blooming period, with frequent reoccuring cycles on into the late fall. Even when the dainty pure white blossoms are absent, this Thyme looks extremely attractive. The very tiny leaves form a close and low mat which clings securely to the ground as it rambles and spreads into large patches of the brightest green obtainable in any kind of plant, tree or shrub.

In repotting the old ball of earth should always be potted level with the surface, never above or below.

FLOWER SEEDS FOR THE FLORIST

Hybrida:

Giants of California

-Ruffled Monsters -Ramona Strain

SALVIA splendens:

-Blaze of Fire ..

-Ertra Dwarf Giants -Dark Shades -Light Shades

Prices quoted are per pound, unless otherwise stated. 4 ounces or over at the pound rate. Ounce lots at 1/10 the pound rate; ¼ ounce or over at the ounce rate,

rate; ¼ ounce or over at the ounce all prices postpaid.	
no- n	ound 25:00
AGERATUM Blue Cap	22.00
ALYSSUM Carpet of Snow	6.00
-Little Gem	6.00
ASTERS	14.00
Giants of California Blend	14.00 19.00
Crego Blend	6.00
Giant Branchng Blend	7.00
Queen of the Market	7.00
—Seperate colors	8.00
-All varieties	6.00
—All varieties —Double Crested Mixed —Any variety —Orange Flare —Orange Bufflee	15.00 18.00
-Orange Flare	5.00
-Orange Ruffles -Yellow Flare	5.00
DAHLIA Coliness Hybrids —Unwin's Ideal Bedding	13.00 16.00
DELPHINIUMS	
-Rive Rive Covies	60.00
—Blue Jay Series —Camelaird Series —Galahad Series	60.00 60.00
Galahad Series King Arthur Series Round Table Series Summer Sking Series	60.00 60.00
-Round Table Series -Summer Skies Series	60.00
DIANTHUS plumarius Single —Heddewigii Blend	8.00
Heddewigii Blend	5.00
—paniculata	2.50 4.00
——Double Snowwhite	4.00
-Sun Gold	4.50
HOLLYHOCK Chater's Blend	
IPOMOEA Blue Star	8.00 7.50
Scarlet O'Hara	4.00 5.50
KOCHIA Childsii	2.50
LARKSPUR:	
-Super Majestic Blend -Any Color	6.00 6.00
-Giani Imperial Blend	6.00 6:50
Tall Double Stock Flowered Blend Rosamond All other varieties	5.00 8.00
-All other varieties	6.00
LOBELIA Blue Stone Emperor William Crystal Palace	24.00
-Crystal PalaceSapphire, trailing	18.00
MARIQOLDS	24.00
Tall African Double Mixed	8.50
-Lemon Queen	12.50
Carnation Flowered Blend	8.00
Burpee GoldMaylingYellow Supreme Double Harmony French	8:00
Double Harmony French	
Coronet	6.00 5.00
Melody Spotlight Hybrids	5.00 5.00
Extra Dwarf French —Midget	7.00
—Sprv	7.00 7.00
-Sunkist -Yellow Pigmy -Blend	7.00
Dwarf Single French	
Dwarf Single French	5.00 7.00
-Red Head	
Sunny Mixed	6.50
NASTUURTIUM Semi Double Gleam	2.50
-Any variety	2.50
PANSY Swiss Giant Blend	65.00
•	

nadiance	29.00
-Rose King	15.00
Howard's Siar	35.00
White King	15.00
-Best Blend	17.00
Nana Compacta:	
-Bright Eyes	40.00
-Celestial Rose	30.00
-FIRE CHIEF	87.00
Rose of Heaven	25.00
—Snowball	30.00
-Twinkles	40.00
-Blend of bright varieties	25.00
Balcony Type:	
-Most all varieties	20.00
-Blend of bright colors	25.00
	25.00
Grandiflora single Fringed:	
-Fluffy Ruffles	28.00
—Blend	26:00
Grandiflora Single Plain:	
-White Queen	26.00
-Flaming Velvet	26.00
—Blend	26.00

PETUNIA

—Bonfire —Splendens, tall	
ZINNIA	
Dahlia Flowered Blend	
Giants of California Blend	
Lilliput or Pompon, Blend	6.00 6:00

PIONEER SEED COMPANY Dimondale, Michigan, U.S.A.

CLEMATIS VINES

There are some 200 species in this genus, mostly ornamental vines or erect perennials, some of which are woody. They are mainly native of the Northern Hemisphere. The following: C. flammula (Plume Clematis), C. vitalba, (travelors-joy) and C. viticella, the Italian Clematis, are generally grown in the South. The first makes a good wild life food vine as well as a cover and the second is a handsome climber.

The germination of Clematis seed is not any too well understood but there is no doubt an embryo dormancy exists and thus it is recommended that the seed be stratified in moist sand or peat at above freezing for 1-3 months and then plant to their permanent seed beds.

Where any quantity of seed is sown, as would be the case in a nursery, it is recommended that they either be sown in the fall or stratified over winter and sown early in the spring. The seed bed soil should be a rich light loam, well drained, to which a limited amount of lime has been added. The offer of Clematis plants made this month and in last month's issue contains many hard to find species as well as varieties and offers an opportunity for anyone wishing to make a collection of this beautiful

FRUITLESS MULBERRY

Mrs. Beatrice Hoffacker of Mich. asks about a fruitless Mulberry of which they have one plant. We do not know of this tree, does any reader?

The pods of Rue may be cut off and dried for winter boquets.

Ericaceaous plants thrive quickly when their roots are in contact with peat.

ASSIFIED ADVERTISMENTS

PER OUNCE

PER POUND

36.00 36.00

38.00

We wish to make this classified section of special value to our readers who may have plants, roots or any other item that they wish to sell or exchange. The charge will be 20¢ per line of seven words, per insertion; four insertions

at price of three. When offering plant material know your nursery laws.

PLANTS FOR SALE

AFRICAN VIOLET LEAVES. 12 for \$1.00 named varieties, plants 3 to 6 in. tall 3 for \$1.00, my choice. Gypsy Series leaves 20¢ each 7 for \$1.00; plants 2 for \$1.00. Roseonna leaves 3 for \$1.00; Please add 25¢ postage. Mrs. Sophia M. Baker, 2733 S. E. 35th Place, Portland, 2, Ore.

CUTTINGS: \$1.50 per dozen; house plants mixed or Begonias or Sweet Scented Geraniums, Mints, herbs, wild ferns; prepaid. Mrs. H. C. Sanborn, RFD 1, Thetford Center, Vt.

ford Center, vi.

COLEUS CUTTINGS, RARE AND FANCY varieties; 50 assorted cuttings \$1.00 plus 20¢ postage. Sultana cuttings same price. A. T. Linder, 521 Nathan Hale Rd., West Palm Beach, Florida.

AMARYLLIS BULBS

AMARYLLIS GIANT HYBRIDS, mixed colors bulbs, also seedlings, offspring of Dutch and Mead strain. Prices on request. Philip Pate, Kissimmee, 14, Florida. 20

DAHLIA ROOTS

DAHLIA TOES. List your Dahlias in the in this section NOW. It pays.

SEEDS FOR SALE

HERB SEEDS AND PLANTS: We specialize in raising herb seeds and grow all popular and many rarer kinds. Also field-grown perennial herb plants. Our descriptive folder lists many varieties at reasonable prices. PLANTATION GARDENS, RFD 2. Box 193, Lynchburg, Virginia.

DAYLILY SEEDS hand pollinated from choice hybrid reds, rose, pastels. Fresh seed (mixed only) 10 for 30¢; 40 for \$1.00. Ffoulkes, 610 Bryan, Jacksonville, 2, Fla.

RARE PLANTS. If you grow rare plants you will find these colums your best outlet. Try a small ad and see.

TREE AND SHRUB SEEDS: We carry in season over 800 tree and shrub seeds; if you need these seeds be sure you get our list. Pioneer Seed Co., Dimondale, Mich.

BEAUTIFUL INDIAN ORCHIDS Himalayan Flower Bulbs, Anemone, Sternbergia, Iris, Tulips, Unusual charming seeds. G. Ghose & Co. Townend, Darjeeling, India.

GLADIOLUS BULBS

GLADIOLUS BULBS. List your surp bulbs in the classified; it will pay you.

MAKE USE OF THE CLASSIFIED SECTION - IT'S YOURS

The Saxifrages

The Saxifrages are an indispensable part of every rock garden, and rightly so, for their varied rosettes in green or grey, and delightful flowers, make them among the choicest of all rock plants. They have never become as popular as they should in this country, being all too often regarded as difficult, or even ungrowable. Such is far from the truth, at least for the northern states; the difficulty probably comes from trying to handle them as the English do, in too sunny and dry exposures. Saxifrages are very shallow rooted and extremely sensitive (in spite of their hard and enduring appearance) to heat and drought. Grow them in light shade and see that they never dry out, and the problem is solved, at least for most species.

The easiest from seed, germinating quickly and forming flowering plants in a single season are the beautiful Mossies. These make domes of rather open rosettes of muchslashed green leaves, over which on stems of 4 to 12 inches, are a profusion of cupshaped flowers over half an inch across in late spring, varying in color from white through pink to fairly deep reds. Growing from seeds, the writer, has had no trouble and from a single packet the garden is populated with a wealth of delightful and varied plants. These may not be as good as the named varieties in some respects, but they are an endless source of pleasure

The Mossies seem to like a fairly rich soil such as suits many Primulas and a fair amount of shade, though an occasional seedling will prosper in the sun.

The Encrusted types requires a gritty soil and fairly sharp drainage, but the essentials are light shade and moisture. These make compact rosettes of grey leaves, greengrey, blue-grey or just plain grey, with a beading of silver along the edge of each leaf. This beading is made up of tiny pits containing lime, from which it would at once be deduced that the plants require lime, but such is not the case, though most will be somewhat happier in a lime soil. In size the rosettes vary from 1/4 to 6 inches across, and quickly spread into fairly broad mats or humped domes. The leaves may be very narrow or fairly wide, straight or spoon-shaped. The flowers are plentiful on stems of 2 to 12 inches, pure white, white with red dots, pink or rarely yellow. This group hybridizes very freely and a packet will give quite a variety of types, regardless of the seed parent.

The Kabschias are the choicest of this huge family, making very tiny rosettes of leaves quite varied in shape, and bearing one or more flowers on almost negligible stems. In many varieties the individual flowers are larger than the rosettes that produce them! The color range is extensive, from pure white through yellows and soft pinks to reds and purples. This group prospers under the same conditions as the encrusted group, but being so much smaller and even more shallow-rooted, needs more careful attention.

There are many other types of Saxifrage, extremely varied in appearance, but the ones mentioned above complete the choicest and best

PERSEA BORBONIA

A slender evergreen tree from 20 to 30 feet high and found from Delaware to Florida in moist soils; handsome laurellike foliage and small blue-black fruits. horrilus: (HORR-id-us), horrid or spiny.

POPPIES - POLYGONUM

1011125 102100110111
NOLINA. (nol-LYE-nuh) Liliaccae. A dry country or desert plant producing a tree-like trunk; small whitish flowers; stiff linear lvs; for warm sections.
—longifolia. (Dasylirion longifolium) 10 ft; Mexico
POPPY. PAPAVER (pa-PAY-ver) Papaveraceae. Common name for the genus Papaver (pap-PAY-ver). These beautiful flowers come in both annuals and perennials, in a good color range, and flowers that are really gorgeous. Easily grown from either late fall or early spring sown seeds, where plants are to grow. The annuals especially resent transplanting. —alpinum. Alpine P. Nearly stemless: white or yellow fis; 10"; HP. POPY-2. 25¢—bracteatum. Blood-red fis; hairy; 3 ft; HP. POPY-10. 15¢—cardinale fl. pl. Cardinal P. Double, red fis; HA. POPY-112. 15¢—glaucum. Tulip Poppy. Deep scarlet, 4" ac; 2 ft; Persia; HA. POPY-12. 15¢—glaucum. Tulip Poppy. Deep scarlet, 4" ac; 2 ft; Persia; HA. POPY-12. 15¢—diateriteum. rBoad petalled brick-red fis; hairy; 2 ft; HP. POPY-22. 25¢—Mairei. Hardy Poppy from Atlas Mts; anthers black; fis rose oor white POPY-25. 25c—Mairei. Hardy perennials with huge flowers in varied color range. The seed does not come entirely true but the varied colors resulting from good seed, is very interesting. Seedlings have a more robust growth than the vegetatively increased plants. —Beauly of Livermore. Reselected huge crimsons. POPY-30L. 15¢—Brilliant. Bright fiery red. POPY-30L. 15¢—Wictoria. Beautiful salmon-pink with black blotch. POPY-30V. 15¢—Mixed. All P. orientale varieties mixed. POPY-30V. 15¢—Mixed. All P. orientale varieties mixed. POPY-30V. 15¢—Mixed. All P. orientale varieties mixed. POPY-30V. 15¢—Conara Pink. Gorgeous rose tints, soft pink to deep rose 18"; HP. POPY-28L. 15¢—Conara Pink. Gorgeous rose tints, soft pink to deep rose 18"; HP. POPY-28L. 15¢—Gisson Giants. Crinkly petals, ideal cut fl if cut in bud; 2-3 ft. POPY-28L. 15¢—Gisson Giants. Lovely orange, huge flowers. POPY-30V. 15¢—Sunbeam Improved strain of these beautiful Poppies. POPY-28L. 15¢—Sanford's Giants. Immense fis on stiff stems; veried color range. POPY-28L. 15¢—Sanford's Giants. Immense fis on stiff stems; veried color range. POPY-28L. 15¢—Helenand Poppies Mixed. A truly gorgeous blend. ½ 2 oz 40¢ POPY-28M. 15¢—Carafion F
Dazzler. Double orange-scarlet; beautiful. —Gaiety. White with pink edge, showy and dainty. —Ryburgh Hybrids. Do Anemone-fl satiny shades of white, pink,rose. —Orange King. Beautiful deep orange. —Rembrandt. Beautiful mahogany red. —Renunculus. Double Mixed. —Rev. Wilk's Strain. Single fls in beautiful colors. —POPY-38R. 20¢ —Rav. Wilk's Strain. Single fls in beautiful colors. —POPY-38W. 15¢ —Salmon Shades. Very pretty. —Salmon Shades. Very double flowering —POPY-38S. 15¢ —Sweet Briar. Double Begonia-fl, pretty wild rose pink. —Sweet Briar. Double Begonia-fl pretty wild rose pink. —Shirley Poppy Blend. All colors and types mixed. —POPY-38X. 15¢ —Double Shirley Blend. Double varieties only. —POPY-38X. 15¢
POLYGALA. (poh-LIG-ah-lah) MILKWORT. Polygalaceae. Most are tender annuals and perennials; grown under glass in N. Plant in light soil. and partial shade. A few are natives of N. America. —apopetala. Lge pink fis 35" ac; 10 ft. in Cal; Sh
POLYGONUM. (poh-LIG-oh-num) KNOT-WEED, FLEESE FLOWER. Polygonaceae. A large genus of annual and perennial greenhouse and hardy plants, variable in habits. Easy to grow; plant annuals in open ground early. —amplexicaule. Pretty; spikes of small rose-pink, white fls; 3-4 ft; HP POLY-4. 25¢ —emodi. —orientale, Rubin. Interesting cut fl or border plant; red fls; 1½ ft; HA POLY-15. 15¢ —macrophylum
POLYPTERIS. (pol-LIP-ter-iss) OTHAKE. Compositae. Erect plants with rose-purple or flesh colored, radiate heads in loose panicles. —Hookeriana. Fl heads 1" ac; rays rose-red; pretty cut flower
PORTULACA. (port-yew-LAY-kuh) MOSS ROSE, PURSLANE. Portulacaceae. Perennials but usually treated as hardy annuals in the North. They are low growing fleshy stemmed plants having brilliant large showy flowers in many bright colors. They are sun loving plants and do fine in the hottest spots, where other flowers would die. Sow seeds in April, where they are to grow; 2-3 inches tall. They make pretty beds. —grandiflorum fl. pl. Moss Rose. Double fl form; rose, red, yellow, white PORT-1DX. 20¢ —Single Mixed. Showy single fls; large petals
POTENTILLA. (poh-ten-TILL-uh) CINQUEFOIL. Rosaceae. Grown mostly for the border and rockery and nearly all hardy plants. They are not hard to grow. —Double French Hybrids. —Double French Hybrids. —Cibsoni. Scarlet flowers —tonmentillo-formosa. (Tonguei) Prostrate; yellow fis; HP. POTL-127. 35¢ Potentilla Continued in next booklet
PRITCHARDIA felefera: see Washingtonia filifera. Fan Palms.
DIONEED CEED COMPANY DIMONDALE MANAGEMENT

DIMONDALE MICHIGAN

ALL GARDEN AND MEDICINAL HERB SEEDS

(Continued from Inside Front Cover) sown early in the spring in rich soil, the leaves are ready in late mid-summer; being hardy they will be ready for use in the spring following cutting before flower stems develope. Pkt. 15¢; Oz. 30¢; ¼ lb. 80¢

CRESS. True Water

Nasturtium officinalis) Low trailing perennial growing in wet ground and springs, easily grown from seed and is best for greens in early spring or fall.


Pkt. 20¢;Oz. 90¢

(Anethrum graveolens) Parsley Family grown for its seeds, which are used in flavering of dill pickles. Sow early in the spring or late in fall, in rows 18" apart, thinning to 8-10 in. in row. When ripe cut the heads, drying them on canvas and then thrashing out the seeds, which can be stored in cloth bags in a dry place.

Pkt. 10¢; Oz. 25¢; 1/4 lb. 40¢

FENNEL, Long Sweet

(Foeniculum vulgare) A hardy perennial grown as an annual for its aromatic seeds and fragrant young leaves, both used in flavoring; seeds are slow to germinate, so sow early in the spring, give full sun any ordinary care. Pitt. 15¢; Oz. 50¢—Florentine. (F. vulgare, var. dulce) Has greatly enlarged leaf bases from a bulblike base, 3-4 in. in diameter; the bulbs are blanched by covering with earth and then cooked as a vegetable but the stalks which resemble Anise-flavored Celery, can be eaten raw. Make plantings every two weeks, growth rapid. Pkt. 20¢; Oz. 60¢



SWEET FENNEL, Sicily

Large Sweet Broad Bottom. Similiar to Florentine or Florence Fennel, and having a very broad base or 'apple', is extra tender. Pkt. 15¢; Oz. 30¢; ½ 1b. 85¢.

HOARHOUND

(Marrubium vulgare) An aromatic perennial with woolly white foliage and whitish flowers; used mainly in flavoring candies; plant thrives in dry soil.Pkt. 20¢

HYSSOP (HIS-up)

HYSSOP (HIS-up)
(Hyssopus officinalis) Hardy perennial herb or sub-shrub grown as a culinary and medicinal herb and as an ornamental; grown from seed sown early in spring or late fall; transplant in early summer to 12-18 inches apart; limber 12-18 of the soul best.

Pkt. 15¢ Oz. 50¢

LAVENDER, absinthium.

Shrubby plant and grown as a source or absinthe; hardy and easily grown.

Pkt. 15¢; Oz. 50¢

LAVENDER, True. (Lavendula spica) Not real hardy in N. and must be protected with a good mulch of straw; they develope their best



fragrance if grown in a dry, light, limey friable soil in full sun, the soil not too rich. Grown for an ornament as well as for its leaves which are dried, giving off its rich fragrance for which it is valued. Start early in spring indoors or try planting it outdoors in Nov. Pkt. 25¢; 3 for 55¢

(Allium porrum) A hardy biennial with a mild onion flavor, grown for its thick leaves and stems and used as asparagus or for seasoning soups and meats dishes. Sow early in spring in a seed bed, transplanting when 3" tall, 1-2 in. apart in flats; plant in light rich moist but well drained soil in rows with the plants 12-15" apart, setting them half their height in soil and gradually draw earth around stems as they grow. The plants can be dug for winter use, placing them in a cold frame or cool cellar, having a low temperature. Pkt. 15¢; Oz. 40¢; 1/4 lb. \$1.60.

LOVAGE

(Levisticum officinale) A perennial herb growing to 6 ft. with glossy dark green Continued on Page 123 can and greenish-yellow flowers in umbels, hardy as far N as Pa. and Ill., best in deep rich soil, easy to grow. Cultivated for its aromatic fruits. Pkt. 15¢

RHUBARB

(Rheum rhaponticum) White Rhubarb is commonly increased by division of the root, growing it from seed is a much easier method, cheaper and above all plants from seed are much stronger and better growsers. It comes very true to type as well. Sow seed early in the spring, growing them in a rich soil, transplanting them as they get size and finally set out in rows 4-5 ft. apart both ways. They stand a good amount of manure.

—Golath. A red stem variety that is used very much.

Pkt. 15¢; Oz. 25¢; ½ 1½ 1b. 80¢

-Queen Victoria. A popular English var Pkt. 15¢; Oz.25¢; ½ lb. 80¢

ROCKET-SALAD

(Eruca sativa) Roquette. It is used as reens. Pkt. 15¢; Oz. 45¢ greens.

(Rosmarinus officinalis) A hardy shrubby (Rosmarinus officinalis) A hardy shrubby plant grown chiefly for its aromatic leaves used in seasoning as well as an oil used in medicines. Grows 6 ft. and lasts for years with a little winter protection; prefers dry, well drained soils

Pkt. 25¢;....Oz. \$1.60.

(Ruta graveolens) A perennial shrubby plant to 3 ft. with yellowish flowers; has medicinal properties as well as ornamental.

Pkt. 25¢

SWEET BASIL

(Ocymum basilicum) Easily grown tender annual, I ft. Leaves delightfully clove-scented and used either green or dried in seasonings soups, salads, cottage cheese, chopped meats or sausages. Plant 6-10" apart, thrives in light, warm soils. Cut in undles to dry. Plant can be potted for winter growing.

Pkt. 15¢: Oz. 45¢.

(Salvia officinalis) Hardy perennial, easily grown; plant early in spring or in Nov. The leaves are dried and used as seasoning in meats, sausages, stuffings and cheeses. Space 2½-3 ft.


Pkt. 15¢; Oz. 30¢. SAVORY, Winter

(Satureja montana) A perennial herb or sub-shrub that is grown and used much like the Summer Savory. Pkt. 15¢....Oz. 65¢

SAVORY, Summer

(Satureja hortensis) Hardy annual and very useful culinary herb, the aromatic leaves being used, either green or dried, soups and stews. Start seed in pans on account of their small size, transplanting as soon as large enough, spacing 15 inches apart; thrive in a good garden soil and full sun. It is very famous for its flavor in green string beans and should be grown in all bean sections. Pkt. 15¢:...Oz. 45¢.

(Continued on Back Cover)



PIONEER SEED COMPANY - DIMONDALE, MICH.

HERB SEEDS OF ALL KINDS



(Continued from Inside Back Cover) SCORZONERA (skaur-zoh-NEE-rah (Cynara Cardunculus) A tall and strong nial herb grown as an amual for its long slender roots known as Black or Spanish Salsify. The young leaves can also be used in salads. Grow it the same as for Parsnips or Salsify.

Pkt. 15¢....Oz. 35¢;....1/4 lb. \$1.25.

SCURVEY GRASS

(Cochlearia officinalis) A small herb of Mustard Family grown for its medicinal properties also as a salad; prefers cool and partially shaded soil.

Pkt. 15¢

SORREL, Mammoth Lyon
(Rumex. Low growing perennial with
sour leaves used in salads or to flavor
salads. This is an improved variety much
used in France and well worth growing
where a market is available.

Pkt. 15¢; Oz. 45¢.



(Origanum marjorana) Perennial best grown as an annual in the N; leaves used green in summer and dried for winter, excellent for salads when green and for excellent for salads when green and for seasoning soups, meats, poultry and cheese

when dried. Seeds are small and best started in seed pan and transplanted out, 12-15" apart. For drying geather leaves just before they flower.

Pkt. 20¢;....Oz. 35¢.

TANSY, French

(Tanacetum vulgare) Common Tansy, perennial to 3 ft.,grown in the garden for ornament, in herb gardens for its medicinal properties and flavoring, easily grown.

Pkt. 15¢;...Oz. 80¢.

THYME

(Thymus vulgarus) A hardy perennial growing to 8" tall with lavender flowers, grown both for ornament in border or rock garden and for its flavor, the fresh tops being used in garnishing and the leaves, either dried or fresh, chopped and used in a wide variety of cooked foods. Easily grown in ordinary garden soil, spacing 10-12 inches apart.

Pkt.15¢;...Oz. 45¢.

WORMWOOD

(Artemisia vulgaris) Mugwort orMother Wort. Tall plant with stems often purple and leaves fragrant, green above and white beneath, flower heads yellow in spikes. Plants are aromatic, the tops and leaves being the parts dried; perennial. Pkt.20¢



MOUNTAIN SPINACH

(Atriplex hortensis) An annual which is sown in the open in March or April in drills. Thin the seedlings when they have made 3 or 4 leaves, after which they require no further attention except watering in dry weather. The leaves are eaten boiled like Spinach. Oz. 35¢....ATRI-4. 15¢

CARDOON, Spanish

(Scorzonera hispanica) Herbaceous perenvariety, chiefly grown in the South; large broad ribbed leaves. It is not spiny but the ribs are not so solid as those of other sorts.

Oz. 40¢ CYNA-1. 15¢ WINTER PURSLANE

(Montia perfoliata) The leaves are eaten like those of Purslane, either raw or boiled. Annual, 4-12 inches. MONT-4. 15¢

MERCURY

MERCURY (Chenopodium Bonus-Henricus) A good hardy perennial. Sow seeds in the spring in a seed bed and transplant once before setting out in the garden. The leaves are eaten like Spinach or the shoots may be



blanched by earthing them up and use like Asparagus a couple weeks before the latter comes in. Oz. $40\,e$ CHEN-5. $15\,e$

PURSLANE, Golden

(Portulaca oleracea v. sativa) An extra large "pusley", the leaves of which at least double those of other kinds and grow closer together. It does not grow as rapidly but is more productive. Best for market gardeners, where "pusley" is sold on the market. Oz. 50¢ PORT-4G. 15¢

BROCCOLI, Thousand Headed

In this variety the stem is usually divided into a number of branches bearing large leaves. Although not so tall, it is considered at least as productive, but less hardy than the Jersey Tree Kale.

Pkt. 15¢; Oz. 50¢

CABBAGE Schweinfort Drumhead

Summer or autumn variety attaining a diameter of 20 inches or more, rather soft and often tinged brown. It is early and when sown in April, may be cut in September.

Pkt. 15¢; Oz. 50¢

MUSKMELON, Green Climbing

A French variety that is ideal for growing on a trellis. Fruits oblong, 3-4 in. in diameter, deep green, slightly dotted with pale green with faintly marbled ribs. The flesh is green, very melting, exceedingly juicy, sweet and flavored. An early kind.

Pkt. 15¢; Oz. 35¢

WELSH ONION

The Welsh Onion does not form a bulb like other Onions but only a small enlargement at the base of each shoot. This variety is coppery red, productive, comparatively hardy and is the most generally grown. It is especially good for bunching onions and should be tried by those growing onion sets for green Onions. Sow the seed from February to May, same culture as Onions. Pkt. 15¢; Oz. 50¢

NOTE: This list will be continued in next booklet; there are many rare and new booklet; there are many rare and ne herb and vegetable seeds to be listed yet.

PIONEER SEED COMPANY - DIMONDALE, MICH.